



Product Information

PRO GRADE™ AEROSOL TEXTURES



4592 Pro Grade™ Aerosol Wall Texture, Orange Peel, Water-Based 25 oz

Get professional results in the convenience of an aerosol. Homax® Pro Grade™ Wall Texture provides a better match with less hassle, less mess and in less time than a traditional gun and hopper.

- Delivers an Invisible Repair™
- Control of a hopper gun in the convenience of an aerosol
- Match and repair interior orange peel wall textures
- Ergonomic grip reduces fatigue
- Adjust spray tip and pressure for improved control
- Advanced water-based formula: tinted, no prime, low odor, easy cleanup
- Ready to paint in 30 minutes. Covers up to 125 sq. ft.

| CASE | QTY | WT | L | W | H | CU |
|---------------|-------------|---------|----------------|--------|---------|---------|
| ITEM | 6 | 13.0200 | 8.5000 | 6.0000 | 14.0000 | 0.413 |
| | QTY | WT | L | W | H | |
| | 1 | 2.1700 | 2.5000 | 2.5000 | 13.0000 | |
| | UPC | ITF | | | | TI X HI |
| | 41072045926 | | 10041072045923 | | | 4 x 39 |
| Freight Class | 55 | | | | | |



4555 Pro Grade™ Aerosol Wall Texture, Orange Peel, Oil-Based 25 oz

Get professional results in the convenience of an aerosol. Homax® Pro Grade™ Wall Texture provides a better match with less hassle, less mess and in less time than a traditional gun and hopper.

- Delivers an Invisible Repair™
- Control of a hopper gun in the convenience of an aerosol
- New oil-based formula: Fast dry, tinted, lower odor, no prime
- Adjust spray tip and pressure for improved control
- Ergonomic grip reduces fatigue
- Match and repair interior orange peel wall textures
- Ready to paint in as little as 5 minutes. Covers up to 125 sq. ft.

| CASE | QTY | WT | L | W | H | CU |
|---------------|-------------|---------|--------|----------------|---------|---------|
| ITEM | 6 | 13.2500 | 8.6250 | 6.0000 | 13.0875 | 0.392 |
| | QTY | WT | L | W | H | |
| | 1 | 2.2083 | 2.5000 | 2.5000 | 13.0000 | |
| | UPC | ITF | | | | TI X HI |
| | 41072045551 | | | 10041072045558 | | 4 x 39 |
| Freight Class | 55 | | | | | |



4565 Pro Grade™ Aerosol Wall Texture, Knockdown, 25 oz

Get professional results in the convenience of an aerosol. Homax® Pro Grade™ Knockdown Wall Texture provides a better match with less hassle, less mess and in less time than a traditional gun and hopper.

- Delivers an Invisible Repair™
- Control of a hopper gun in the convenience of an aerosol
- Match interior knockdown wall textures
- Ergonomic grip reduces fatigue
- Adjust spray tip and pressure for improved control
- Advanced water-based formula: tinted, no prime, low odor, easy cleanup
- Covers up to 75 sq. ft.

| CASE | QTY | WT | L | W | H | CU |
|---------------|-------------|---------|----------------|--------|---------|-------|
| | 6 | 13.0200 | 13.8750 | 5.7500 | 13.5400 | 0.625 |
| ITEM | QTY | WT | L | W | H | |
| | 1 | 2.6250 | 2.7500 | 2.6250 | 13.0000 | |
| | UPC | | ITF | | TI X HI | |
| | 41072045650 | | 10041072045657 | | 4 x 39 | |
| Freight Class | 55 | | | | | |



4575 Pro Grade™ Aerosol Popcorn Ceiling Texture, 14 oz

Get professional results in the convenience of an aerosol. Homax® Pro Grade™ Popcorn Ceiling Texture provides a better match with less hassle, less mess and in less time than a traditional gun and hopper.

- Delivers an Invisible Repair™
- Replicates polystyrene, perlite or other popcorn type ceiling aggregates
- Up to 4x faster than a gun & hopper
- Up to 4 times the coverage of traditional aerosols
- Patented Pro Grade ergonomic grip for comfort
- Updated trigger enables more controlled application
- Integrated safety lock to store and reuse leftover texture

| CASE | QTY | WT | L | W | H | CU |
|---------------|-------------|--------|--------|----------------|---------|---------|
| ITEM | 6 | 9.9000 | 8.8750 | 5.8750 | 12.7500 | 0.385 |
| | QTY | WT | L | W | H | |
| | 1 | 1.5200 | 2.7500 | 2.7500 | 11.7500 | |
| | UPC | | ITF | | | TI X HI |
| | 41072045759 | | | 10041072045756 | | 4 x 39 |
| Freight Class | 55 | | | | | |

TEXTURE TOOLS



2213-06 Knockdown Knife

The Homax® Knockdown Knife creates a smooth, professional finish without those dreaded knife lines due to a specially designed soft edge. Helps to create a seamless repair and professional finish.

- Soft edge drywall knife
- Lightweight styrene construction
- Easy to clean

| CASE | QTY | WT | L | W | H | CU |
|---------------|--------------|-------|--------|----------------|--------|---------|
| | 12 | 2.050 | 6.2000 | 8.8000 | 7.5000 | 0.290 |
| ITEM | QTY | WT | L | W | H | CU |
| | 1 | 0.117 | 0.8750 | 7.5000 | 7.3125 | 0.028 |
| PDQ | QTY | WT | L | W | H | |
| | 12 | 1.800 | 6.0000 | 8.6000 | 7.3000 | 0.218 |
| | UPC | | | ITF | | TI X HI |
| | 041072022132 | | | 10041072022139 | | 4 x 30 |
| Freight Class | 85 | | | | | |



6104 Popcorn Ceiling Scraper

Designed for removing unwanted popcorn ceiling texture. A typical 10' x 10' ceiling can be completed in 30 minutes. Unique bag attachment captures texture as it is scraped away.

- Patented design prevents gouging of ceiling surface
- Connects to standard threaded extension pole
- Captures the mess for easy disposal

| CASE | QTY | WT | L | W | H | CU |
|------------------|------|-------|----------------|--------|---------|-------|
| | 4 | 4.900 | 12.5000 | 7.8750 | 11.0000 | 0.627 |
| | ITEM | QTY | WT | L | W | H |
| | 1 | 0.890 | 12.0000 | 2.2500 | 9.7500 | |
| | PDQ | QTY | WT | L | W | H |
| | | | | | | |
| | | | | | | |
| UPC | | | ITF | | TI X HI | |
| 04107204061001 | | | 20041072061005 | | 18x4 | |
| Freight Class 85 | | | | | | |

PAINT ADDITIVES



8474 Paint Texture, Sand, 6 oz

Add to any interior paint and roll on to create a subtle decorative sand finish on walls and ceilings. The easiest way to cover problem surfaces while enhancing the appearance of a room.

- Texture and paint in one easy step
- Medium aggregate creates decorative sand finish
- Mixes with 1 gallon of paint

| CASE | QTY | WT | L | W | H | CU |
|---------------|-----|----------------|---------|--------|--------|---------|
| ITEM | 6 | 3.720 | 14.2500 | 9.5000 | 8.7500 | 0.685 |
| | QTY | WT | L | W | H | |
| | 1 | 0.620 | 4.7500 | 4.5000 | 8.2500 | 0.102 |
| UPC | | ITF | | | | TI X HI |
| 041072084741 | | 10041072084748 | | | | 7 x 10 |
| Freight Class | 050 | | | | | |



8452 Paint Texture, Stone, 10 oz

Add to any interior paint and roll on to create a heavy aggregate finish. Ideal for covering problem surfaces while enhancing the appearance of a room by adding a decorative effect.

- Texture and paint in one easy step
- Coarse aggregate creates dramatic texture finish that helps to hide surface imperfections
- Mixes with 1 gallon of paint

| CASE | QTY | WT | L | W | H | CU |
|-------------------|------|----------------|---------|--------|--------|---------|
| | 6 | 5.210 | 14.2500 | 9.5000 | 9.0000 | 0.705 |
| | ITEM | QTY | WT | L | W | H |
| | 1 | 0.868 | 4.7500 | 4.5000 | 8.2500 | 0.102 |
| | UPC | ITF | | | | TI X HI |
| 41072084529 | | 10041072084526 | | | | 7 x 10 |
| Freight Class 050 | | | | | | |



Product Information

PATCH & REPAIR



5563 Spray Spackling, 8 oz

Repair holes, cracks and gouges in drywall with less mess! Homax® Spray Spackling has an Innovative Dispensing System for even spray and easy build of spackling material. Easy-to-hold can has an ergonomic actuator with a wide and flat push button. Improved formulation provides a smooth, less visible drywall patch. Sandable, paintable and won't dry

- Improved formulation, easier to feather
- Easy to build, easy to hold
- One 8 oz. can covers two 4"x 4" patches

| | | | | | | |
|---------------|-------------|----------------|--------|--------|--------|---------|
| CASE | QTY | WT | L | W | H | CU |
| | 6 | 4.865 | 7.50 | 5.000 | 8.50 | 0.184 |
| ITEM | QTY | WT | L | W | H | |
| | 1 | 0.760 | 2.3750 | 2.3750 | 7.7500 | 0.025 |
| PDQ | QTY | WT | L | W | H | |
| | 1 | | | | | |
| | UPC | ITF | | | | TI X HI |
| | 41072055635 | 10041072055632 | | | | |
| Freight Class | 55 | | | | | |



5504 Wall Patch, 4 x4"

Easily repair damaged walls and ceilings using a steel and mesh wall patch that offers superior strength for a permanent repair.

- Self- adhesive
- Fiberglass mesh reinforced
- Galvanized steel for superior strength

| CASE | QTY | WT | L | W | H | CU |
|---------------|--------------|-------|--------|----------------|--------|---------|
| | 10 | 1.560 | 2.9000 | 6.9000 | 7.7500 | 0.090 |
| ITEM | QTY | WT | L | W | H | |
| | 1 | 0.120 | 0.13 | 6.750 | 7.00 | 0.004 |
| PDQ | QTY | WT | L | W | H | |
| | 10 | 1.900 | 2.63 | 6.700 | 7.25 | 0.074 |
| | UPC | ITF | | | | TI X HI |
| | 041072055048 | | | 10041072055045 | | 7 x 160 |
| Freight Class | 85 | | | | | |



5506 Wall Patch, 6x6"

Easily repair damaged walls and ceilings using a steel and mesh wall patch that offers superior strength for a permanent repair.

- Self- adhesive
- Fiberglass mesh reinforced
- Galvanized steel for superior strength

| CASE | QTY | WT | L | W | H | CU |
|---------------|-----|-------|--------|----------------|--------|---------|
| | 10 | 3.280 | 2.9000 | 8.8000 | 9.5000 | 0.140 |
| ITEM | QTY | WT | L | W | H | |
| | 1 | 0.280 | 0.13 | 8.400 | 9.00 | 0.006 |
| PDQ | QTY | WT | L | W | H | |
| | 10 | 3.150 | 2.63 | 8.500 | 9.25 | 0.120 |
| UPC | | | | ITF | | TI X HI |
| 041072055062 | | | | 10041072055069 | | 5 x 112 |
| Freight Class | 85 | | | | | |



5508 Wall Patch, 8x8"

Easily repair damaged walls and ceilings using a wall patch that offers superior strength for a permanent repair. Oversized patch can be trimmed with snips to fit around pipes and fixtures.

- Galvanized steel for superior strength
- Self- adhesive
- Fiberglass mesh reinforced

| CASE | QTY | WT | L | W | H | CU |
|---------------|--------------|-------|--------|----------------|---------|---------|
| | 10 | 4.830 | 4.0000 | 11.7500 | 13.0000 | 0.354 |
| ITEM | QTY | WT | L | W | H | |
| | 1 | 0.415 | 0.13 | 10.875 | 11.88 | 0.010 |
| PDQ | QTY | WT | L | W | H | |
| | 10 | 4.460 | 3.75 | 11.500 | 12.75 | 0.318 |
| | UPC | ITF | | | | TI X HI |
| | 041072055086 | | | 10041072055083 | | 4 x 120 |
| Freight Class | 85 | | | | | |



2297 Pre-plastered Wall Patch, 6x6"

Repair wall damage with this fast setting patch that hardens in minutes when activated with water. Creates a strong permanent repair on smooth, textured, curved or uneven surfaces.

- Self-adhesive flexible patch
- Can be trimmed for a custom fit
- Ideal for curved, uneven or textured surfaces, Contains 2- 6 x 6" patches

| CASE | QTY | WT | L | W | H | CU | |
|---------------|--------------|-------|--------|----------------|--------|-------|---------|
| | 6 | 0.770 | 7.0000 | 8.5000 | 1.4000 | 0.048 | |
| ITEM | QTY | WT | L | W | H | | |
| MASTER | 1 | 0.167 | 11.50 | 7.250 | 9.00 | 0.434 | |
| | QTY | WT | L | W | H | | |
| | 48 | 6.583 | | | | 0.000 | |
| | UPC | | | | ITF | | TI X HI |
| | 041072022972 | | | 20041072022976 | | | 5 x 21 |
| Freight Class | 070 | | | | | | |



5103-10-12 Wall Guard - 3-1/4"

Homax® Wall Guard is a peel-and-stick wall patch that protects walls from door knob damage. Foam backing helps absorb the impact of opening doors and helps protect walls from further damage. Can be painted or wall-papered to match existing walls.

- Protects walls from further damage
- Use in new construction, renovation or repair
- White, 3 1/4 in. diameter

| CASE | QTY | WT | L | W | H | CU |
|---------------|-----|-------|----------------|--------|---------|-------|
| | 12 | 0.870 | 6.0000 | 4.0000 | 9.0000 | 0.125 |
| ITEM | QTY | WT | L | W | H | |
| | 1 | 0.072 | 0.25 | 4.750 | 8.25 | 0.006 |
| PDQ | QTY | WT | L | W | H | |
| | 12 | 0.870 | 6.0000 | 4.0000 | 9.0000 | 0.125 |
| UPC | | | ITF | | TI X HI | |
| 041072051033 | | | 20041072051037 | | | |
| Freight Class | 070 | | | | | |




5410 Fiberglass Mesh Tape, 65 ft

2" x 65' self-adhesive tape is great for taping seams and interior drywall repairs. Stronger than paper tape, fiberglass mesh tape saves you time since it doesn't require a bedding coat of mud. Resists tearing and cracking and is ideal for repairs or remodel projects.

- Self-adhesive mesh
- Stronger than paper tape
- Easy to use and saves time

| CASE | QTY | WT | L | W | H | CU |
|---------------|--------------|-------|--------|----------------|--------|---------|
| ITEM | 12 | 3.000 | 9.4400 | 10.6300 | 3.5600 | 0.210 |
| | QTY | WT | L | W | H | |
| | 1 | 0.200 | 3.25 | 2.000 | 3.25 | |
| | UPC | ITF | | | | TI X HI |
| | 041072054102 | | | 20041072054109 | | 19 x 12 |
| Freight Class | 70 | | | | | |



6500 Drywall Taping Tool

Applies bedding mud and drywall tape in one step. A time saver that can apply 60 feet of tape and mud in 60 seconds. Helps ensure a blister free, smooth wall finish by maintaining consistent mud thickness with mud control knob feature.

- Lightweight and easy to use
- Cuts taping time in half
- Holds 500 foot drywall tape roll.

| CASE | QTY | WT | L | W | H | CU |
|---------------|--------------|--------|---------|----------------|---------|---------|
| | 4 | 14.000 | 20.0000 | 15.6300 | 11.5000 | 2.080 |
| ITEM | QTY | WT | L | W | H | |
| | 1 | 2.140 | 19.50 | 3.630 | 10.50 | |
| | UPC | ITF | | | | TI X HI |
| | 041072065009 | | | 10041072065006 | | |
| Freight Class | 085 | | | | | |



Product Information

KITCHEN & BATH REPAIR



720773 Tough as Tile EPOXY Finish- Brush On, White

Our unique one-part epoxy finish allows you to recolor and refinish your tub, sink or tile eliminating the hassle and expense of a complete bathroom remodel.

- Self-leveling Brush-On Application
- One-part Epoxy - no mixing
- Advanced technology - superior adhesion
- WHITE

| CASE | QTY | WT | L | W | H | CU |
|---------------|--------------|-------|----------------|--------|--------|---------|
| | 4 | 8.800 | 9.1000 | 9.2000 | 5.7000 | 0.276 |
| ITEM | QTY | WT | L | W | H | |
| | 1 | 2.413 | 4.25 | 4.250 | 7.63 | |
| PDQ | QTY | WT | L | W | H | |
| | | | | | | |
| | UPC | ITF | | | | TI X HI |
| | 041072207737 | | 10041072207734 | | | 20x8 |
| Freight Class | 055 | | | | | |



720771 Tough as Tile Epoxy Finish -Spray On, White

Our unique one-part epoxy finish allows you to recolor and refinish your tub, sink or tile eliminating the hassle and expense of a complete bathroom remodel.

- Convenient Spray-On application
- One-part Epoxy - no mixing
- Advanced technology - superior adhesion
- WHITE

| CASE | QTY | WT | L | W | H | CU |
|---------------|------|----------------|---------|--------|---------|---------|
| | 4 | 11.500 | 11.2000 | 6.6000 | 10.5000 | 0.449 |
| | ITEM | QTY | WT | L | W | H |
| | 1 | 2.500 | 4.41 | 5.250 | 9.50 | |
| | PDQ | QTY | WT | L | W | H |
| | | | | | | |
| | | | | | | |
| UPC | | ITF | | | | TI X HI |
| 041072207713 | | 10041072207710 | | | | 24x4 |
| Freight Class | 055 | | | | | |



2164 Porcelain Chip Fix

Porcelain Chip Fix repairs those little chips, scratches and nicks on porcelain sinks, tubs and tile with this easy to use, touch up paint. High-gloss, self-leveling, two-part epoxy looks like real porcelain.

- Fill and repair unsightly chips and scratches
- High-gloss, porcelain-like finish
- Self-leveling, two-part epoxy
- WHITE

| CASE | QTY | WT | L | W | H | CU |
|--------------------|-----|-------|----------------|--------|--------|---------|
| | 6 | 0.550 | 4.6260 | 2.6260 | 8.5645 | 0.060 |
| ITEM | QTY | WT | L | W | H | |
| | 1 | 0.450 | 2.60 | 2.900 | 9.40 | |
| PDQ | QTY | WT | L | W | H | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| UPC | | | ITF | | | TI X HI |
| 041072021647 | | | 10041072021644 | | | 147x5 |
| Freight Class 0925 | | | | | | |



5553 Appliance Touch Up Pen, White

A high-gloss, heat-resistant enamel paint in a convenient pen applicator for touching up chips and scratches on stoves, refrigerators, and other appliances.

- Felt-tip pen applicator
- High gloss enamel paint
- WHITE

| CASE | QTY | WT | L | W | H | CU |
|---------------|--------------|-------|----------------|--------|--------|---------|
| | 6 | 0.550 | 4.6260 | 2.6260 | 8.5645 | 0.061 |
| | ITEM | QTY | WT | L | W | H |
| | 1 | 0.021 | 0.8750 | 2.2500 | 8.5000 | |
| | PDQ | QTY | WT | L | W | H |
| | | | | | | |
| | UPC | | ITF | | | TI X HI |
| | 041072055536 | | 10041072055533 | | | 45x17 |
| Freight Class | 0925 | | | | | |



5850-10-06 Caulk Finisher

Create the Perfect Bead™ with a caulk tool that creates a smooth and professional caulk bead every time. The Homax tool removes excess caulk while smoothing the caulk into gaps creating a superior seal.

- Flexible rubber head forces caulk into joints and smooths
- Ergonomic handle reduces provides a comfortable grip
- Works with latex, silicone & acrylic caulk
- Perfect for applying caulk around tubs, sinks & tile

| CASE | QTY | WT | L | W | H | CU |
|---------------|----------------|-------|--------|--------|---------|-------|
| | 6 | 0.750 | 6.0000 | 3.2000 | 9.4000 | 0.104 |
| ITEM | QTY | WT | L | W | H | |
| | 1 | 0.15 | 0.0500 | 4.0000 | 8.7500 | |
| PDQ | QTY | WT | L | W | H | |
| | | | | | | |
| UPC | ITF | | | | TI X HI | |
| 041072058506 | 20041072058500 | | | | 90x5 | |
| Freight Class | 125 | | | | | |



5855-06 Caulk Remover

This unique design fits perfectly into corners to lift and remove caulk using forward and backward motions. Turn over to the flat surface to clean up film left along the edges and to prepare surface for replacement caulk. The angled tip digs into corners to lift away dried caulk without scratching surfaces.

- Won't scratch or damage hard surfaces
- Quickly removes caulk using forward and backward motion

| CASE | QTY | WT | L | W | H | CU |
|---------------|--------------|-------|--------|----------------|--------|---------|
| | 6 | 0.750 | 5.9000 | 4.8000 | 9.2000 | 0.151 |
| | ITEM | QTY | WT | L | W | H |
| | 1 | 0.08 | 1.250 | 3.250 | 8.250 | |
| | PDQ | QTY | WT | L | W | H |
| | | | | | | |
| | UPC | | | ITF | | TI X HI |
| | 041072058551 | | | 20041072058555 | | 62x5 |
| Freight Class | 150 | | | | | |



Product Information

SUNDRIES



69012 Squirrel Mixer - 5 Gallon PolyPro
5 Gallon Polypropylene-Molded Mixer with Galvanized Steel Rod

- Safe to use, container friendly.
- Excellent for use with most viscous fluids.
- 3-1/8" easy-to-clean, durable polypropylene cage.
- 5/16" solid core galvanized steel shaft.
- 19-3/8" overall length.
- Use with any variable speed drill.

| CASE | QTY | WT | L | W | H | CU |
|---------------|-----|----------------|---------|---------|---------|---------|
| | 6 | 3.700 | 22.2500 | 10.7500 | 3.7500 | 0.519 |
| ITEM | QTY | WT | L | W | H | |
| | 1 | 0.617 | 4.0000 | 4.000 | 19.2500 | |
| PDQ | QTY | WT | L | W | H | |
| | | | | | | |
| UPC | | ITF | | | | TI X HI |
| 0769430000126 | | 20769430000120 | | | | 6x12 |
| Freight Class | | 085 | | | | |



5363 CinchTite Tarp Zipper Door 7"
Tarp Zipper door is a self-adhesive zipper for tarps and plastic sheeting. 7 ft. peel and stick tarp zipper door can be added to any tarp and create an instant door. Uses include construction, remodeling, boats, RVs, camping, firewood, work areas, green houses, dust barriers and much more!

- Instant Door
- Quick Access
- Eliminates uncovering and provides outside storage

| CASE | QTY | WT | L | W | H | CU |
|---------------|-----|----------------|--------|--------|--------|---------|
| | 6 | 1.580 | 7.1000 | 6.4000 | 7.8000 | 0.205 |
| ITEM | QTY | WT | L | W | H | |
| | 1 | 0.26 | 3.2500 | 1.7500 | 7.2500 | |
| PDQ | QTY | WT | L | W | H | |
| | | | | | | |
| UPC | | ITF | | | | TI X HI |
| 041072060257 | | 10041072053638 | | | | |
| Freight Class | | 070 | | | | |



80099 EASYGATE
EasyGate - build a no sag gate in minutes. Use on fences, shed doors, or driveway gates.

- Quick & easy assembly
- Self-Squaring brackets
- No angle cuts
- Will not sag

| CASE | QTY | WT | L | W | H | CU |
|---------------|-----|--------------|---------|---------|--------|---------|
| | n/a | n/a | n/a | n/a | n/a | |
| ITEM | QTY | WT | L | W | H | |
| | 1 | 7.00 | 14.3750 | 11.3750 | 3.2500 | |
| PDQ | QTY | WT | L | W | H | |
| | | | | | | |
| UPC | | ITF | | | | TI X HI |
| 066890800991 | | 066890800991 | | | | - |
| Freight Class | | 055 | | | | |