


3M Products for Drywall Markets




Improving the Way You Work

Cleaner, Safer and more Efficient



New

3M Occupational Health and Environmental Safety Division
3M™ Noise Indicator NI-100



Easy, Durable Noise Level Detection

NEW! 3M™ Noise Indicator NI-100

The 3M Noise Indicator alerts users to potentially dangerous noise levels, helping identify areas where hearing protection may need to be worn. Users simply clip the Noise Indicator to a shirt or jacket; it's LED light delivers a clear indication when noise levels exceed a potentially hazardous threshold.

Red Flashing LED: Noise levels are above 85 dBA – hearing protection may be required.

Green Flashing LED: Noise levels are below 85 dBA – hearing protection may not be necessary.

The Noise Indicator's small size and lightweight design make it ideal for workers in a variety of industries. With a rechargeable battery that operates for up to 200 hours between charges, it's an economical investment in your employee hearing awareness program.

The NI-100 can be used as an effective training tool within a Hearing Conservation Program (consult the authority having jurisdiction in your region and/or CSA Standard Z94.2) to help ensure workers know when and where to wear hearing protection. Industrial Hygienists can also use it as a mapping tool to determine where noise studies are necessary.



Increasing noise level awareness and hearing protection use

Now you can help protect your workers' hearing by reminding them when to wear hearing protection. Many companies face challenges when it comes to educating their employees on hearing protection because:

- different areas of the workplace present different levels of hearing risk
- many workers prefer to not wear hearing protection when it is not absolutely necessary
- training employees and enforcing policies on when to wear hearing protection is an ongoing task for Safety Directors

In a variable noise environment, the 3M Noise Indicator can help train workers as to when noise levels become potentially hazardous and hearing protection may be required. It is one of the most affordable options available for monitoring noise levels, with a durable, easy to use design.



Actual size

Specifications:

Size:	5.1 cm (L) x 3.6 cm (W) x 1.3 cm (D) / 2 in (L) x 1.4 in (W) x 0.5 in (D)
Weight:	0.6 oz (17 g)
Temp. Operating/Storage:	-10 to 50°C / 14 to 122°F
Humidity Range:	0 to 95%; non-condensing
Accuracy:	3 dB
Alert Level:	Flashes red when >85 dBA / Flashes green when <85 dBA
Battery Type:	Li-Poly (flat cell) with approx. 200 hours of operating before recharging
Battery Life:	Approximately two years of charging cycles
Charging:	A mini-USB cable (sold separately) plugs into bottom port of device
Auto-Power Off:	The device will power off after approximately 10 hours

3M Noise Indicator Operation:

To turn on, press and hold button until double green/red light flashes.

- **Flashing Green** indicates noise level is below 85 dBA.
- **Flashing Red** indicates noise level is above 85 dBA and hearing protection may be needed.

**NOTE: If not manually powered off, the Noise Indicator will automatically power off after approximately 10 hours.*

Ordering:

Stock number: 70-0715-6394-7 / Case of 10 EA

IMPORTANT: For appropriate use of hearing protection, consult your company's safety professional or applicable local safety standards.

For more information, please contact your local 3M Representative, or call 3M Technical Service: 1-800-267-4414 Customer Service: 1-800-410-6880



**Occupational Health and Environmental Safety
3M Canada Company**

P.O. Box 5757
London, Ontario N6A 4T1
Canada
1 800-364-3577
www.3m.ca/safety

Please recycle. Printed in Canada.
© 2009, 3M. All rights reserved.
Used under license in Canada.
0912-08140E

3M Canada Occupational Health and Environmental Safety
Service and Technical Support Centre
1 800 267-4414

Solutions for all your Drywall Demands



3M Drywall Markets offer reliable, customized solutions that save time, require less skill, reduce costs and increase productivity. Unlike our competitors who are well entrenched in niche markets, 3M carries a more comprehensive range of better alternatives in more market segments, and is a trusted partner with industry-leading product lines.

3M provides local technical service support and is backed by a strong legacy in drywall solutions. We are committed to our customers and make every effort to build strong relationships based on meeting their needs.

Need help? Ask the 3M Experts.

For technical information or product application recommendations, call the 3M Helpline:

1-800-3M HELPS, 1-800-364-3577

www.3M.ca/construction

Choose from 3M Drywall solutions that include:

- **3M Adhesive Products**
3M provides adhesive solutions for bonding, sealing, fastening, and many other needs for the professional painting and drywall contractor.
- **3M Fire Protection Products**
3M has been creating innovative firestop systems for more than 25 years. Our complete line of fire protection products helps stop the spread of fire, smoke and toxic fumes.
- **3M Masking Tapes and Masking Systems**
3M Scotch® Masking Tapes make it easy for professionals to select and use the right tape for the right job thus reducing rework, saving time, and eliminating surface damage.
- **3M Safety Products**
In the painting and drywall industry, you can never be too safe or too comfortable. 3M has many comfortable respirators and hearing-protection products for sanding, grinding, lead abatement, welding, paint overspray, nuisance odors, gas and vapours.
- **3M Sanding Products**
With more than 100 years of industry-leading innovation in the sanding products arena, 3M is still revolutionizing the way you sand.

Products that are second to none, with abrasives for virtually any application. Whether you are sanding wood, glass, rubber, drywall, metal or other surfaces, 3M has an abrasive to make the job easier, faster and finished with professional results.



Solutions

For All Your Drywall Demands



	Table of Contents	Page No.
	Abrasives	7-17
	Adhesives & Sealants	18-23
	Dynamic Mixing System Filling Compounds	24-25
	Clean-Up	26-30
	Duct Tapes	31-35
	Specialty Tapes	36
	Electrical	37-40
	Fire Protection	41-42
	Health Care	43-45
	Masking Tapes Masking Systems	46-51
	Safety	52-69
	– Eyewear	53-58
	– Head and Face	59-60
	– Hearing Protection	61-62
	– Fall Protection	63-64
	– Respirators	65-69
	Product Index	70-71

Abrasives - drywall



3M™ Drywall Cloth Backed Abrasives

3M™ Cloth Backed Abrasives feature long lasting mineral, easy tear cloth backing, minimal fraying and wet/dry sanding capabilities. The flexible J weight cloth brings durability and flexibility for any drywall or repainting job... a must have.



Catalogue ID	Description	Grit	Size	Unit	Case Qty	UPC Number
10121NA	Drywall Cloth Abrasives	120J	3-5/16" x 50 yds	Roll	5	000-51131-10121-0
10122NA	Drywall Cloth Abrasives	150J	3-5/16" x 50 yds	Roll	5	000-51131-10122-7
10123NA	Drywall Cloth Abrasives	180J	3-5/16" x 50 yds	Roll	5	000-51131-10123-4
10124NA	Drywall Cloth Abrasives	240J	3-5/16" x 50 yds	Roll	5	000-51131-10124-1
10125NA	Drywall Cloth Sheets 25pk	100J	3-5/16" x 11-1/4"	25 Pack - Sheets	10	000-51131-10125-8
10126NA	Drywall Cloth Sheets 25pk	120J	3-5/16" x 11-1/4"	25 Pack - Sheets	10	000-51131-10126-5
10127NA	Drywall Cloth Sheets 25pk	150J	3-5/16" x 11-1/4"	25 Pack - Sheets	10	000-51131-10127-2
10128NA	Drywall Cloth Sheets 25pk	180J	3-5/16" x 11-1/4"	25 Pack - Sheets	10	000-51131-10128-9
10129NA	Drywall Cloth Sheets 25pk	240J	3-5/16" x 11-1/4"	25 Pack - Sheets	10	000-51131-10129-6

3M™ Drywall Foam Backed Cloth Abrasives

3M™ Foam Backed Cloth Abrasives bring together all the features and benefits from our cloth backed abrasives along with added flexibility, contour conforming for rounded surfaces and extra comfort when hand sanding. A great premium abrasive for professionals at a less than premium price.



Catalogue ID	Description	Grit	Size	Unit	Case Qty	UPC Number
10236NA	Foam backed Cloth Abrasive	80	3-5/16" x 12 yds	Roll	5	000-51131-10236-1
10237NA	Foam backed Cloth Abrasive	100	3-5/16" x 12 yds	Roll	5	000-51131-10237-8
10239NA	Foam backed Cloth Abrasive	120	3-5/16" x 12 yds	Roll	5	000-51131-10239-2
10240NA	Foam backed Cloth Abrasive	150	3-5/16" x 12 yds	Roll	5	000-51131-10240-8
10241NA	Foam backed Cloth Abrasive	180	3-5/16" x 12 yds	Roll	5	000-51131-10241-5
10242NA	Foam backed Cloth Abrasive	240	3-5/16" x 12 yds	Roll	5	000-51131-10242-2



Sanding Screens

3M drywall screens have an open design to resist clogging and extend screen life, and are made to fit most drywall sanding tools. Made with a sharp silicon carbide mineral for long-lasting performance. Waterproof and can be rinsed for reuse.

They cut fast and smooth for use in sanding joint and patching compounds and plaster to a fine finish.



Catalogue ID	Description	Unit	Case Qty	UPC Number
9089NA	3M™ Drywall Sanding Screen 4-3/8" x 11" Sheets - Fine	2/PK	20	000-51111-09506-5
9090NA	3M™ Drywall Sanding Screen 4-3/8" x 11" Sheets - Medium	2/PK	20	000-51111-09507-2
99436NA	3M™ Drywall Sanding Screen 4-3/16" x 11-1/4" Sheets - 220	10	10	000-51144-99436-6
99439NA	3M™ Drywall Sanding Screen 4-3/16" x 11-1/4" Sheets - 180	10	10	000-51111-11635-7
99437NA	3M™ Drywall Sanding Screen 4-3/16" x 11-1/4" Sheets - 150	10	10	000-51144-99437-3
99438NA	3M™ Drywall Sanding Screen 4-3/16" x 11-1/4" Sheets - 120	10	10	000-51144-99438-0
99440NA	3M™ Drywall Sanding Screen 4-3/16" x 11-1/4" Sheets - 100	10	10	000-51111-11656-2

Sanding Sponges

3M™ Contour Surface Sanding Sponges are extremely flexible, with a “softback”. They are ideal for sanding wood, paint, metal, plastic, and drywall. May be rinsed and reused. Available in super fine, fine, medium and assorted grades.

3M™ Corner Sanding Sponge is ideal for dry or wet sanding of drywall. When finished, simply rinse and reuse. Conformable, comfortable, flexible and convenient.



Catalogue ID	Description	Unit	Case Qty	UPC Number
916NA-250	3M™ Contour “Softback” Sanding Sponges - 4-1/2" x 5-1/2" x 3/16" Bulk - SF	1	250	000-51115-06964-2
917NA-250	3M™ Contour “Softback” Sanding Sponges - 4-1/2" x 5-1/2" x 3/16" Bulk - F	1	250	000-51115-06965-9
918NA-250	3M™ Contour “Softback” Sanding Sponges - 4-1/2" x 5-1/2" x 3/16" Bulk - M	1	250	000-51115-06966-6
904NA	3M™ Contour “Softback” Sanding Sponges - 4-1/2" x 5-1/2" x 3/16" - SF	1	24	000-51115-07107-2
905NA	3M™ Contour “Softback” Sanding Sponges - 4-1/2" x 5-1/2" x 3/16" - F	1	24	000-51115-07108-9
906NA	3M™ Contour “Softback” Sanding Sponges - 4-1/2" x 5-1/2" x 3/16" - M	1	24	000-51115-07109-6
912-CDS	3M™ Corner Sanding Sponge 3-1/2" x 6-1/4" - Medium	1	6	000-51111-11992-1



Drywall Sanding Sponges

3M™ Small Area Drywall Sanding Sponge is ideal for sanding drywall and plaster during spot repair. Two sanding grades on one sponge in a combination of extra fine/fine, fine/medium, or medium/coarse. Rinse and reuse. **3M™ Large Area Sanding Sponge** is for either dry or wet sanding. Ideal for sanding wood, paint, metal, plastic and drywall. Two sanding grades on one sponge in a combination of Extra Fine/Fine, Fine/Medium or Medium/Coarse. Rinse and reuse. Available in a handy contractor pack case.

3M™ Extra Large Area Sanding Sponge is ideal for either dry or wet sanding of wood, paint, metal, plastic and drywall. When finished simply rinse and reuse.

3M™ Detail Area and Angled Sanding Sponge is designed to sand corners without affecting adjacent wall or “popcorn” textured ceilings. Ideal for sanding wood, paint, metal, plastic and drywall. May be rinsed and reused. Available in fine and medium grades.

Catalogue ID	Description	Unit	Case Qty	UPC Number
907NA	3M™ Small Area Sanding Sponge 3-3/4" x 2-5/8" x 1" - Extra Fine/Fine	1	24	000-51111-10628-0
908NA	3M™ Small Area Sanding Sponge 3-3/4" x 2-5/8" x 1" - Fine/Medium	1	24	000-51131-50038-9
900NA-250	3M™ Small Area Sanding Sponges 3-3/4" x 2-5/8" x 1" - Bulk - Fine/Medium	1	250	000-51131-70076-5
909NA	3M™ Small Area Sanding Sponge 3-3/4" x 2-5/8" x 1" - Medium/Coarse	1	24	000-51131-50037-2
901NA-250	3M™ Small Area Sanding Sponges 3-3/4" x 2-5/8" x 1" - Bulk - Medium/Coarse	1	250	000-51131-70077-2
DSXF-F	3M™ Large All Purpose Sanding Sponge 4-7/8" x 2-7/8" x 1" - Extra Fine/Fine	1	24	000-51115-07066-2
DSFM-F	3M™ Large Area Sanding Sponge 4-7/8" x 2-7/8" x 1" - Fine/Medium	1	24	000-51115-07067-9
DSMC-F	3M™ Large Area Sanding Sponge 4-7/8" x 2-7/8" x 1" - Medium/Coarse	1	24	000-51115-07068-6
910-XLA	3M™ Extra Large Area Sanding Sponge 3-5/16" x 9" x 1" - Fine/Medium	1	6	000-51111-11829-0
CP040	3M™ Detail Area Angled Sanding Sponge 4-7/8" x 2-7/8" x 1" - Fine	1	24	000-51115-07053-2
CP041	3M™ Detail Area Angled Sanding Sponge 4-7/8" x 2-7/8" x 1" - Medium	1	24	000-51115-07054-9



All Purpose Sanding Sponges

3M™ Full Size Sanding Sponges are ideal for sanding wood, paint, metal, plastic and drywall. May be rinsed and reused. Available in fine or medium grade. Can be used for either dry or wet sanding.



3M™ Pro-Pad™ Sanding Sponge is ideal for dry or wet sanding of wood, paint, metal, plastic and drywall. When finished, rinse and reuse. Conformable, flexible and convenient. Great for painters, cabinetmakers and drywallers.



3M™ High Flexibility Sanding Sponge is ideal for sanding wood, paint, metal, plastic and drywall. Use for either dry or wet sanding. May be rinsed and reused. Conformable, comfortable, flexible and convenient.

Catalogue ID	Description	Unit	Case Qty	UPC Number
CP001-24	3M™ Full Size Sanding Sponge 3-3/4" x 2-5/8" x 1" - Fine	1	24	000-51115-00409-4
CP002-24	3M™ Full Size Sanding Sponge 3-3/4" x 2-5/8" x 1" - Medium	1	24	000-51115-00408-7
CP001-250	3M™ Full Size Sanding Sponge 3-3/4" x 2-5/8" x 1" Bulk - Fine	1	250	000-51115-06968-0
CP002-250	3M™ Full Size Sanding Sponge 3-3/4" x 2-5/8" x 1" Bulk - Medium	1	250	000-51115-06967-3
PRPD-150	3M™ Pro-Pad™ Sanding Sponge 2-7/8" x 4" x 1/2" - 150	1	108	000-51115-07060-0
PRPD-100	3M™ Pro-Pad™ Sanding Sponge 2-7/8" x 4" x 1/2" - 100	1	108	000-51115-07059-4
PRPD-80	3M™ Pro-Pad™ Sanding Sponge 2-7/8" x 4" x 1/2" - 80	1	108	000-51115-07058-7
PRPD-60	3M™ Pro-Pad™ Sanding Sponge 2-7/8" x 4" x 1/2" - 60	1	108	000-51115-07057-0
CP036	3M™ High Flexibility Sanding Sponges 3-3/4" x 2-5/8" x 1/2" - Fine	1	108	000-51115-00631-9
CP037	3M™ High Flexibility Sanding Sponges 3-3/4" x 2-5/8" x 1/2" - Medium	1	108	000-51115-00630-2



Wall Preparation Products

3M™ Drywall Sanding Sheets attach quickly to hand or pole sanders with pre-cut tabs. They cut fast and smooth for sanding drywall joints and patching compounds and plaster to a fine finish.



3M™ Tri-M-ite™ Fre-Cut™ Drywall Sanding Sheets are for sanding drywall joint and patching compounds and plaster to a fine finish. The sharp, synthetic mineral delivers a fast, smooth cut. Fre-Cut™ coating prevents clogging giving the sheet longer usage life.



Catalogue ID	Description	Unit	Case Qty	UPC Number
99431NA	3M™ Drywall Sanding Sheets 4-3/16" x 11-1/4" - 150C	25	10	000-51144-99431-1
99430NA	3M™ Drywall Sanding Sheets 4-3/16" x 11-1/4" - 120C	25	10	000-51144-99430-4
99432NA	3M™ Drywall Sanding Sheets 4-3/16" x 11-1/4" - 100C	25	10	000-51144-99432-8
99433NA	3M™ Drywall Sanding Sheets 4-3/16" x 11-1/4" - 80D	25	10	000-51144-99433-5
M124-150	3M™ Tri-M-ite™ Drywall M-124 Die Cut Sanding Sheets 3-5/16" x 11-1/2" - 150	100	10	000-51115-00153-6
M124-120	3M™ Tri-M-ite™ Drywall M-124 Die Cut Sanding Sheets 3-5/16" x 11-1/2" - 120	100	10	000-51115-00152-9
M124-100	3M™ Tri-M-ite™ Drywall M-124 Die Cut Sanding Sheets 3-5/16" x 11-1/2" - 100	100	10	000-51115-00151-2
M124-80	3M™ Tri-M-ite™ Drywall M-124 Die Cut Sanding Sheets 3-5/16" x 11-1/2" - 80	100	10	000-51115-00150-5
CM124-150	3M™ Tri-M-ite™ Fre-Cut™ Drywall M-124 Die Cut Sanding Sheets 3-5/16" x 11-1/2" - 150	100	10	000-51144-95578-7
CM124-120	3M™ Tri-M-ite™ Fre-Cut™ Drywall M-124 Die Cut Sanding Sheets 3-5/16" x 11-1/2" - 120	100	10	000-51144-95478-0
CM124-100	3M™ Tri-M-ite™ Fre-Cut™ Drywall M-124 Die Cut Sanding Sheets 3-5/16" x 11-1/2" - 100	100	10	000-51144-95476-6



3M™ Micron Filmback Drywall Die Cut Sheets

3M™ Micron Filmback Drywall Sheets for sanding drywall joint and patching compounds and plaster to a fine finish. Cut fast and smooth. Sheets attach quickly to hand or pole sanders with pre-cut tabs.



Catalogue ID	Description	Unit	Case Qty	UPC Number
100-Micron	3M™ Micron Filmback Drywall Sheets 3-5/16" x 11-1/2" Die Cut	25	10	000-51144-88529-9
80-Micron	3M™ Micron Filmback Drywall Sheets 3-5/16" x 11-1/2" Die Cut	25	10	000-51144-88530-5
60-Micron	3M™ Micron Filmback Drywall Sheets 3-5/16" x 11-1/2" Die Cut	25	10	000-51144-88531-2

3M™ Aluminum Oxide Drywall Sanding Rolls

The latest 3M technology, greatest cost/value and highest quality available. Designed to cut faster and last longer enabling the user to obtain maximum usage. Excellent for use on tough marine gelcoat, paint and primer systems.



Catalogue ID	Description	Unit	Case Qty	UPC Number
DSR-80C	3M™ Aluminum Oxide Drywall Sanding Rolls 3-5/16" x 50 yds. - 80C	1	4	000-51119-55751-0
DSR-80D	3M™ Aluminum Oxide Drywall Sanding Rolls 3-5/16" x 50 yds. - 80D	1	4	000-51119-88001-4
DSR-100C	3M™ Aluminum Oxide Drywall Sanding Rolls 3-5/16" x 50 yds. - 100C	1	4	000-51119-55750-3
DSR-100D	3M™ Aluminum Oxide Drywall Sanding Rolls 3-5/16" x 50 yds. - 100D	1	4	000-51119-88002-1
DSR-120C	3M™ Aluminum Oxide Drywall Sanding Rolls 3-5/16" x 50 yds. - 120C	1	4	000-51119-55749-7
DSR-120D	3M™ Aluminum Oxide Drywall Sanding Rolls 3-5/16" x 50 yds. - 120D	1	4	000-51119-88003-8
DSR-150C	3M™ Aluminum Oxide Drywall Sanding Rolls 3-5/16" x 50 yds. - 150C	1	4	000-51119-55748-0
DSR-150D	3M™ Aluminum Oxide Drywall Sanding Rolls 3-5/16" x 50 yds. - 150D	1	4	000-51119-88004-5
DSR-80C-F	3M™ Aluminum Oxide Drywall Sanding Rolls 3-5/16" x 25' - 80C	1	12	000-51119-55758-9
DSR-100C-F	3M™ Aluminum Oxide Drywall Sanding Rolls 3-5/16" x 25' - 100C	1	12	000-51119-88014-4
DSR-120C-F	3M™ Aluminum Oxide Drywall Sanding Rolls 3-5/16" x 25' - 120C	1	12	000-51119-55759-6

Abrasives - wheels



3M™ General Purpose Cut-Off Wheel

General purpose cut-off wheel designed for cutting sheet metal, rusted bolts and more. Ideal for use on a wide variety of utility type cut-off tools. Do not use on tools without guards.



3M™ Green Corps™ Chop Saw Wheels

3M™ Green Corps™ large cut-off wheels are designed to provide high cut rates and long life on most materials including stainless steel, fibreglass, and aerospace alloys. They contain 3M's patented Cubitron™ abrasive grain, an advanced ceramic aluminum oxide mineral, which produces a product that offers outstanding cutting power and excellent durability.



Catalogue ID	Description	Unit	Case Qty	UPC Number
01987	3M™ General Purpose Cut-Off Wheel 3" x 1/32" x 3/8"	1	50	000-51131-01987-4
01988	3M™ General Purpose Cut-Off Wheel 3" x 1/16" x 3/8"	1	50	000-51131-01988-1
AB01937	3M™ Green Corps™ Chop Saw Wheel 12" x .125" x 1"	1	25	TBD
AB01938	3M™ Green Corps™ Chop Saw Wheel 14" x .125" x 1"	1	25	TBD
AB01939	3M™ Green Corps™ Chop Saw Wheel 16" x .138" x 1"	1	25	TBD



Solutions for faster, cooler, more consistent grinding



Low Smoke Technology!

3M™ Green Corps™ Cut-Off Wheel

3M's Cubitron™ ceramic abrasive technology outperforms aluminum oxide and other minerals to create an optimal performance cut-off wheel that endures. This premium Green Corps™ Cut-off Wheel will effectively cut fiberglass, stainless steel, mild metal and aerospace alloys. Durable design will resist cracking, chipping and will run cool.



3M™ Green Corps™ Depressed Center Wheel

These 1/4" thick bonded wheels contain proprietary 3M™ Cubitron™ abrasive grain and produce very high cut rates on a wide variety of metals.



Catalogue ID	Description	Grade	Case Qty	UPC Number
AB83487	3M™ Green Corps™ Cut-Off Wheel, 2" x 1/16" x 1/4"	—	50	000-51144-83487-7
AB01985	3M™ Green Corps™ Cut-Off Wheel, 3" x 1/32" x 3/8"	—	50	00-051131-01985-0
01989	3M™ Green Corps™ Cut-Off Wheel, 3" x 1/32" x 3/8"	—	10	00-051131-01989-8
82238	3M™ Green Corps™ Cut-Off Wheel, 3" x 1/32" x 1/4"	—	50	00-051144-82238-6
AB01986	3M™ Green Corps™ Cut-Off Wheel, 3" x 1/16" x 3/8"	—	50	00-051131-01986-7
01990	3M™ Green Corps™ Cut-Off Wheel, 3" x 1/16" x 3/8"	—	10	00-051131-01990-4
88755	3M™ Green Corps™ Cut-Off Wheel, 4" x 1/32" x 1/4"	—	50	00-051144-88755-2
AB01994	3M™ Green Corps™ Cut-Off Wheel, 4" x 1/32" x 3/8"	—	50	00-051131-01994-2
AB83488	3M™ Green Corps™ Cut-Off Wheel, 4" x 1/16" x 3/8"	—	50	00-051144-83488-4
AB68012	3M™ Green Corps™ Cut-Off Wheel, 4-1/2" x 3/64" x 7/8"	—	50	00-051141-20275-4
AB68013	3M™ Green Corps™ Cut-Off Wheel, 5" x 3/64" x 7/8"	—	50	00-051141-20276-2
AB51586	3M™ Green Corps™ Depressed Center Wheel, 4-1/2" x 1/4" x 7/8"	24	10	00-051111-55991-8
AB51587	3M™ Green Corps™ Depressed Center Wheel, 4-1/2" x 1/4" x 7/8"	36	10	00-051111-55992-5
AB16105	3M™ Green Corps™ Depressed Center Wheel, 5" x 1/4" x 7/8"	24	10	00-051111-61051-0
AB61052	3M™ Green Corps™ Depressed Center Wheel, 5" x 1/4" x 7/8"	36	10	00-051111-61052-7
AB51584	3M™ Green Corps™ Depressed Center Wheel, 7" x 1/4" x 7/8"	24	20	00-051111-55989-5
AB51585	3M™ Green Corps™ Depressed Center Wheel, 7" x 1/4" x 7/8"	36	20	00-051111-55990-1



Low Smoke Technology!



3M™ Green Corps™ Flexible Grinding Wheel

These 1/8" thick bonded wheels contain proprietary 3M™ Cubitron™ abrasive grain and can be used on a wide variety of metals. When grinding, these wheels produce less vibration and noise. There is a built-in spin-on hub for 5/8"-11 thread.



3M™ Green Corps™ Reinforced Cut-Off Wheel

3M's Cubitron™ ceramic abrasive technology outperforms aluminum oxide and other minerals to create an optimal performance cut-off wheel that endures. This premium Green Corps™ Cut-off Wheel will effectively cut fiberglass, stainless steel, mild metal and aerospace alloys. Durable design will resist cracking, chipping and will run cool.



3M™ Green Corps™ Cutting and Grinding Wheel

Grind and cut with the same wheel using the new rigid 1/8" grinding wheel containing 3M™ Cubitron™ Abrasive Grain for extra long life.



Catalogue ID	Description	Grade	Case Qty	UPC Number
AB51164	3M™ Green Corps™ Flexible Grinding Wheel, 4-1/2" x 1/8" x 5/8" - 11	36	40	000-51111-51164-0
AB51161	3M™ Green Corps™ Flexible Grinding Wheel, 4-1/2" x 1/8" x 5/8" - 11	46	40	000-51111-51161-9
AB50440	3M™ Green Corps™ Flexible Grinding Wheel, 4-1/2" x 1/8" x 7/8"	36	40	000-51111-50440-6
AB50442	3M™ Green Corps™ Flexible Grinding Wheel, 4-1/2" x 1/8" x 7/8"	46	40	000-51111-50442-0
AB50443	3M™ Green Corps™ Flexible Grinding Wheel, 4-1/2" x 1/8" x 7/8"	60	40	000-51111-50443-7
AB50444	3M™ Green Corps™ Flexible Grinding Wheel, 4-1/2" x 1/8" x 7/8"	80	40	000-51111-50444-4
AB50445	3M™ Green Corps™ Flexible Grinding Wheel, 7" x 1/8" x 7/8"	36	20	000-51111-50445-1
AB50446	3M™ Green Corps™ Flexible Grinding Wheel, 7" x 1/8" x 7/8"	46	20	000-51111-50446-8
AB50447	3M™ Green Corps™ Flexible Grinding Wheel, 7" x 1/8" x 7/8"	60	20	000-51111-50447-5
01991	3M™ Green Corps™ Reinforced Cut-Off Wheel, 3" x 3/16" x 3/8"	-	10	000-51131-01991-1
AB2020	3M™ Green Corps™ Cutting and Grinding Wheel, 5" x 1/8" x 7/8"	-	40	000-51141-20220-4
AB92316	3M™ Green Corps™ Cutting and Grinding Wheel, 4-1/2" x 1/8" x 7/8"	-	40	000-51135-92316-0
AB92317	3M™ Green Corps™ Cutting and Grinding Wheel, 7" x 1/8" x 7/8"	-	40	000-51135-92317-7



3M™ Hookit™ Disc Hand Pad

Use with 6 inch diameter Hookit™ discs. Made with soft foam for conformability and spreading out finger pressure. Has 1 inch wide strap for holding the pad to the operator's hand.



3M™ Hookit™ Half Round Pad

Half round construction. Use with 6 inch diameter Hookit™ discs. With the disc wrapped around the pad the 1/4 inch radius edge allows for sanding in hard-to-reach areas. Made with medium density foam for conformability.



3M™ Hookit™ Disc Hand Pad

Use with 5 inch diameter Hookit™ discs. Made with soft foam for conformability and spreading out finger pressure. Has 1 inch wide strap for holding the pad to the operator's hand.



3M™ Hookit™ Half Round Pad

Half round construction. Use with 5 inch diameter Hookit™ discs. With the disc wrapped around the pad the 1/4 inch radius edge allows for sanding in hard-to-reach areas. Made with medium density foam for conformability.



Catalogue ID	Description	Size	Case Qty	UPC Number
05791	3M™ Hookit™ Disc Hand Pad	6 in x 1/4 in	20	000-51131-05791-3
05792	3M™ Hookit™ Half Round Pad	6 in x 1/4 in	20	000-51131-05792-0
AB77752	3M™ Hookit™ Disc Hand Pad	5 in x 1/4 in	20	000-51144-77752-5
AB56493	3M™ Hookit™ Half Round Pad	5 in x 1/4 in	20	000-51111-56493-6



3M™ Hookit™ Gold Film 255L Discs

The film backing provides for a very uniform, consistent finish, and an aggressive cut. Premium aluminum oxide mineral on a medium duty film backing, with a load resistant coating. Hookit™ attachment system with Dust Free holes.




3M™ Hookit™ Paper Disc 236U

An aluminum oxide Hookit™ disc constructed on a C weight, intermediate paper backing.

3M™ Hookit™ Paper Disc 216U

An aluminum oxide Hookit™ disc constructed on an A weight light paper backing. Features an anti-loading stearate coating.

Catalogue ID	Description	Size	Grit	Units/Pack	Case Qty	UPC Number
AB00966	3M™ Hookit™ Gold Film 255L Discs	5 in x NH	P100	100	400	000-51131-00966-0
AB00965	3M™ Hookit™ Gold Film 255L Discs	5 in x NH	P120	100	400	000-51131-00965-3
AB00964	3M™ Hookit™ Gold Film 255L Discs	5 in x NH	P150	100	400	000-51131-00964-6
AB00963	3M™ Hookit™ Gold Film 255L Discs	5 in x NH	P180	100	400	000-51131-00963-9
AB69638	3M™ Hookit™ Gold Film 255L Discs	6 in x NH	P100	50	250	000-51111-69638-5
AB69408	3M™ Hookit™ Gold Film 255L Discs	6 in x NH	P120	50	250	000-51111-69640-8
AB69639	3M™ Hookit™ Gold Film 255L Discs	6 in x NH	P150	50	250	000-51111-69639-2
AB69641	3M™ Hookit™ Gold Film 255L Discs	6 in x NH	P180	50	250	000-51111-69641-5
AB51002	3M™ Hookit™ Paper Disc 236U	5 in x NH	P100	50	250	000-51111-51002-5
AB51003	3M™ Hookit™ Paper Disc 236U	5 in x NH	P120	50	250	000-51111-51003-2
AB51011	3M™ Hookit™ Paper Disc 236U	5 in x NH	P150	50	250	000-51111-51011-7
AB19440	3M™ Hookit™ Paper Disc 236U	5 in x NH	P180	50	250	000-51141-20575-5
AB90762	3M™ Hookit™ Paper Disc 236U	6 in x NH	P100	50	250	000-51141-20580-9
AB90761	3M™ Hookit™ Paper Disc 236U	6 in x NH	P120	50	250	000-51141-20581-6
AB90760	3M™ Hookit™ Paper Disc 236U	6 in x NH	P150	50	250	000-51141-20582-3
AB90759	3M™ Hookit™ Paper Disc 236U	6 in x NH	P180	50	250	000-51141-20583-0
AB07099	3M™ Hookit™ Paper Disc 216U	5 in x NH	P120	100	500	000-51111-60738-1
AB07100	3M™ Hookit™ Paper Disc 216U	5 in x NH	P150	100	500	000-51111-60739-8
AB07101	3M™ Hookit™ Paper Disc 216U	5 in x NH	P180	100	500	000-51111-60740-4
AB07130	3M™ Hookit™ Paper Disc 216U	6 in x NH	P120	100	500	000-51111-60816-6
AB07132	3M™ Hookit™ Paper Disc 216U	6 in x NH	P150	100	500	TBD
AB07134	3M™ Hookit™ Paper Disc 216U	6 in x NH	P180	100	500	000-51111-60818-0



Adhesives

3M™ Scotch-Weld™ HoldFast 70 Cylinder Spray Adhesive

- Very fast tacking
- Temporary and permanent bonds
- Heavy body web spray with low soak in on porous or irregular surfaces
- Bonds polystyrene without degrading the surface



Catalogue ID	Description	Unit	Size	UPC Number
70-27.3-LARGE-CLR	3M™ Scotch-Weld™ HoldFast 70 Cylinder Spray Adhesive	Each	27.3 lbs	000-48011-61670-2

Cylinder Adhesive Applicators & Accessories



Catalogue ID	Description	Unit	Case Qty.	UPC Number
CYL-ADH-APPL-W9501TIP	3M™ Scotch-Weld™ Cylinder Adhesive Applicator - Standard Output - includes Cylinder Adhesive 9501 Spray Tip, 1 per case	Each	1	000-48011-61706-0
CYL-SPRAYTIP-QSS	3M™ Scotch-Weld™ Cylinder Adhesive QSS Spray Tip, 1 per case	Each	1	000-48011-61993-4
CYL-HOSESWIVEL	3M™ Scotch-Weld™ Cylinder Adhesive Hose Swivel, 1 per case	Each	1	000-48011-61992-7
CYL-TFITTING	3M™ Scotch-Weld™ Cylinder Adhesive T-Fitting, 1 per case	Each	1	000-48011-61987-3
CYL-HOSE-12FOOT	3M™ Scotch-Weld™ Cylinder Adhesive 12 Foot Hose, 1 per case	Each	1	000-48011-61988-0
CYL-HOSE-25FOOT	3M™ Scotch-Weld™ Cylinder Adhesive 25 Foot Hose, 1 per case	Each	1	000-48011-61989-7
CYL-HOSE-50FOOT	3M™ Scotch-Weld™ Cylinder Adhesive 50 Foot Hose, 1 per case	Each	1	000-51115-25782-7
CYL-ADH-APPLEX-W9501TIP	3M™ Scotch-Weld™ Cylinder Adhesive Applicator EX w/18" Extension and 9501 Tip	Each	1	000-51115-25779-7



3M™ Foam Insulation 78 Spray Adhesive

Designed to bond foam board insulation to exterior walls, interior walls and roof applications. It will not attack expanded or extruded polystyrene making it the ideal choice for insulation applications. Effective up to 140°F, offers approximately 100 square feet of coverage per can and can be used in both one and two surface bonds. Utilizes a lace spray pattern which helps ensure clean precise application.

FOR INDUSTRIAL USE ONLY, RETAIL SALES PROHIBITED.



3M™ Super 77™ Multipurpose Adhesive

High coverage, fast, aggressive tack, and a long-bonding range. Versatile – securely bonds most lightweight materials, plus it has low soak-in for long-lasting bonds. Excellent for jobs in display and furniture – it bonds thin decorative film, foils and fabrics. Bonds gaskets in water pumps, and attaches insulation to sheet metal. Attaches wiring diagrams, very versatile adhesive.

FOR INDUSTRIAL USE ONLY, RETAIL SALES PROHIBITED.



3M™ High Tack 76 Spray Adhesive

Quick tacking adhesive is the strongest one surface aerosol adhesive in our line. Bonds many hard to hold materials such as polyethylene and polypropylene. Also bonds SBR rubber, fabric, felt, cardboard, cork, foil and plastic to themselves and to wood, metal and glass. A strong, one surface adhesive with high temperature resistance. Non-misting, precise spray control, does not cavitate expanded polystyrene foam. Used to bond carpet, door skins and fabric in van conversions; insulation in aircraft interiors and specialty cabinets; and to attach nameplates, pool table fabrics, swimming pool liners and pipe insulation.

FOR INDUSTRIAL USE ONLY, RETAIL SALES PROHIBITED.



Catalogue ID	Description	Unit	Size	Case Qty.	UPC Number
78-240Z-IND	3M™ Polystyrene Foam Insulation 78 Spray Adhesive	Cans	24 oz	12	000-21200-41593-7
77-240Z-IND	3M™ Super 77™ Multipurpose Adhesive	Cans	24 oz	12	000-21200-21210-9
76-240Z-IND	3M™ High Tack 76 Spray Adhesive	Cans	24 oz	12	000-21200-77353-2



Sealants

740 3M™ Hybrid Sealant

3M™ Hybrid Sealant 740 is a single component elastomeric sealant curing without isocyanates. It cures rapidly under the effect of atmospheric humidity to form a flexible and resistant joint with very good adhesion on most materials. This hybrid technology is very water resistant, will not degrade when exposed to UV and contains no VOCs.

Catalogue ID	Extra Description	Unit	Case Wt. (lbs)	Colour	UPC Number
740-CART-GRY	1/10 Gallon Cartridge	12	15.4	Grey	00-048011-62813-4
740-CART-WHT	1/10 Gallon Cartridge	12	15.4	White	00-048011-62812-7



540 3M™ Polyurethane Sealant

3M™ Polyurethane Sealant 540 is a one component, moisture curing product which forms permanently elastic bonds. This low modulus product is ideal for many general purpose sealing applications. Bonds to a wide variety of materials including plastics, FRP, SMC, aluminum, steel, coated metal, and wood. Available in Grey, black, and white.



Catalogue ID	Extra Description	Unit	Case Wt. (lbs)	Colour	UPC Number
540-CART-BLK	Net 10.5 fl. oz. Cartridge	12	11.4	Black	000-21200-41595-1
540-400-BLK	400 mL Sausage Pack	12	14	Black	000-21200-96276-9
540-600-BLK	600 mL Sausage Pack	12	19.3	Black	000-21200-96272-1
540-50-BLK	Open Head Drum (50)	50	526.8	Black	000-21200-45190-4
540-CART-GRY	Net 10.5 fl. oz. Cartridge	12	11.4	Grey	000-21200-41594-4
540-400-GRY	400 mL Sausage Pack	12	14	Grey	000-21200-96277-6
540-600-GRY	600 mL Sausage Pack	12	19.3	Grey	000-21200-56562-5
540-50-GRY	Open Head Drum (50)	50	526.8	Grey	000-21200-45112-6
540-CART-WHT	Net 10.5 fl. oz. Cartridge	12	11.4	White	000-21200-49054-5
540-400-WHT	400 mL Sausage Pack	12	14	White	000-21200-96278-3
540-600-WHT	600 mL Sausage Pack	12	19.3	White	000-21200-56561-8
540-50-WHT	Open Head Drum (50)	50	526.8	White	000-21200-49055-2





525 3M™ Polyurethane Construction Sealant




3M™ Polyurethane Construction Sealant 525 is a single component polyurethane elastomeric sealant which cures under the effect of atmospheric humidity to form a flexible and resilient joint with very good adhesion on most materials. Elongation of over 600%. Shore A of 25, skin time of 2 hrs. Can be used for heavy and light pre-cast panel expansion joints, wood, aluminum and PVC joinery seams, expansion joints in traditional construction, and for clay and concrete roof tiles.

535 3M™ Polyurethane Construction Sealant

3M™ Polyurethane Construction Sealant 535 is a single component polyurethane elastomeric sealant which cures under the effect of atmospheric humidity to form a flexible and resilient joint with very good adhesion on most materials. Elongation of over 600%, Shore A of 25, skin time of 70 min. Can be used for heavy and light precast panel expansion joints, wood, aluminum and PVC joinery seams, expansion joints in traditional construction, and for clay and concrete roof tiles.



Catalogue ID	Description	Extra Description	Unit	Case Wt. (lbs)	UPC Number
525-CART-GRY	525 3M™ Polyurethane Construction Sealant	Grey 1/10 Gallon Cartridge	12	11.3	000-48011-62823-8
535-CART-GRY	535 3M™ Polyurethane Construction Sealant	Grey 1/10 Gallon Cartridge	12	11.3	000-48011-62828-8
535-600-GRY	535 3M™ Polyurethane Construction Sealant	Grey 600 mL Sausage Pack	12	19.3	000-48011-62829-5
535-CART-OWHT	535 3M™ Polyurethane Construction Sealant	Off White 1/10 Gallon Cartridge	12	11.3	000-48011-62824-0
535-600-OWHT	535 3M™ Polyurethane Construction Sealant	Off White 600 mL Sausage Pack	12	19.3	000-48011-62825-7
535-CART-WHT	535 3M™ Polyurethane Construction Sealant	White 1/10 Gallon Cartridge	12	11.3	000-48011-62826-4
535-600-WHT	535 3M™ Polyurethane Construction Sealant	White 600 mL Sausage Pack	12	19.3	000-48011-62827-1





Sealant Applicators

34A 3M™ Pneumatic Applicator 34A for 310 mL Cartridges/400 mL Sausage Packs

A high quality applicator, pneumatic (air) driven, designed for dispensing 3M adhesive sealants in 310 mL cartridges and 400 mL sausage packs. Variable flow control, 120 PSI rated, 3 piece telescopic piston.



310M 3M™ Manual Applicator 310M for 310 mL Cartridges

A high quality, manual driven applicator designed to dispense 3M adhesive sealants in 310 mL cartridges. Featuring all metal construction, 18:1 mechanical advantage and an ergonomic trigger handle.



400M 3M™ Manual Applicator 400M for 400 mL Sausage Packs

A high quality applicator, pneumatic (air) driven, designed for dispensing 3M adhesive sealants in 310 mL cartridges and 400 mL sausage packs. Variable flow control, 120 PSI rated, 3 piece telescopic piston.



600A 3M™ Pneumatic Applicator 600A for 600 mL Sausage Packs

A high quality gun, pneumatic (air) driven applicator, designed for dispensing 3M adhesive sealants in 400 mL and 600 mL sausage packs. Quick release end cap, regulated air and rated to 100 PSI.



600M 3M™ Manual Applicator 600M for 600 mL Sausage Packs

A high quality, manual driven applicator designed for dispensing 3M adhesive sealants in 600 mL sausage packs. Featuring all metal construction, 18:1 mechanical advantage and an ergonomic trigger handle, comes with replacement nozzles and plunger heads.





643B 3M™ Battery Operated Applicator 643B for 310 mL Cartridges/400 mL Sausage Packs and 600 mL Sausage Packs


A high quality battery driven applicator for dispensing 3M adhesive sealants. Designed for 310 mL cartridges, as well as 400 mL and 600 mL sausage packs. Powerful 14.4V rechargeable battery, 620 lb. pushing force, dispenses up to 180 1/10 gallon cartridges.



Catalogue ID	Extra Description	Case Qty.	UPC Number
34A	3M™ Pneumatic Applicator 34A for 310 mL Cartridges/400 mL Sausage Packs	1	000-48011-62834-9
310M	3M™ Manual Applicator 310M for 310 mL Cartridges	1	000-48011-62830-1
400M	3M™ Manual Applicator 400M for 400 mL Sausage Packs	1	000-48011-62831-8
600A	3M™ Pneumatic Applicator 600A for 600 mL Sausage Packs	1	000-48011-62833-2
600M	3M™ Manual Applicator 600M for 600 mL Sausage Packs	1	000-48011-62832-5
643B	3M™ Battery Operated Applicator 643B for 310 mL Cartridges/400 mL Sausage Packs and 600 mL Sausage Packs	1	000-48011-62835-6



Fast, convenient, application
for increased productivity



Dynamic Mixing Systems

3M™ Dent Filling Compound

A cartridge-based two component body repair material for the filling of surface imperfections.

3M™ Dent Finishing Glaze

A cartridge-based, two-component, self-leveling glaze designed for use as a “skin” coat over sheet metal and dent repair compound to fill pinholes, sand scratches, low areas, and other imperfections.

3M™ Dynamic Mixing Gun - Pneumatic

Professional pneumatic (air-operated) applicator for cartridge-based Body Repair Materials needing dynamic mixing.

3M™ Dynamic Mixing Nozzle


Dual component applicator nozzle with Dynamic Mixing Action for use with cartridge-based 3M™ Body Repair System products.

3M™ Bulk Nozzle Shop Rack

Rack for holding dispense box of 3M™ Dynamic Mixing Nozzles, PN05847.

3M™ Dynamic Mixing Gun Shop Rack

Rack for storing 3M™ Dynamic Mixing Pneumatic Applicator, PN05846.



Catalogue ID	Description	Size	Unit	Case Qty.	UPC Number
05850	3M™ Dent Filling Compound	306 mL	Cartridge	6	000-51131-05850-7
05857	3M™ Dent Finishing Glaze	306 mL	Cartridge	6	000-51131-05857-6
05846	3M™ Dynamic Mixing Gun - Pneumatic	—	Each	1	000-51131-05846-0
05847	3M™ Dynamic Mixing Nozzle	50/pkg	Pack	12	000-51131-05847-7
02576	3M™ Bulk Nozzle Shop Rack	—	Each	1	000-51131-02576-9
02575	3M™ Dynamic Mixing Gun Shop Rack	—	Each	1	000-51131-02575-2

Filling Compounds

3M™ Dynamic Mixing System Introductory Kit,

includes 12 x 05850, 1 x 05846, 1 pkg of 05847, 1 x 02576, 1 x 02575

A complete kit containing all items necessary to get started with 3M's new Body Repair System: Applicator, Repair Materials, Nozzles, and Accessories.



Marson® Platinum Plus Premium Body Filler

Marson® Platinum Plus Premium Body Filler is a super creamy formula that achieves extreme adhesion to Galvanized Steel, Aluminum, E-Coat, Fiberglass, SMC, cured Epoxy, Urethane and Primers. Platinum Plus cuts the sanding time to as little as 15 minutes. Vacuum Process and pinhole free. Stain-Free/ Tack-free.

Also available in 5 gallon pail that is air operated (01135)



Dynatron® Xtra Grip™

Dynatron® Xtra Grip™ is formulated with an advanced adhesion promoter, providing superior adhesion to Galvanized Steel, Aluminum, E-Coat, SMC, Fiberglass and Cured Primer and Paint. The tack-free, non-shrinking, hi-tech filler is the easiest sanding and best featheredging body filler on the market today.



Dynatron® Dyalite

Dynatron® Dyalite is the professional's choice for lightweight body filler. This product produced with the highest quality resins, talc and microspheres, creating body fillers that are faster and easier to work with.

Also available in 5 gallon air pail (496)




3M™ Platinum® Plus for DMS

Platinum® Plus is a high performance, gold coloured, super premium body filler that achieves extreme adhesion to many surfaces. It is extra creamy, easy spreading, stain free, and tack free that sands extremely well.



Catalogue ID	Description	Size	Unit	Case Qty.	UPC Number
05849	3M™ Dynamic Mixing System Introductory Kit	—	Each	1	000-51131-05849-1
B-01131	Marson® Platinum Plus Gallon (Premium filler)	Gallon	Can	4	000-51593-01131-7
B-01017	Dynatron® Xtra Grip™ Gallon (Mid tier filler)	Gallon	Can	4	000-76308-01017-1
B-00494	Dynatron® Dyalite™ Gallon (Standard or low end filler)	Gallon	Can	4	000-76308-00494-1
05863	3M™ Platinum Plus for DMS	306 mL	Cartridge	6	000-51131-05863-7



Clean-Up

3M™ Easy Trap Duster

Using specially developed disposable sheets, the 3M™ Easy Trap Duster System traps and holds 6 times more dust, dirt, sand and hair than traditional mops and other disposable dusting systems -- it's the more efficient way to dust.



3M™ Easy II Holder

Holder allows use of both sides of the duster without touching it.

3M™ Doodleduster™ Cloth

The 3M™ Doodleduster Light Cleaning Cloth is ideal for cleaning most surfaces.



3M™ Doodlebug™ Cleaning Pads

Cleaning products team up to offer an efficient, durable and versatile way to handle your many cleaning jobs. Pads and brushes are designed for most cleaning tasks, from light-duty cleansing of delicate surfaces to heavy-duty cleaning of dirt and finish buildup. Long lasting bristles are an effective and efficient way to get those tough dirt areas clean.

- 8292** – For medium-duty cleaning and scrubbing. Fits pad holder 6472. 4 5/8" x 10". 5 cleaning pads per pack; 4 packs per case.
- 8541** – Designed for tough jobs like removing finish and wax buildup from baseboards and floor edges. A great way to strip stairs. Fits 3M™ Doodlebug™ Pad Holder 6472 or 3M™ Doodlebug™ Handblock Pad Holder 6473
- 8550** – For extra heavy-duty cleaning and stripping. Fits 3M™ Doodlebug™ Pad Holder 6472 or 3M™ Doodlebug™ Handblock Pad Holder 6473.
- 8531** – Designed for tough jobs like removing finish and wax buildup from baseboards and floor edges. A great way to strip stairs. Fits 3M™ Doodlebug™ Pad Holder 6472 or 3M™ Doodlebug™ Handblock Pad Holder 6473.
- 8440** – For cleaning delicate surfaces. Fits 3M™ Doodlebug™ Handblock Pad Holder 6473 or 3M™ Doodlebug™ Pad Holder 6472.





Description	Size	Unit	Case Qty.	UPC Number
3M™ Easy Trap Duster (standard)	5" x 6" x 125'	Case	2	000-48011-55655-0
3M™ Easy Trap Duster (small, fan-folded)	5" x 6" x 30'	Sheet	480	000-48011-59032-5
3M™ Easy Trap Duster (large)	8" x 6" x 125'	Roll	1	000-48011-55654-3
3M™ Easy II Holder	17"	Case	6	000-48011-55650-5
3M™ Easy II Holder	35"	Case	4	000-51141-06546-5
3M™ Easy II Holder	47"	Case	4	000-48011-55653-1
3M™ Easy II Holder	59"	Case	4	000-48011-55657-4
3M™ Doodleduster™ Cloth	7" x 1-3/8" x 287.5"	Roll	1	000-48011-19152-2
3M™ Doodlebug™ Blue Scrub Pad 8242	4.625" x 10"	Case	20	000-48011-08005-5
3M™ Doodlebug™ Brown Scrub 'n Strip Pad 8541	4.625" x 10"	Case	20	000-48011-08004-8
3M™ Doodlebug™ Hi Pro Pad 8550	4.625" x 10"	Case	20	000-48011-09917-0
3M™ Doodlebug™ Scrub 'n Strip 8531	4.625" x 10"	Case	20	000-48011-09828-9
3M™ Doodlebug™ White Cleaning Pad 8440	4.625" x 10"	Case	20	000-48011-08003-1

3M™ Doodlebug™ Pad Holder 6472

Designed for use with Doodlebug™ brushes or pads. This durable plastic holder has a locking material on the pad side to fasten to pads and brushes. Designed for use on a mop or broom pole. Swivel head allows easy use on hard to clean areas.



3M™ Doodlebug™ Handblock Pad Holder with Pads 6473

Convenient built-in handle puts cleaning versatility in the palm of your hand. Unique hook and loop bottom holds 3M™ Doodlebug™ pads, sponges and brushes without the use of adhesives or fasteners.



Description	Unit	Case Qty.	UPC Number
3M™ Doodlebug™ Mark IV Holder, 6472	Case	4	000-48011-10058-6
3M™ Doodlebug™ Handblock Pad Holder with Pads 6473, Kit, 4/case	Case	4	000-48011-08548-7



3M™ Paint Buster™ Hand Cleaner

Cream type hand cleaner offering superior performance in the removal of lacquer, enamel and urethane paints, primers, putties, plastic fillers, adhesives and sealants from skin.



3M™ Citrus Base Cleaner

A liquid cleaner/degreaser that can be used to dissolve and remove dirt, grease, tar, and many non-curing type adhesives. It can also be used to degrease substrates for adhesive bonding in place of many chlorinated or petroleum-based solvents.



3M™ Quick Drying Contact Cleaner 16-102

This aerosol contact cleaner is great where a very rapidly drying solvent is needed. It is perfect for precision cleaning jobs such as sensors, relays, motor switches, generators, electromechanical assemblies and terminals. Removes soil and other contaminants, then evaporates very quickly without leaving residue. Petroleum distillate alcohol based. No CFC's.



Description	Size	Unit	Case Qty.	UPC Number
3M™ Paint Buster™ Hand Cleaner	9.75 fl oz	Tube	12	000-51131-05975-7
3M™ Citrus Base Cleaner	24 oz	Can	12	000-21200-76394-6
3M™ Citrus Base Cleaner	4 litre	Can	4	000-21200-77709-7
3M™ Quick Drying Contact Cleaner 16-102	16 oz	Can	12	000-54007-42818-3



3M™ 5-Way Penetrant


Inhibits rust and corrosion by spreading a thin, even film that actually penetrates the pores of the surface. It displaces moisture and “dries out” electrical parts and equipment to help prevent shorting and increase conductivity. Spray it on to free rusted, frozen bolts, nuts, and screws. Lubricate delicate machines and precision instruments. Penetrates and demoisturizes. Ideal as a tapping lubricant for stainless steel and aluminum. Contains no methylene chloride, 1, 1, 1-trichloroethane or chlorofluorocarbons.

3M™ Silicone Lubricant

Dries fast to eliminate squeaks, prevents sticking, seals out moisture protecting against rust and corrosion, preserves plastic, rubber and leather. It prolongs machine and cutting tool life by helping to prevent glue, wax, ink and paint buildup. Does 101 tasks. The silicone polymer is effective between -28° and 350°F. Adheres to parts exceptionally well, reducing reapplication. Ingredients FDA listed. Comes with a handy snorkel tube for small, hard-to-reach areas.



Description	Size	Unit	Case Qty.	UPC Number
3M™ 5-Way Penetrant	24 fl oz	Can	12	000-21200-21305-2
3M™ 5-Way Penetrant	6 oz	Can	24	000-21200-77714-1
3M™ 5-Way Penetrant	16 oz	Can	4	000-21200-79102-4
3M™ 5-Way Penetrant	20 Litre	Can	1	000-21200-79101-7
3M™ Silicone Lubricant	24 oz	Can	12	000-21200-76925-2



Stain Resistance


3M™ Stain Resistant Additive SRC-220

3M™ Stain Resistant Additive SRC-220 is an aqueous fluorinated polyurethane dispersion (PUD) that, when formulated as a penetrating sealer, adds stain resistance and release, and water and oil repellency characteristics to porous surfaces, such as concrete, stucco, grout, unglazed tile, granite, clay, slate, limestone and terra cotta.

SRC-220 additive can also be used as a stain resistant additive to a variety of acrylic and urethane based coatings at 0.2 to 1.0% active solid levels, to improve the water and oil repellency. Additionally, SRC-220 additive can be incorporated into construction materials, such as caulk or putty, to improve the stain resistance and release characteristics of these materials. This product is suitable for both indoor and outdoor use.



Description	Size	Unit	Case Qty.	UPC Number
3M™ Stain Resistant Additive SRC-220	5 Gallons	Gallons	1	000-51135-71695-3




Fast, convenient, application
for next generation surface protection

3M™ Duct Tape Classifications

Selection streamlined by adhesive strength and backing strength



Performance Plus Duct Tape 8979



Performance Plus Duct Tape 8979N (Nuclear)

NEW

Outdoor Masking and Stucco Tape 5959



Extra Heavy Duty Duct Tape 6969



Heavy Duty Duct Tape 3939



Multi Purpose Duct Tape 3900



Utility Duct Tape 2929



NEW

Value Duct Tape 1900




Vinyl Duct Tape 3903



3M is a trademark of 3M. Used under license in Canada.





Duct Tapes

Clean Removal Duct Class I

3M™ Performance Plus Duct Tape 8979

8979 provides clean removal with little or no sticky adhesive residue for up to 6 months. Sunlight/UV and Water Resistant. Lasts 1 year without degrading. Tape construction consists of high tensile cloth and aggressive adhesive. Designed for permanent and temporary applications.



3M™ Performance Plus Duct Tape 8979N (Nuclear)

High Performance Duct Tape Nuclear Grade. A unique construction of high tensile cloth and aggressive adhesive. Designed for applications in the shipbuilding, nuclear power plant and stainless steel industries. Sunlight/UV Resistance for up to 6 months.



3M™ Outdoor Masking and Stucco Tape 5959

3M™ Outdoor Masking and Stucco Tape 5959 is designed for construction, marine and maintenance applications. With its 90 day UV resistant waterproof backing and high shear resistant adhesive, it is an excellent choice for outdoor holding and masking applications. The unique adhesive removes cleanly from most opaque surfaces up to 90 days after application.



Catalogue ID	Description	Size	Case Qty.	Colour	UPC Number
8979-48X54.8-BLK	3M™ Performance Plus Duct Tape 8979	48 mm x 54.8 m	24	Black	000-48011-53918-8
8979-48X54.8-OLV	3M™ Performance Plus Duct Tape 8979	48 mm x 54.8 m	24	Olive	000-48011-53916-4
8979-144X54.8-BLU	3M™ Performance Plus Duct Tape 8979	144 mm x 54.8 m	6	Slate Blue	000-48011-53918-8
8979-22X60-BLU	3M™ Performance Plus Duct Tape 8979	22" x 60 yds	1	Slate Blue	000-48011-53919-5
8979-24X54.8-BLU	3M™ Performance Plus Duct Tape 8979	24 mm x 54.8 m	48	Slate Blue	000-48011-53922-5
8979-48X54.8-BLU	3M™ Performance Plus Duct Tape 8979	48 mm x 54.8 m	24	Slate Blue	000-21200-56468-0
8979-72X54.8-BLU	3M™ Performance Plus Duct Tape 8979	72 mm x 54.8 m	12	Slate Blue	000-21200-56469-7
8979-96X54.8-BLU	3M™ Performance Plus Duct Tape 8979	96 mm x 54.8 m	12	Slate Blue	000-21200-56470-3
8979N-24X54.8-RED	3M™ Performance Plus Duct Tape 8979N (Nuclear)	24 mm x 54.8 m	48	Red	000-48011-58130-9
8979N-48X54.8-RED	3M™ Performance Plus Duct Tape 8979N (Nuclear)	48 mm x 54.8 m	24	Red	000-48011-53914-0
8979N-72X54.8-RED	3M™ Performance Plus Duct Tape 8979N (Nuclear)	72 mm x 54.8 m	12	Red	000-48011-53915-7
8979N-144X54.8-BLU	3M™ Performance Plus Duct Tape 8979N (Nuclear)	144 mm x 54.8 m	6	Slate Blue	000-48011-58185-9
8979N-48X54.8-BLU	3M™ Performance Plus Duct Tape 8979N (Nuclear)	48 mm x 54.8 m	24	Slate Blue	000-21200-74327-6
8979N-72X54.8-BLU	3M™ Performance Plus Duct Tape 8979N (Nuclear)	72 mm x 54.8 m	12	Slate Blue	000-21200-74328-3
8979N-96X54.8-BLU	3M™ Performance Plus Duct Tape 8979N (Nuclear)	96 mm x 54.8 m	12	Slate Blue	000-48011-58325-9
5959-1.88x45	3M™ Outdoor Masking and Stucco Tape 5959	48 mm x 41.1 m	12	Red	000-51115-25491-8

Heavy Duty Duct Class II



3M™ Extra Heavy Duty Duct Tape 6969

Heavy-duty, industrial grade polyethylene coated cloth backing with rubber adhesive. Use in demanding applications at work site where aggressive holding is required. This adhesive sticks to rough surfaces.



3M™ Duct Tape 3939

Economy grade duct tape. Polyethylene coated cloth backing with rubber adhesive. High tack, conformability, strength and easy tear make 3939 ideal for many duct and moisture sealing, holding, protecting and bundling applications.




3M™ Duct Tape 3900

Polyethylene coated cloth with rubber adhesive. Economy grade duct tape. A good choice for general maintenance, wrapping, sealing and protecting.



Catalogue ID	Description	Size	Case Qty.	Colour	UPC Number
6969-48X54.8-OLI	3M™ Duct Tape 6969	48 mm x 54.8 m	24	Olive Drab	000-21200-22780-6
6969-48X54.8-BLK	3M™ Duct Tape 6969	48 mm x 54.8 m	24	Black	000-21200-22773-8
6969-48X54.8-SLV	3M™ Duct Tape 6969	48 mm x 54.8 m	24	Silver	000-51131-06969-5
6969-72X54.8-SLV	3M™ Duct Tape 6969	72 mm x 54.8 m	12	Silver	000-21200-85635-8
3939-1X60	3M™ Heavy Duty Duct Tape 3939	24 mm x 54.8 m	36	Silver	000-21200-85561-0
3939-2X60	3M™ Heavy Duty Duct Tape 3939	48 mm x 54.8 m	24	Silver	000-51131-06975-6
3939-3X60	3M™ Heavy Duty Duct Tape 3939	72 mm x 54.8 m	12	Silver	000-21200-85562-7
3939-4X60	3M™ Heavy Duty Duct Tape 3939	96 mm x 54.8 m	12	Silver	000-21200-85563-4
3900-48X54.8-YLW	3M™ Multi Purpose Duct Tape 3900	48 mm x 54.8 m	24	Yellow	000-21200-49828-2
3900-48X54.8-WHT	3M™ Multi Purpose Duct Tape 3900	48 mm x 54.8 m	24	White	000-21200-49829-9
3900-48X54.8-RED	3M™ Multi Purpose Duct Tape 3900	48 mm x 54.8 m	24	Red	000-21200-49830-5
3900-48X54.8-OLI	3M™ Multi Purpose Duct Tape 3900	48 mm x 54.8 m	24	Olive	000-21200-49831-2
3900-48X54.8-BLU	3M™ Multi Purpose Duct Tape 3900	48 mm x 54.8 m	24	Blue	000-21200-49832-9
3900-48X54.8-BLK	3M™ Multi Purpose Duct Tape 3900	48 mm x 54.8 m	24	Black	000-21200-49833-6
3900-48X54.8-SLV	3M™ Multi Purpose Duct Tape 3900	48 mm x 54.8 m	24	Silver	000-51131-06976-3



Utility Duct Class III

3M™ Utility Duct Tape 2929

- Versatile and practical choice for conformable bundling, moisture resistance and general repairs
- Silver polyethylene backing over a cloth scrim conforms to most surfaces to resist moisture and prolong the tape bond in moist or humid environments
- Rubber pressure sensitive adhesive sticks well on contact to metal, plastic, concrete and other surfaces
- Tears easily straight across with tack-free edges



3M™ Value Duct Tape 1900

Utility cloth duct tape. Typical physical and performance properties include, adhesion to steel: 58 oz./in. width, tensile strength: 16 lbs/in width, elongation at break: 12%, thickness: 5.8 mils, temperature use range: up to 200°F (93 °C).



3M™ Vinyl Duct Tape 3903

Embossed vinyl film coated with rubber adhesive designed for general sealing, colour coding, masking, wrapping and bundling, protecting and other light duty applications where easy unwind, easy tear and less adhesive transfer are important.



Catalogue ID	Description	Size	Case Qty.	Colour	UPC Number
2929-48-45.7M	3M™ Utility Duct Tape 2929	48 mm x 45.7 M	24	Silver	000-51115-24883-2
1900-48X45.7	3M™ Value Duct Tape 1900	48 mm x 45.7 M	24	Silver	000-51115 23421-7
3903-2X50-WHT	3M™ Vinyl Duct Tape 3903	2" x 50 yds	24	White	000-51131-06981-7
3903-2X50-BLK	3M™ Vinyl Duct Tape 3903	2" x 50 yds	24	Black	000-51131-06995-4
3903-2X50-BLU	3M™ Vinyl Duct Tape 3903	2" x 50 yds	24	Blue	000-51131-06978-7
3903-2X50-GRY	3M™ Vinyl Duct Tape 3903	2" x 50 yds	24	Grey	000-51131-06984-8
3903-2X50-GRN	3M™ Vinyl Duct Tape 3903	2" x 50 yds	24	Green	000-51131-06986-2
3903-2X50-RED	3M™ Vinyl Duct Tape 3903	2" x 50 yds	24	Red	000-51131-06992-3
3903-2X50-YLW	3M™ Vinyl Duct Tape 3903	2" x 50 yds	24	Yellow	000-51131-06982-4



Scotch® Transparent Duct Tape 2120-AF

Scotch® Transparent Duct Tape makes your repair less obvious. It will not fall apart in extreme temperatures or harsh UV conditions.



Scotch® Tough™ Duct Tape Outdoor Painter's Clean Removal 2530-AF

14 day clean removal duct tape with a UV protector for outdoor use.



Scotch® Cotton Cloth Tape 380 Natural

An uncoated cotton cloth backing with rubber adhesive. The cotton cloth backing provides high conformability and easy tear. Typical physical and performance characteristics include; adhesion to steel: 40 oz/in width, tensile strength: 44 lbs/in width, elongation at break: 6%, thickness: 11.0 mils, temperature use range: up to 200°F (93°C) for up to one hour.



3M™ Cloth Gaffers Tape 6910

A matte finish coated cloth tape with good adhesion, high tensile strength, conformability, adhesive transfer resistance and easy tear. Used in entertainment industry where light reflection is a concern. Typical physical and performance characteristics include thickness: 12.0 mils, adhesion to steel: 45 oz/in width, tensile strength: 45 lbs/in width, elongation at break: 5%, temperature use range: up to 200°F (93°C) for up to one hour.



Catalogue ID	Description	Size	Case Qty.	Colour	UPC Number
2120-A-F	Scotch® Transparent Duct Tape 2120-AF, 1.88 in x 20 yd	48 mm x 18.2 m	12	Transparent	000-51131-83260-2
2530-AF	Scotch® Tough™ Duct Tape Outdoor Painter's Clean Removal 2530-AF	1.88 in x 45 yd	12	Grey	000-51131-43449-3
380-1X60	Scotch® Cotton Cloth Tape 380 Natural, 1 in x 60 yd 11.0 mil, 36 per case Bulk	1" x 60 yds	36	White	000-21200-04529-5
6910-2X60-BLK	3M™ Cloth Gaffers Tape 6910	48 mm x 54.8 m	24	Black	000-51131-06843-8



Specialty Tapes

3M™ Construction Sheathing Tape 8088

- High performance sheathing tape installs and performs well over a broad temperature range
- Excellent vapour barrier tape on polyethylene film
- Performs well as a seam tape on extruded foam products such as Styrofoam® and Foamular®
- Applies to all major housewraps
- Great for use as a sealing tape on DensGlass Gold® and other sheathing brands
- Listed and approved by the Canadian Construction Materials Centre (CCMC #11862-R)



3M™ Aluminum Foil Tape 1450

Shiny Silver, 0.0031 inch (.079 mm) aluminum foil with a transparent, high tack, synthetic rubber based adhesive.



3M™ FSK Facing Tape 3320

Facing Tape 3320 is engineered specifically as a vapour retardant tape to seal mineral wool foil-faced insulation, bare sheet metal ducts, and blanket-style fiberglass duct insulation.



Catalogue ID	Description	Size	Unit	Case Qty.	UPC Number
8088-60X66	3M™ Construction Sheathing Tape 8088	60 mm x 66 m	Roll	20	000-51115-31861-0
1450-2X60	3M™ Aluminum Foil Tape 1450	2" x 60 YDS	Roll	48	000-51138-95103-0
1450-3X60	3M™ Aluminum Foil Tape 1450	3" x 60 YDS	Roll	12	000-21200-48323-0
3320-48X45.7	3M™ FSK Facing Tape 3320	48 mm x 45.7 m	Roll	24	000-51115-31530-5
3320-72X45.7	3M™ FSK Facing Tape 3320	72 mm x 45.7 m	Roll	16	000-51115-31531-2
3320-99X45.7	3M™ FSK Facing Tape 3320	99 mm x 45.7 m	Roll	12	000-51115-31532-9

Electrical



3M™ Temflex™ Vinyl Electrical Tape

General use black, 7 mil electrical tape, bundling, temporary. CSA approved to 80 degrees C.

Not recommended for subzero temperatures.



Scotch® Super 33+ Professional Grade Vinyl Electrical Tape

Professional grade black electrical tape, weather resistant. The first and only 7 mil “one tape for all jobs”. It wraps and holds in all weather and will continue to perform in subzero temperatures or in continuous temperature environment up to 105°C (220°F). Conforms remarkably well. Resists oil, water, wear, chemicals and solvents.




3M™ Linerless Electrical Rubber Splicing Tape 242

General, multi-purpose electrical rubber splicing tape. Securely splice all voltages or use for jacketing and general insulation. Terminate wires and cable ends or insulate connections. Highly conformable rubber tape provides quality moisture seal and lengthens cable life. Economical tape to create splices that last. Rated up to 194° F. 7 mil thick.



Catalogue ID	Description	Size	Case Qty.	Colour	UPC Number
TEMFLEX-3/4X60	3M™ Temflex™ Vinyl Electrical Tape	3/4" x 60'	100	Black	000-51141-04480-4
SUPER33-3/4X66	Scotch® Super 33+ Professional Grade Vinyl Electrical Tape	3/4" x 66'	100	Black	000-54007-06132-8
2242-3/4X15	3M™ Scotch® Linerless Splicing Tape 2242	3/4" x 15'	24	Black	000-54007-06165-6



Scotch® Barricade Tape 300 and 301 - CAUTION

Yellow Polyethylene Plastic with Black Letters.



Scotch® Barricade Tape 356 and 357 - DANGER

Red Polyethylene Plastic with Black Letters.

Catalogue No.	Description	Size	Case Qty.	Colour	UPC Number
300	Scotch® Barricade Tape 300 - CAUTION	3" x 1000'	8	Yellow	000-51128-53042-9
301	Scotch® Barricade Tape 301 - CAUTION	3" x 300'	16	Yellow	000-51128-53460-1
356	Scotch® Barricade Tape 356 - DANGER	3" x 300'	16	Red	000-51128-57767-7
357	Scotch® Barricade Tape 357 - DANGER	3" x 1000'	8	Red	000-51128-57764-6



Scotch® Barricade Tape 359 - CAUTION KEEP OUT

359 – Yellow Polyethylene Plastic with Black Letters.



Scotch® Barricade Tape 360 - CAUTION OPEN TRENCH

360 – Yellow Polyethylene Plastic with Black Letters



Scotch® Barricade Tape 361 and 362 - CAUTION DO NOT ENTER

361 – Yellow Polyethylene Plastic with Black Letters.

362 – Red Polyethylene Plastic with Black Letters.

Catalogue No.	Description	Size	Case Qty.	Colour	UPC Number
359	Scotch® Barricade Tape 359 - CAUTION KEEP OUT	3" x 1000'	8	Yellow	000-51128-57762-2
360	Scotch® Barricade Tape 360 - CAUTION OPEN TRENCH	3" x 1000'	8	Yellow	000-51128-57763-9
361	Scotch® Barricade Tape 361 - CAUTION DO NOT ENTER	3" x 1000'	8	Yellow	000-51128-57765-3
362	Scotch® Barricade Tape 362 - DANGER DO NOT ENTER	3" x 1000'	8	Red	000-51128-57766-0



Scotch® Electrician's Vinyl Duct Tape 2000

This is a 6 mil general purpose easy tear, low residue vinyl duct tape. This tape is used for general holding and bundling.



3M™ Cable Stacker SI-1C

A stack-it cable stacker. Keeps cables organized along joists in walls. cUL approved. Made from reclaimed plastic.



3M™ Scotchfil™ Electrical Insulation Putty

Wrap and stretch this electrical insulation putty around connections up to 600V. Moisture seal ground wires or smooth out irregularities. Electrical grade, rubber-based, elastic putty in a tape form is self-fusing. 125 mil thick for quick insulation build-up. Overwrap with Scotch® Super 33+ for best protection from oozing and UV. Use up to 176° F.





* **NOT** for High Voltage

3M™ Cable Tie Assortment Pack 06220

Secure wire bundles, harnesses and components quickly, without slipping. Self-locking head with heavy double teeth on the one-piece lock mechanism assures the 3M reliability you've come to expect. Will meet a wide range of temperatures from -40°F (-40°C) to 185°F (85°C). Cable tie assortment pack contains 100 of the most commonly used ties. Contains three sizes, four lengths and two colours.



Catalogue No.	Description	Size	Case Qty.	Colour	UPC Number
43403	Scotch® Electrician's Vinyl Duct Tape 2000	2" x 50 yds	12	Silver	000-54007-43403-0
SI-1C-STAK-1T-E	3M™ Cable Stacker SI-1C	25 / Bag	10 Bags / Ctn	—	000-51141-05024-9
SCOTCHFIL	3M™ Scotchfil™ Electrical Insulation Putty	1.5" x 60"	12	—	000-54007-41750-7
6220	3M™ Cable Tie Assortment Pack 06220	100 / Pack	10 Pks / Case	—	000-54007-06220-2



3M™ Scotchlok™ Terminal Kit STK-1

Filled with 3M's most frequently purchased low voltage termination products, including 14 of our most popular terminals. Kit is constructed of durable metal with individual product compartments. While the compartments keep you organized, the rugged metal frame protects the contents even in the harshest conditions.

Also includes crimping tool TH440, Scotchcode™ tape dispenser and cable ties.



3M™ “Performance Plus” Wire Connectors

These wire connectors have a unique design that allows them to grip wires faster and more securely, to accept a remarkably wide range of wire sizes, to cover over-strips, and makes them exceptionally easy to handle.

Get the job done faster with less wear and tear on your fingers. You can also carry less inventory; just three 3M™ “Performance Plus” wire connectors take the place of the traditional seven. CSA approved.



Catalogue No.	Description	Unit	Case Qty.	UPC Number
STK-1	Scotchlok™ Terminal Box STK-1, Red Metal Case	1	1	000-51138-25348-6
T/R+ JUG	3M™ “Performance Plus” Wire Connector T/R+ Accommodates: #18 AWG copper wires to five #12 AWG copper wire	750/jug	6000/case	000-51128-54455-6
T/R+ KEG	3M™ “Performance Plus” Wire Connector T/R+	25000/keg	1 keg	000-51128-54456-3
T/R+ BOX	3M™ “Performance Plus” Wire Connector T/R+	100/box	1000/case	000-51128-54454-9
B/G-BOX	3M™ “Performance Plus” Wire Connector B/G+BOX Accommodates: 4 #14-2 #6-3 #8 AWG, Blue with Grey skirt	50/box	500/case	000-54007-43150-3
B/G-BULK	3M™ “Performance Plus” Wire Connector B/G+BULK	250/jug	2000/case	000-54007-43151-0
O/B-BOX	3M™ “Performance Plus” Wire Connector O/B+BOX Accommodates: 2 #22 AWG up to 3 #12 AWG (solid) or 4 #14 AWG, Orange with Blue skirt	100/box	1000/case	000-54007-43152-7
O/B-BULK	3M™ “Performance Plus” Wire Connector O/B+BULK	500/jug	1000/case	000-54007-43153-4
R/Y-BOX	3M™ “Performance Plus” Wire Connector R/Y+BOX Accommodates: 2 #18-2 #8-5 #12 AWG, Red with Yellow skirt	100/box	1000/case	000-54007-43154-1
R/Y-BULK	3M™ “Performance Plus” Wire Connector R/Y+BULK	500/jug	4000/case	000-54007-43155-8
T/Y+ JUG	3M™ “Performance Plus” Wire Connector T/Y+ Accommodates: two #22 AWG copper wires to three #12 AWG solid copper wires	500/jug	10000/case	000-51128-55219-3
T/Y+ BOX	3M™ “Performance Plus” Wire Connector T/Y+Box	100/box	1000/case	000-51128-55218-6

Fire Protection



3M™ FireDam™ Spray 200

3M™ FireDam Spray 200 is a sprayable water-based material, that dries to form a tough, elastomeric coating. Ideal for sealing building joints, penetration seals (curtain wall), and perimeter joints between fire-rated floors (concrete, fire-proofed fluted steel decks) and fire-rated walls (gypsum, concrete).

- Dries quickly to dark gray or red
- Consistent spray patterns
- STC rating 56 when installed in a 56 STC rated wall assembly
- Sag resistant for vertical applications
- Applied with conventional airless sprayers
- High elasticity/movement capability



Catalogue ID	Description	Unit	Case Qty.	Colour	UPC Number
FD-SPRAY-200- GRAY	3M™ FireDam™ 200 Spray – Grey	5 Gallon Pail (640 fl. oz.)	1	Gray	000-51115-18797-1
FD-SPRAY-200-RED	3M™ FireDam™ 200 Spray – Red	5 Gallon Pail (640 fl. oz.)	1	Red	000-51115-18798-8

3M™ FireDam™ 150+ CAULKING (Red, Blue, Limestone)

A single-part, sag-resistant, water-based acrylic latex sealant, 3M Fire Barrier Sealant FD 150+ has excellent adhesion characteristics to most common construction materials. And, since it dries to the touch within one hour, it can be painted for a more professional-looking job.

Designed primarily for sealing penetrations for non-combustible penetrants. 3M FireDam 150+ has been tested and approved for single metallic pipe penetrations, common electrical and communications cable penetrations, as well as multiple penetrants through both masonry and gypsum wallboard constructions. 3M FireDam 150+ has also been tested for use in fire rated construction joints.



Catalogue ID	Description	Unit	Case Qty.	Colour	UPC Number
FD150+R-200Z	3M™ FireDam™ 150+ CAULKING (Red)	Sausage (20 fl.oz.)	12	Red	000-51141-08397-1
FD150+R-4.5G	3M™ FireDam™ 150+ CAULKING (Red)	4.5 Gallon Pail (576 fl.oz.)	1	Red	000-51141-08398-8
FD150+B-10.10Z	3M™ FireDam™ 150+ CAULKING (blue)	Cartridge (10.1 fl.oz.)	12	Blue	000-51141-07560-0
FD150+B-200Z	3M™ FireDam™ 150+ CAULKING (blue)	Sausage (20 fl.oz.)	12	Blue	000-51141-07561-7
FD150+B-280Z	3M™ FireDam™ 150+ CAULKING (blue)	Cartridge (28 fl.oz.)	6	Blue	000-51115-11602-5
FD150+B-4.5G	3M™ FireDam™ 150+ CAULKING (blue)	4.5 Gallon Pail (576 fl.oz.)	1	Blue	000-51131-78067-7
FD150+L-10.10Z	3M™ FireDam™ 150+ CAULKING (limestone)	Cartridge (10.1 fl.oz.)	12	Limestone	000-51115-16564-1
FD150+L-200Z	3M™ FireDam™ 150+ CAULKING (limestone)	Sausage (20 fl.oz.)	12	Limestone	000-51115-08290-5
FD150+L-280Z	3M™ FireDam™ 150+ CAULKING (limestone)	Cartridge (28 fl.oz.)	6	Limestone	000-51115-16566-5
FD150+L-4.5G	3M™ FireDam™ 150+ CAULKING (limestone)	4.5 Gallon Pail (576 fl.oz.)	1	Limestone	000-51115-16565-8



3M™ Fire Barrier 1000 Silicone Sealants – No Sag

Economical silicone firestop sealant. Good for joints and penetrations. Easy to tool and finish.

3M™ Fire Barrier 1003 Silicone Sealants – Self-leveling

3M™ Flex Pack Heavy Duty Applicator Gun & Nozzles

Fully enclosed all metal, rod driven, friction feed applicator gun for use with 20 oz foils. This tool has an 18:1 ratio.

Catalogue ID	Description	Unit	Case Qty.	Case Wt.	UPC Number
1000NS-10.10Z	3M™ Fire Barrier 1000 Silicone Sealants – No Sag	Cartridge (10.1 fl. oz.)	12	12.8 lbs	000-51141-07457-3
1000NS-200Z	3M™ Fire Barrier 1000 Silicone Sealants – No Sag	Sausage (20 fl. oz.)	12	20.5 lbs	000-51141-07562-4
1000NS-4.5G	3M™ Fire Barrier 1000 Silicone Sealants – No Sag	4.5 Gallon Pail (576 fl.oz.)	1	50 lbs	000-51115-11537-0
10003SL-10.10Z	3M™ Fire Barrier 1003 Silicone Sealants – Self-leveling	Cartridge (10.1 fl. oz.)	12	12.8 lbs	000-51141-07738-3
10003SL-200Z	3M™ Fire Barrier 1003 Silicone Sealants – Self-leveling	Sausage (20 fl. oz.)	12	20.5 lbs	000-51115-02923-3
10003SL-290Z	3M™ Fire Barrier 1003 Silicone Sealants – Self-leveling	Cartridge (29 fl. oz.)	6	17 lbs	000-51115-02880-9
10003SL-4.5G	3M™ Fire Barrier 1003 Silicone Sealants – Self-leveling	4.5 Gallon Pail (576 fl.oz.)	1	50 lbs	000-48011-25329-9
08991	Caulking Gun	Each	1	–	000-51135-08991-0
Nozzle-200Z	Nozzles	200/box	1	–	TBD

The Right Combination to
Lock Out Fire and Water



Health Care

3M™ Nexcare™ First Aid Kits

Whether you are in the office, at home or in your car, with our 3M First Aid Kits, you'll be prepared to treat most minor emergencies. Containing the same high quality medical products used by health care professionals for more than 25 years, these kits are packed with almost everything for on-the-spot treatment of cuts, sprains, headaches or tense muscles.



Catalogue ID	Description	Case Qty.	UPC Number
7730	3M™ Nexcare™ First Aid Kits – Deluxe (Contains 164 items)	6	000-51119-54321-6
7721P	3M™ Nexcare™ First Aid Kits – Personal (Contains 64 items)	6	000-51119-54910-2
113KIT	3M™ Nexcare™ First Aid Kits – Mini (Contains 16 items)	24	000-51119-55482-3

3M™ Nexcare™ Cold and Hot Therapy Products

Cold/Hot Pack, reusable with cover.

3M™ Nexcare™ Advanced Skin Cream

- Benefits:**
- Softens and replenishes rough, cracked or scaly skin
 - Silky but not greasy
 - Lipid rich moisturizer

3M™ Nexcare™ Skin Crack Care

- Benefits:**
- Seals painful skin cracks
 - Promotes healing
 - Waterproof



Catalogue ID	Description	Size	Case Qty.	UPC Number
2641	3M™ Nexcare™ Cold and Hot Therapy Products	4" x 10"	12	060-32700-00074-9
112-03-CA	3M™ Nexcare™ Advanced Skin Cream	4 oz.	12	000-51131-86104-6
112-325CA	3M™ Nexcare™ Advanced Skin Cream	Foot Cream	12	000-51131-91177-2
112-CA	3M™ Nexcare™ Skin Crack Care	Bottle	24	000-51131-86101-5



3M™ Nexcare™ Liquid Bandages

- Benefits:**
- For minor cuts and abrasions
 - Clear, waterproof protection
 - Dries quickly

3M™ Nexcare™ Dressings

- Nexcare™ Opticlude™ Orthoptic Eye Patches.
- Extra gentle adhesive for sensitive eye area.

3M™ Nexcare™ First Aid Tapes

Catalogue ID	Description	Size	Case Qty.	UPC Number
118-03-CA	3M™ Nexcare™ Liquid Bandages – Bottle	18 ml	24	000-51131-86293-7
120-LBD	3M™ Nexcare™ Liquid Bandages – Drops	.034 fl oz	24	000-51131-86386-6
1537	3M™ Nexcare™ Dressings – Junior	20 Patches/Box	36	000-51119-00022-1
1539	3M™ Nexcare™ Dressings – Adult	20 Patches/Box	36	000-51119-00023-8
527-P1	3M™ Nexcare™ Transpore Flexible Clear Tape single wrapped roll	1" x 10 yds	36	000-51131-56660-6
527-P2	3M™ Nexcare™ Transpore Flexible Clear Tape single wrapped roll	2" x 10 yds	24	000-51131-56661-3
530-P1/2	3M™ Nexcare™ Micropore Paper Tape single wrapped roll	1/2" x 10 yds	72	000-51131-00014-8
530-P1	3M™ Nexcare™ Micropore Paper Tape single wrapped roll	1" x 10 yds	36	000-51131-00015-5
530-P2	3M™ Nexcare™ Micropore Paper Tape single wrapped roll	2" x 10 yds	24	000-51131-00016-2
861B	3M™ Nexcare™ Water Resistant Tape on a plastic core	1" x 12.5 yds	24	000-51119-55077-1
771	3M™ Nexcare™ Transpore Flexible Clear Tape on retail back card	1" x 10 yds	24	000-51131-65299-6
781	3M™ Nexcare™ Micropore Paper Tape on retail back card	1" x 10 yds	24	000-51131-65300-9
791	3M™ Nexcare™ Durapore Cloth Tape on retail back card	1" x 10 yds	24	000-51131-65301-6
779-CA	3M™ Nexcare™ Transpore Flexible Clear Tape on dispenser	3/4" x 7 yds	24	000-51131-66994-9
789-CA	3M™ Nexcare™ Micropore Paper Tape on dispenser	3/4" x 8 yds	24	000-51131-66992-5
799-CA	3M™ Nexcare™ Durapore Cloth Tape on dispenser	3/4" x 6 yds	24	000-51131-66993-2
870	3M™ Nexcare™ Athletic Tape on retail back card	1" x 5 yds	24	000-51131-62098-8
731	3M™ Nexcare™ Waterproof Foam Premium Tape on retail back card	1" x 5 yds	24	000-51119-55210-2



3M™ Nexcare™ Active™ Flexible Foam Bandages

3M™ Nexcare™ Comfort Bandages

3M™ Nexcare™ Waterproof Bandages

3M™ Nexcare™ Heavy Duty Bandages

Catalogue ID	Description	Extra Desc.	Size	Colour	Case Qty.	UPC Number
AT201	3M™ Nexcare™ Active™ Flexible Foam Bandages – 45 Bandages	Latex free	Assorted	Tan	12	000-51119-55120-4
17021	3M™ Nexcare™ Active™ Flexible Foam Bandages – 100 Bandages	Latex free	1" x 3"	Tan	12	000-51131-62040-7
CS103	3M™ Nexcare™ Comfort Bandages – Knee & Elbow	Latex free	1-7/8" x 4"	Tan	12	000-51119-54486-2
CS201	3M™ Nexcare™ Comfort Bandages – 50 Bandages	Latex free	Assorted	Tan	12	000-51119-54485-5
CS203	3M™ Nexcare™ Comfort Bandages – 80 Bandages	Latex free	Assorted	Tan	12	000-51119-55189-1
CL101	3M™ Nexcare™ Waterproof Bandages – 30 Bandages		Assorted	Clear	12	000-51119-55117-4
CL301	3M™ Nexcare™ Waterproof Bandages – Knee & Elbow		2-3/8" x 3-1/2"	Clear	12	000-5119-55119-8
661-30-CA	3M™ Nexcare™ Heavy Duty Bandages – Waterproof, 30 Bandages	Latex free	Assorted	Clear	12	000-51131-93870-0
660-08-CA	3M™ Nexcare™ Heavy Duty Bandages – Waterproof, knee & elbow	Latex free	2-1/8" x 3-3/8"	Clear	12	000-51131-93750-5
HD201	3M™ Nexcare™ Heavy Duty Bandages – Flexible Fabric, 40 Bandages	Latex free	1" x 3"	Tan	12	000-51131-86609-6



Masking Tapes



3M™ Scotch® General Purpose Masking Tape 203

Natural coloured crepe paper. A general purpose masking tape for holding, bundling, sealing, general paint masking and a vast number of other jobs where a pressure-sensitive tape is needed.

3M™ Scotch® Pro-Painter's Masking Tape 2055 (Green)

Scotch® Masking Tape for Pro-Painting is a medium adhesion, 5-day removal masking tape ideal for masking trim and woodwork.

3M™ Scotch® Painter's Masking Tape for Hard-to-Stick Surfaces 2060

Design for use with, or on, lacquer coating. Does not lift, curl, or transfer adhesive with most lacquers. This tape can also be used on rough, uneven or hard to stick to surfaces. Conforms well to most surfaces, which produces an excellent paint line.

Description	Size	Case Qty.	UPC Number
3M™ Scotch® General Purpose Masking Tape 203	12 mm x 55 m	72	000-21200-22823-0
3M™ Scotch® General Purpose Masking Tape 203	18 mm x 55 m	48	000-21200-22818-6
3M™ Scotch® General Purpose Masking Tape 203	24 mm x 55 m	36	000-21200-22819-3
3M™ Scotch® General Purpose Masking Tape 203	36 mm x 55 m	24	000-21200-22820-9
3M™ Scotch® General Purpose Masking Tape 203	48 mm x 55 m	24	000-21200-22821-6
3M™ Scotch® General Purpose Masking Tape 203	72 mm x 55 m	12	000-21200-22822-3
3M™ Scotch® Pro-Painter's Masking Tape 2055 (Green)	24 mm x 55 m	36	000-51131-82628-1
3M™ Scotch® Pro-Painter's Masking Tape 2055 (Green)	36 mm x 55 m	24	000-51131-82629-8
3M™ Scotch® Pro-Painter's Masking Tape 2055 (Green)	48 mm x 55 m	18	000-51131-82630-4
3M™ Scotch® Pro-Painter's Masking Tape 2055 (Green)	6 rolls/pack	4	000-51131-82632-8
3M™ Scotch® Pro-Painter's Masking Tape 2055 (Green)	4 rolls/pack	4	000-51131-95162-4
3M™ Scotch® Pro-Painter's Masking Tape 2055 (Green)	3 rolls/pack	4	000-51131-95163-1
3M™ Scotch® Painters' Masking Tape for Hard-to-Stick Surfaces 2060	24 mm x 55 m	36	000-21200-73282-9
3M™ Scotch® Painters' Masking Tape for Hard-to-Stick Surfaces 2060	36 mm x 55 m	24	000-21200-73283-6



3M™ Scotch® Painter's Tape for Delicate Surfaces 2080

This tape removes cleanly without adhesive transfer or damage for up to 60 days, even in direct sunlight. It is a medium adhesion tape that is ideal for smooth, freshly painted surfaces, faux painting, wood floors and glass.



3M™ Scotch-Blue™ Painter's Tape for Multi-Surfaces 2090 (Blue)

This tape removes cleanly without adhesive transfer or surface damage for up to 14 days, even in direct sunlight. It is a medium adhesion tape that is ideal for painted walls and trim, woodwork, glass and metal.



3M™ Scotch® Performance Masking Tape 233+

Ideal for paint masking applications with temperatures up to 250°F. Temperature and solvent resistant. Clean removal and conformable even on EPDM rubber moldings and painted steel even after 30 minutes. Green-coloured paper tape. Has excellent conformability and transfer resistance. Better UV resistance than traditional masking tapes and resistance to paint bleed-through.

Description	Size	Case Qty.	UPC Number
3M™ Scotch® Painter's Tape for Delicate Surfaces 2080	1" x 60 yds	18	000-51115-02915-8
3M™ Scotch® Painter's Tape for Delicate Surfaces 2080	1-1/2" x 60 yds	12	000-51115-02916-5
3M™ Scotch-Blue™ Painter's Tape for Multi-Surfaces 2090 (Blue)	1" x 60 yds	36	000-51115-03681-1
3M™ Scotch-Blue™ Painter's Tape for Multi-Surfaces 2090 (Blue)	1.5" x 60 yds	24	000-51115-03682-8
3M™ Scotch-Blue™ Painter's Tape for Multi-Surfaces 2090 (Blue)	2" x 60 yds	18	000-51115-03683-5
3M™ Scotch® Performance Masking Tape 233+	3 mm x 55 m	12	000-51131-26343-1
3M™ Scotch® Performance Masking Tape 233+	6 mm x 55 m	12	000-51131-26344-4
3M™ Scotch® Performance Masking Tape 233+	12 mm x 55 m	12	000-51131-26346-8
3M™ Scotch® Performance Masking Tape 233+	18 mm x 55 m	48	000-51131-26334-5
3M™ Scotch® Performance Masking Tape 233+	24 mm x 55 m	24	000-51131-26336-9
3M™ Scotch® Performance Masking Tape 233+	36 mm x 55 m	16	000-51131-26338-3
3M™ Scotch® Performance Masking Tape 233+	48 mm x 55 m	12	000-51131-26340-6
3M™ Scotch® Performance Masking Tape 233+	72 mm x 55 m	8	000-51131-26341-3

Masking Systems



3M™ Hand-Masker™ M1000 Dispenser

The 3M™ Hand-Masker™ M1000 Dispenser is for the do-it-yourselfer with occasional light-duty projects. It applies masking paper with masking tape in one easy step.

3M™ Hand-Masker™ M2000 Dispenser

3M™ Hand-Masker™ M2000 Dispenser is the choice for the light-duty contractor, maintenance worker, handyman and do-it-yourselfer. It applies pre-folded masking film up to 72-inch or paper up to 12-inch with masking tape in one easy step.

3M™ Hand-Masker™ M3000 Dispenser

The Hand-Masker™ M3000 Dispenser is a hand-held, lightweight dispenser that provides complete surface protection in less time by allowing one person to apply both tape and film/plastic/paper in one easy step. The M3000 dispenses Hand-Masker Pre-folded Masking Film+ (up to 144"), Hand-Masker Contractor's Plastic (up to 12'), or Hand-Masking Paper (up to 18") and Scotch(R) masking tapes (3/4" to 2"). Accessories include a paper blade, film blade, multi-purpose hook and a tack down tape dispenser. This dispenser can save time when preparing for painting, exterior wall finishing, drywall texturing, and floor sanding jobs.

3M™ Hand-Masker™ Pre-Assembled Masking Film Tape Kit, M3000 PAK 6 ft x 90 ft

3M™ Pre-Assembled Dispenser Kit, (1) M3000 dispenser, (1) 12 in film blade, (1) roll 1-1/2 in 2090, (1) roll MF72 + film.

3M™ Hand-Masker™ Tack Down Tape Dispenser TDTD

Attachment for the 3M™ Hand-Masker™ Dispenser. Fits an additional roll of masking tape for tacking down loose ends of masking paper during masking application.



Catalogue ID	Description	Unit	Case Qty.	UPC Number
M1000	3M™ Hand-Masker™ M1000 Dispenser	Case	4	000-51131-77408-7
M2000	3M™ Hand-Masker™ M2000 Dispenser	Case	4	000-51131-77384-4
M3000	3M™ Hand-Masker™ M3000 Dispenser	Case	4	000-51131-77385-1
M3000PAK	3M™ Hand-Masker™ Pre-Assembled Masking Film Tape Kit	Each	4	000-51131-86952-3
TDTD	3M™ Hand-Masker™ Tack Down Tape Dispenser TDTD	Each	6	000-51131-06787-5



3M™ Hand-Masker™ Film Blades

3M™ Hand-Masker™ Film Blades are made from durable stainless steel with a protective plastic blade guard. For use on M2000 and M3000.



3M™ Hand-Masker™ Paper Blades

Catalogue ID	Description	Unit	Case Qty.	UPC Number
FB12	3M™ Hand-Masker™ Film Blade FB12, 12 in	Each	6	000-51131-06802-5
PB6	3M™ Hand-Masker™ Film Blade FB6, 6 in	Each	6	000-51131-06804-9
PB9	3M™ Hand-Masker™ Paper Blade PB9, 9 in	Each	6	000-51131-06795-0
PB12	3M™ Hand-Masker™ Paper Blade PB12, 12 in	Each	6	000-51131-06796-7

3M™ Hand-Masker™ General Purpose Masking Paper

3M™ Hand-Masker™ Masking Paper is available in two grades: general purpose or premium quality. Premium quality is designed to minimize bleed-through and general purpose paper is ideal with water-based coatings.



Catalogue ID	Description	Unit	Case Qty.	UPC Number
MPG3	3M™ Hand-Masker™ General Purpose Masking Paper MPG3, 3 in x 60 yds	Roll	12	000-51131-06643-4
MPG6	3M™ Hand-Masker™ General Purpose Masking Paper MPG6, 6 in x 60 yds	Roll	12	000-51115-04138-9
MPG9	3M™ Hand-Masker™ General Purpose Masking Paper MPG9, 9 in x 60 yds	Roll	12	000-51115-04139-6
MPG12	3M™ Hand-Masker™ General Purpose Masking Paper MPG12, 12 in x 60 yds	Roll	12	000-51115-04140-2
MPG15	3M™ Hand-Masker™ General Purpose Masking Paper MPG15, 15 in x 60 yds	Roll	12	000-51131-06655-7
MPG18	3M™ Hand-Masker™ General Purpose Masking Paper MPG18, 18 in x 60 yds	Roll	12	000-51131-06658-8



3M™ Hand-Masker™ Pre-Folded Contractors Plastic

Pre-folded, non treated high density plastic dispenses on M3000 and folds out to 9 ft. for draping and covering large areas, dust containment and overspray protection.



3M™ Hand-Masker™ Masking Film Plus

Pre-folded, high-density, nonporous film for paint masking and paint overspray protection. Flake resistant for multiple coat use. May be used with lacquers.



Catalogue ID	Description	Unit	Case Qty.	UPC Number
CP9	3M™ Hand-Masker™ Pre-Folded Contractors Plastic 9 ft x 90 ft	Roll	12	000-51131-79684-3
MF12	3M™ Hand-Masker™ Masking Film Plus 12 in x 180 ft x .4 mil	Roll	12	000-51131-06850-6
MF24	3M™ Hand-Masker™ Masking Film Plus 24 in x 180 ft x .4 mil	Roll	12	000-51131-06845-2
MF36	3M™ Hand-Masker™ Pre-Folded Masking Film 36 in x 90 ft	Roll	12	000-51131-06860-5
MF48	3M™ Hand-Masker™ Masking Film Plus 48 in x 180 ft x .4 mil	Roll	12	000-51131-06848-3
MF72	3M™ Hand-Masker™ Masking Film Plus 72 in x 90 ft x .4 mil	Roll	12	000-51131-77406-3
MF99	3M™ Hand-Masker™ Masking Film Plus 99 in x 90 ft x .4 mil	Roll	12	000-51131-77407-0
MF144	3M™ Hand-Masker™ Masking Film Plus 144 in x 60 ft x .4 mil	Roll	12	000-51131-06861-2



Scotch-Blue™ Pre-taped Film

Scotch-Blue™ Pre-taped film combines the versatility of Scotch-Blue™ Painters Tape for Multi-Surfaces with the added protection of film drop cloth to protect against those accidental paint splatters and drips. Film unfolds to 24 inches.



Scotch® Scotch-Blue™ Painter's Tape and Film

Scotch-Blue™ Painter's Tape and Film combines the versatility of Scotch-Blue™ Painter's Tape for Multi-Surfaces with the added protection of a drop cloth to protect against those accidental paint splatters and drips. Film unfolds to 48 inches.



Scotch-Blue™ Painter's Tape and Film

Scotch-Blue™ Painters Tape and Film (PTD2090-24SB) combine the versatility of Scotch-Blue™ Painters Tape for Multi-Surfaces (2090) and the security of extra drip protection with an unfoldable film (unfolds to 24 inches).



Scotch® Scotch-Blue™ Painter's Tape and Film

Scotch-Blue™ Painters Tape and Film combines the versatility of Scotch-Blue™ Painters Tape for Multi-Surfaces with the added protection of a drop cloth to protect against those accidental paint splatters and drips. Film unfolds to 48 inches.

Catalogue ID	Description	Unit	Case Qty.	UPC Number
PT2090-24SB	Scotch-Blue™ Pre-taped Film 24 in x 30 yd	Roll	6	000-51131-06696-0
PT2090-48SB	Scotch® Scotch-Blue™ Painters Tape and Film 48 in x 90 ft	Roll	6	000-51131-80055-7
PTD2090-24SB	Scotch-Blue™ Painters Tape and Film 24 in x 30 yd	Roll	6	000-51115-12071-8
PTD2090-48SB	Scotch® Scotch-Blue™ Painters Tape and Film 48 in x 90 ft	Roll	6	000-51131-80058-8



3M Occupational Health & Environmental Safety

Our Brand Promise

3M is dedicated to improving worker safety and comfort. We do this by designing and producing innovative and reliable products that meet the needs of a wide range of workplace conditions. Our products meet industry best practices and CSA, ANSI, NIOSH and OSHA standards. The products in this catalogue are among the many offered by 3M to enhance the quality of the workplace. Worldwide, 3M offers over 60,000 products to industry, government and consumers.

Safety
Solutions
from the Brands
You Trust

www.3M.ca/safety

3M Canada Occupational Health and Environmental Safety
Service and Technical Support Centre
1 800 267-4414

Safety



MAXIM™ Eyewear

New Maxim™ Eyewear. So advanced, it doesn't raise the bar in eyewear technology. It puts it out of reach.

- Dual-injected, cushioned brow bar for comfort and protection
- New, patented, dual-aspheric lens for prescription quality, distortion-free vision
- Ventilation channel to help reduce fogging
- Adjustable length temples
- Soft, adjustable nose bridge
- Meets ANSI Z87.1 and CSA Z94.3 high velocity tests
- Made in U.S.A.



LEXA™ Eyewear

There is no other eyewear system in the world like Lexa™.

- Adjustable length temples
- Lens angle adjustment
- DX™ anti-fog hard coat standard
- Meets ANSI Z87.1 and CSA Z94.3
- Made in U.S.A.



DUST GOGGLEGEAR™ for LEXA™ Eyewear

Converts Lexa to a dust goggle in just a snap.

- DX™ anti-fog standard
- Meets ANSI Z87.1 and CSA Z94.3
- Made in U.S.A.
- Assembled



Catalogue ID	Description	Unit	Case Qty.	UPC Number
13250-00000-20	Maxim™ Black Adj Temple Clear Lens	Case	20	000-78371-62235-7
15152-00000-100	Lexa™ Black Clear Medium	Case	100	000-78371-62282-1
16617-00000-10	Gogglegear™ w/strap Medium Clear Lens Std Bridge	Case	10	000-78371-62330-9



Eye Protection

3M™ Metaliks Sport™ Safety Eyewear

Stylish metal frames and sleek lens put Metaliks™ in a class of its own.

- Adjustable temples
- Soft adjustable nose bridge
- Meets ANSI Z87.1 and CSA Z94.3



VIRTUA Sport Eyewear

- Comfortable, ultra light frame
- Sporty, sleek unisex styling
- 9 base curve lens
- High Impact polycarbonate filters 99.9% UV
- Meets ANSI Z87.1-2003 and CSA Z94.1 Standards



TOUR-GUARD™ III Eyewear

Economical visitor spec fits over most prescription glasses.

- Available in two sizes
- Meets ANSI Z87.1 and CSA Z94.3
- Made in U.S.A.



Catalogue ID	Description	Unit	Case Qty.	UPC Number
11343-10000-20	Metaliks Sport™ Safety Glasses brushed nickel frame, Clear Anti-fog Lens	Case	20	000-78371-62355-2
11344-10000-20	Metaliks Sport™ Safety Glasses brushed nickel frame, Grey Anti-fog Lens	Case	20	000-78371-62355-2
11345-10000-20	Metaliks Sport™ Safety Glasses brushed nickel frame with Indoor/Outdoor Lens	Case	20	000-78371-62357-9
11346-10000-20	Metaliks Sport™ Safety Glasses brushed nickel frame, Amber Anti-fog Lens	Case	20	000-78371-62358-6
11540-10000-20	Metaliks Sport™ Safety Glasses brushed nickel frame, Blue Mirror Hard Coat Lens	Case	20	000-78371-62375-3
11384-00000-20	Virtua Sport Clear Temple, Clear Anti-fog Lens	Case	20	000-78371-62054-4
41120-00000-100	958B Tour-Guard™ III Clear	Case	100	000-78371-62343-9



3M™ BX™ Safety Eyewear

- Adjustable temple lengths for better fit
- Five lens options
- Reader lenses available (+1.5, +2.0, +2.5)



3M™ Privo™ Safety Eyewear

- Lens colour options - Clear, Grey or Amber
- Anti-fog and Indoor/Outdoor lenses
- Orange or Red Accent Temple Tips
- Soft-tipped temples
- Soft comfort nose bridge
- World-class fit



Catalogue ID	Description	Unit	Case Qty.	UPC Number
11380-00000-20	BX™ Safety Glasses, Silver/Black Frame, Clear, Anti-fog lens	Case	20	000-78731-62052-3
11381-00000-20	BX™ Safety Glasses, Silver/Black Frame, Grey, Anti-fog lens	Case	20	000-78731-62053-0
11471-00000-20	BX™ Safety Glasses, Ocean Blue Frame, Clear, Anti-fog Lens	Case	20	000-78731-62065-3
11525-00000-20	BX™ Safety Glasses, Ocean Blue Frame, Indoor/Outdoor Grey Anti-fog Lens	Case	20	000-78731-62080-6
11472-00000-20	BX™ Safety Glasses, Ocean Blue Frame, Indoor/Outdoor Mirror Lens	Case	20	000-78731-62066-0
11473-00000-20	BX™ Safety Glasses, Ocean Blue Frame, Indoor/Outdoor Mirror Lens +1.5 diopter	Case	20	000-78731-62067-7
11474-00000-20	BX™ Safety Glasses, Ocean Blue Frame, Indoor/Outdoor Mirror Lens +2.0 diopter	Case	20	000-78731-62068-4
11475-00000-20	BX™ Safety Glasses, Ocean Blue Frame, Indoor/Outdoor Mirror Lens +2.5 diopter	Case	20	000-78731-62069-8
12265-00000-20	Privo™ Safety Glasses Silver Frame/Red Accent Temple Tips, Clear Anti-fog lens	Case	20	000-78731-62091-2
12266-00000-20	Privo™ Safety Glasses Silver Frame/Red Accent Temple Tips, Grey Anti-fog lens	Case	20	TBD
12267-00000-20	Privo™ Safety Glasses Silver Frame/Red Accent Temple Tips, Amber Anti-fog lens	Case	20	000-78731-62093-6
12268-00000-20	Privo™ Safety Glasses Silver Frame/Red Accent Temple Tips, Indoor/Outdoor Mirror lens	Case	20	000-78731-62094-3
12261-00000-20	Privo™ Safety Glasses Black Frame/Orange Accent Temple Tips, Clear Anti-fog lens	Case	20	000-78731-62087-5
12262-00000-20	Privo™ Safety Glasses Black Frame/Orange Accent Temple Tips, Grey Anti-fog lens	Case	20	000-78731-62088-2
12263-00000-20	Privo™ Safety Glasses Black Frame/Orange Accent Temple Tips, Amber Anti-fog lens	Case	20	000-78731-62089-9
12264-00000-20	Privo™ Safety Glasses Black Frame/Orange Accent Temple Tips, Indoor/Outdoor Mirror lens	Case	20	000-78731-62090-5



3M™ Fuel2™ Safety Eyewear

- Four Hot Lens Colours
- Flared Accents
- Soft Temple Tips and Nosebridge
- High Impact Protection



Light Vision2™ Eyewear

- Two ultra-bright, adjustable LED lights
- Hands-free direct lighting
- Anti-fog lens
- Filters 99.9% UV
- Long-life, replaceable CR2032 3V battery
- Flexible nose bridge fits virtually all faces
- Includes micro-fiber storage bag and lanyard
- Meets ANSI Z87.1-2003 and CSA Z94.3 standards



Catalogue ID	Description	Unit	Case Qty.	UPC Number
11650-00000-10	Fuel2™, Metallic Sand Frame, Red Overmold, Red Mirror Lens, Lanyard, Micro Fiber Bag	Case	10	000-78371-62153-4
11651-00000-10	Fuel2™, Metallic Sand Frame, Red Overmold, Clear Anti-Fog Lens, Lanyard, Micro Fiber Bag	Case	10	000-78371-62154-1
11652-00000-10	Fuel2™, Silver Colour Frame, Blue Overmold, Blue Mirror Lens, Lanyard, Micro Fiber Bag	Case	10	000-78371-62155-8
11653-00000-10	Fuel2™, Silver Colour Frame, Blue Overmold, Clear Anti-Fog Lens, Lanyard, Micro Fiber Bag	Case	10	000-78371-62156-5
11654-00000-10	Fuel2™, Black Rubberized Frame, Black Overmold, Grey Anti-Fog Lens, Lanyard, Micro Fiber Bag	Case	10	000-78371-62157-2
11476-00000-10	Light Vision2™ Eyewear, Grey Frame, Black Temples	Case	10	000-78371-62111-7



The coolest eyewear line just got cooler.

Introducing a 3M exclusive - OCC™ extreme safety eyewear, safety eyewear that combines edgy styling and solid performance that workers crave.

With motorcycle inspired designs, high-impact* lenses and solid frame construction these new styles deliver the looks, attitude and brand that workers want to wear.

Orange County Choppers™ Safety

Eyewear Styling -100 and 800 Series

- High quality, lightweight aluminum frames
- Spring hinge temples
- Classic OCC™ styling



Eyewear Styling -1100 and 1200 Series

- Polycarbonate lens absorbs 99.9% UV
- Soft, adjustable nosebridge
- OCC™ logo on temples
- *Meets the high impact requirements of ANSI Z87.1-2003 and CSA Z94.3
- Available in four lens options: clear, Grey, I/O Grey anti-fog or blue mirror



Catalogue ID	Description	Unit	Case Qty.	UPC Number
11467-00000-10	Orange County Choppers™ OCC™ Eyewear 101 Silver Aluminum Frame, Blue Mirror Lens -CSA	Case	10	TBD
11727-00000-10	Orange County Choppers™ OCC™ Eyewear 800 w/Black/Silver Temple Clear Anti-Fog Lens -CSA	Case	10	000-78371-62198-8
11774-00000-10	OCC 1100 - Clear AF Lens; Gun Metal Grey Frame	Case	10	00-78371-11774-7
11775-00000-10	OCC 1100 - I/O Grey AF Lens; Gun Metal Grey Frame	Case	10	00-78371-11775-4
11776-00000-10	OCC 1100 - Grey AF Lens; Gun Metal Grey Frame	Case	10	00-78371-11776-1
11777-00000-10	OCC 1100 - Blue Mirror Lens; Gun Metal Grey Frame	Case	10	00-78371-11777-8
11778-00000-10	OCC 1200 - Clear AF Lens; Gun Metal Grey Frame	Case	10	00-78371-11778-5
11779-00000-10	OCC 1200 - I/O Grey AF Lens; Gun Metal Grey Frame	Case	10	00-78371-11779-2
11780-00000-10	OCC 1200 - Grey AF Lens; Gun Metal Grey Frame	Case	10	00-78371-11780-8
11781-00000-10	OCC 1200 - Blue Mirror Lens; Gun Metal Grey Frame	Case	10	00-78371-11781-5



Lens Cleaning

Super-Clear™ Lens Cleaning Towelettes

Keep eyewear clean and vision clear with these individual packets in a convenient self-dispensing box. Safe for use on all lens types included hard-coated and anti-fog.



Super-Clear™ Disposable Wall Dispenser

Essential for every workplace where safety eyewear is in use. Contains 16 oz. pump and bottle of fluid. Ready to hang.

1500 sheets of super wet paper.



Super-Clear™ Lens Cleaning Tissue Refill

Heavy-duty, wet-strength paper is soft and non-abrasive. Cleans lenses safely, without scratching.

760 individual sheets/Pack



Super-Clear™ Anti-Fog, Anti-Static Lens Cleaning Fluid

Safe for use on all lens types included hard-coated and anti-fog.



Catalogue ID	Description	Unit	Case Qty.	UPC Number
83745-00000	Super-Clear™ Lens Cleaning Towelettes	100/Box	10 Box/Case	000-78371-83745-7
83735-00000	Super-Clear™ Disposable Wall Dispenser 8-3/4" H x 11-1/4" x 3-1/4" D		6 Each/Case	000-78371-83735-8
83738-00000	Super-Clear™ Lens Cleaning Tissue Refill 760 individual sheets/Pack		18 Pack/Case	000-78371-83738-6
83803-00000	Super-Clear™ Anti-Fog, Anti-Static Lens Cleaning Fluid	Pint	12 Each/Case	000-78371-83803-1

Head & Face Protection



AO TUFFMASTER® Headgear/window Combo Systems

- Complete headgear and faceshield unit
- Meets ANSI Z87.1
- Made in U.S.A.



XLR8™ Hard Hats

- Universal accessory slots for use with a wide variety of Eye, Face, and Hearing protection products
- Rugged, high-density polyethylene shell for maximum protection
- Nylon web suspension with full cushioned, washable foam brow pad
- Imprinting available upon request
- Meets ANSI Z89.1 Type 1, Class G, E and C, and CSA Z94.1 Type 1, Class G & E
- Made in U.S.A.



Catalogue ID	Description	Unit	Case Qty.	UPC Number
82501-00000	H8A Deluxe Ratchet Headgear	Case	10	000-78371-82501-7
82701-00000	WP96 Clear Polycarbonate	Case	10	000-78371-82701-1
45995-00001	XLR8 Hard Hat White 6pt Ratchet	Case	20	000-78371-45995-3



Tough, Comfortable, Reliable
Everyday Performance



Speedglas™

3M™ Speedglas™ 100 Welding Helmets with Variable Shade Filters

These seven new models are available with the Speedglas™ 100V filter, which features five user-selectable dark shades, from shade 8 to shade 12, and a light shade of 3.

This filter has three sensitivity settings: a normal setting used for most types of welding (both indoors and outdoors), a setting for when other welders are working nearby, and a setting for low-current or stable arc (e.g. TIG) welding.



Blazed



Aces High



Chrome*



Mechanical Skull



Trojan Warrior



Tribal



Black

Part Number	Description
07-0012-31BZ/37233	Blazed
07-0012-31AH/37237	Aces high
07-0012-31CH/37235	Chrome*
07-0012-31MS/37236	Mechanical Skull
07-0012-31TW/37239	Trojan Warrior
07-0012-31TR/37234	Tribal
07-0012-31BL/37232	Black

Real
Protection.
Real
Personality.

* Reflected uv light from the chrome finish is absorbed by the clear coat finish. The measured intensity is similar to that of a black helmet.

Hearing Protection



E-A-R™, 3M™ and Peltor™ Earplugs offer a variety of sizes, shapes and levels of protection. Choose the one that is comfortable and provides the required noise reduction.

CLASSIC™ Earplugs

- Proven size, shape, and foam
- World's most popular earplug
- Corded and uncorded in a variety of individual packs.
- Ideal for small contractors or store shelves for walk-in trade
- Most popular hearing protector
- NRR 29 dB



E-A-RSOFT™ FX™ Earplugs

- Best NRR - 33 dB
- Patented shape to more effectively fit the ear canal
- Soft, comfortable foam



PUSH-INS™ Earplugs

- No Roll Down Earplugs
- Quick, Clean & Hygienic
- EARform™ Foam Comfort
- NRR 28 dB



ARC PLUG Premolded Reusable Earplugs

- For protection against arc blast noise
- Aids in compliance with NFPA70E



Catalogue ID	Description	Unit	Case Qty.	UPC Number
312-1201	CLASSIC™ Plug In Poly Bag (Cs 2000)	Case	2000	000-80529-12002-8
311-1101	CLASSIC™ Plug With Cord (Cs 2000)	Case	2000	000-80529-11001-2
310-1060	E-A-R™ CLASSIC™ Earplugs Uncorded In Pillow Packs	30-Pair Pack	360 Pairs/Case	000-80529-10070-2
312-1261	E-A-RSOFT™ FX™	Case	2000	000-80529-12086-8
312-1260	E-A-RSOFT™ FX™ Corded	Case	2000	000-80529-12085-1
318-1001	PUSH-INS™ Corded - 100 Count Box	Case	400	000-80529-18001-5
370-2000	ARC PLUG, Dual Ended with Dielectric, Plastic Chain and Carrying Case	Case	10	000-80529-70012-1



3M™ 1100 Foam Earplugs and 3M™ 1110 Corded Foam Earplugs

- Tapered design to conform for comfort



UltraFit™ Reusable Plugs

- Comfortable and durable; advanced polymer allows for cleaning
- Fits a wide range of ear canal sizes
- NRR 25dB



PISTONZ™ Earplugs

- Officially licensed hearing protection of NASCAR®
- Tips look like metal, feel ultra-soft
- Instant-use, no roll-down design
- Biaxially-stiff stem
- Shaped for universal fit
- NRR 25dB



Catalogue ID	Description	Unit	Case Qty.	UPC Number
1100	3M™ Foam Earplug 1100	Case	1000	000-51138-29008-5
1110	3M™ Corded Foam Earplug 1110	Case	500	000-51138-29009-2
340-4014	UltraFit™ Econopack	Case	2000	000-80529-40053-6
340-4004	UltraFit™ Corded No Case	Case	400	000-80529-40003-1
P1400	Uncorded	100 Pairs/Box	4 Boxes/Case	000-93045-93401-0
P1401	Corded	100 Pairs/Box	4 Boxes/Case	000-93045-93402-7



Fall Protection

The Height of Confidence



3M has earned the confidence of companies and workers on work sites across the country. When your crew is working at dangerous heights, know that we offer one of the broadest lines of fall protection products and systems in the industry that meet virtually every application.

Elavation Premium Harness

7510 (L-XL)

- Breathable, cushioned padding with quick torso adjustment
- Back D-Ring
- Quick Connect Chest And Leg Connections
- Shoulders/Legs Comfort Pads And Built In Lanyard Clip
- 400 lb. rated, exceeds OSHA 1926, ANSI z359.1 and CSA z259.1



Ameba Positioning Harness

AMEBA 1311-L

- Helical webbing that moves with the wearer
- Back and waist D-Ring, waist pad / tool belt
- Mating chest and grommet leg connections
- Lightweight airflow comfort shoulder pad with lanyard clip
- 310 lb. rated, exceeds OSHA 1926, ANSI z359.1 and CSA z259.1



Safelight Suspension Harness

10650-FI

- Universal sized value harness
- Back and front D-Ring
- Mating chest and grommet leg connections
- 310 lb. rated, exceeds OSHA 1926, ANSI z359.1 and CSA z259.1



Web Lanyard

209512

- 1" yellow web with external shock pack
- Meets ANSI z3591.1-2007 standards for 3600 lb. connector gates
- 2 Snap hooks
- Max arrest dist - 42", max arrest force < 900 lb.
- 310 lb. rated, exceeds OSHA 1926, ANSI z359.1 and CSA z259.1





Fall Protection

Reload Cable Retractable Lifeline

REC-23

- Frictionless Braking System: No moving parts to go out of adjustment
- 7 x 19 mm steel cable lifeline with swivel snap hook and carabiner
- Meets ANSI z3591.1-2007 standards for 3600 lb. connector gates
- 100% Reliable pawl locking mechanism; cannot freeze, hang or corrode
- 400 lb. rated, exceeds OSHA 1926, ANSI z359.1 and CSA z259.1



Tie Back Dual-Leg Lanyard

3560

- Tie-back feature allows lanyard to wrap around anchorages, 100% tie-off
- Meets ANSI z3591.1-2007 standards for 3600 lb. connector gates
- 3 Snap hooks with 2 adjustor D-Rings for tie-back
- Max arrest dist - 42", max arrest force > 900 lb.
- 310 lb. rated, exceeds OSHA 1926, ANSI z359.1 and CSA z259.1



Fall Protection Roofing Kit

20507

- 10950 FI Harness
- 209510 Connector and 4521 Bag
- 4651X Roof Anchor
- SL harness with lanyard, 50' lifeline, 129 rope grab, reusable anchor
- Exceeds OSHA 1926, ANSI Z359.1-2007 standards



Reusable Roof Anchor

4000

- Steel construction
- Fits any pitch angle
- Approved for metal decking
- Exceeds OSHA 1926, ANSI z359.1-2007 standards



Fall Protection Solutions You Can Trust



**Occupational Health and Environmental Safety
3M Canada Company**

P.O. Box 5757
London, Ontario N6A 4T1
Canada
1 800-364-3577
www.3m.com/safety


Please recycle. Printed in Canada.
© 2009, 3M. All rights reserved.
3M and Safewaze are trademarks of 3M.
Used under license in Canada.
0910-07528E

3M Canada Occupational Health and Environmental Safety
Service and Technical Support Centre

1 800 267-4414

Product Preference Selector

Use the selector below to identify which respirator may be preferred for increased worker comfort.



*3M recommended for ozone protection up to 10X OSHA PEL or applicable government occupational exposure limits, whichever is lower. Not NIOSH approved for ozone. Respirator selection must be conducted to meet the requirements of the authority having jurisdiction in your region and/or CSA Standard Z94.4.



Particulate Filters

New Advanced Disc Filters – Not All Filters Are Created Equal!

When 3M invented the disc filter category over 15 years ago, it launched a new era of worker protection. Today, the new 2291, 2296 and 2297 P100 Filters bring disc filtration to a new level of performance. These premium disc filters are engineered for easier breathing, making them ideal for tough work environments. The new netting construction technology increases durability for a longer lasting filter. The result is a new standard for disc filter protection, performance and breathability.

Benefits Include:

- Easier breathing through new 3-layer Advanced Electret Filter Media.
- Enhanced durability with abrasion-resistant netting construction.
- Longer service life: *In customer field trials, filters lasted up to twice as long.*



Catalogue ID	Product Name	Description	Case Qty.
2291	3M™ Advanced Particulate Filter 2291, P100	NIOSH approved for environments containing certain oil and non-oil based particles.	100/Case
2296	3M™ Advanced Particulate Filter 2296*, P100 with Nuisance Level Acid Gas Relief	NIOSH approved for environments containing certain oil and non-oil based particles. 3M recommended for relief against nuisance level acid gases.	100/Case
2297	3M™ Advanced Particulate Filter 2297*, P100 with Nuisance Level Organic Vapour Relief	NIOSH approved for environments containing certain oil and non-oil based particles. 3M recommended for relief against nuisance level organic vapours.	100/Case

*3M recommended for relief against nuisance levels of organic vapour and acid gases. Nuisance level organic vapour and acid gas refers to concentrations not exceeding applicable government occupational exposure limits. Not NIOSH-approved for organic vapours or acid gases. Do not use for respiratory protection against organic vapours or acid gases.

Particulate Respirators



3M™ Particulate Respirators 8210 N95

The 3M™ 8210 Particulate Respirator is designed to help provide comfortable, reliable worker protection against certain non-oil based particles. Its lightweight construction promotes greater worker acceptance and comfort and increased wear time.



8511 N95

The 3M™ Particulate Respirator 8511 is uniquely designed to help provide protection against certain non-oil based particles. It is ideally suited for work settings that involve heat, humidity, or long periods of wear.



9210 N95

The 3M™ Particulate Respirator 9210, N95 is a breakthrough in comfort and convenience. This three-panel respirator with innovative design is uniquely designed to help provide comfortable, reliable worker protection.



9211 N95

The 3M™ Particulate Respirator 9211, N95 is a breakthrough in comfort and convenience. This three-panel respirator with innovative design is ideally suited for work settings that involve heat, humidity, or long periods of wear.



8577 P95

The 3M™ 8577 Particulate Respirator 8577 is designed to help provide comfortable, reliable worker protection against certain oil and non-oil based particles including those present with nuisance levels* of organic vapours such as solvents, degreasers and resins.



8247 R95

The 3M™ Particulate Respirator 8247 is designed to help provide comfortable protection against certain oil and non-oil based particles including those present with nuisance levels* of organic vapours, such as solvents, degreasers, and resins.

Catalogue ID	Description	Unit	Case Qty.	UPC Number
8210 N95	Filtering Facepiece Particulate Respirator 8210 N95	Case	160	000-51138-46457-8
8511 N95	Filtering Facepiece Particulate Respirator 8511 N95	Case	80	000-51138-54343-3
9210 N95	Filtering Facepiece Particulate Respirator 9210 N95	Case	240	000-51131-37021-0
9211 N95	Filtering Facepiece Particulate Respirator 9211 N95	Case	120	000-51131-37022-7
8577 P95	Filtering Facepiece Particulate Respirator 8577 P95	Case	80	000-51138-54371-6
8247 R95	Filtering Facepiece Particulate Respirator 8247 R95	Case	120	000-51138-54358-7



Respirators

Half & Full Face

3M™ Half Facepiece

3M™ Half and Full Facepiece Respirators 6000 Series are low maintenance and allow the use of replaceable cartridges and filters. Use with 3M™ Filters 2000 Series, 3M™ Filter 7093 P100, 7093c approved cartridge / P100, 3M™ Cartridges 6000 Series, or 3M™ Dual Airline systems against a variety of gases, vapours and particulate hazards according to NIOSH approvals.



3M™ Half Facepiece 7500 Series, Ultimate Reusable

This half facepiece was designed with the wearer in mind. Its soft sealing surface, along with a uniquely designed, 3M™ Cool Flow Exhalation Valve, enhances wearer comfort and face fit. It's made from a durable silicone and can be used with any of the 3M™ Filters and Cartridges, Series 2000, 6000, 7093, 7093c.



Respirator Assembly, Organic Vapour/P95

3M™ Half Facepiece Respirators 5000 Series have permanently attached cartridges for ease of use and little or no maintenance. NIOSH approved against certain organic vapours and particulates. Use for a variety of applications including spray painting, pesticides, agriculture, construction and transportation. When properly fitted, helps provide respiratory protection from certain organic vapours and particulates at concentrations up to 10 times the Occupational Exposure Limit. Do not use in environments that are immediately dangerous to life or health (IDLH)0



Catalogue ID	Description	Size	Case Qty.	UPC Number
6100	3M™ Half and Full Facepiece Respirators 6000 Series	Small	24	000-51131-07024-5
6200	3M™ Half and Full Facepiece Respirators 6000 Series	Medium	24	000-51131-07025-2
6300	3M™ Half and Full Facepiece Respirators 6000 Series	Large	24	000-51131-07026-9
7501	3M™ Half Facepiece 7500 Series	Small	10	000-51131-37081-9
7502	3M™ Half Facepiece 7500 Series	Medium	10	000-51131-37082-6
7503	3M™ Half Facepiece 7500 Series	Large	10	000-51131-37083-3
51P71	Respirator Assembly, Organic Vapour/P95	Small	12	000-51138-66068-5
52P71	Respirator Assembly, Organic Vapour/P95	Medium	12	000-51138-66069-2
53P71	Respirator Assembly, Organic Vapour/P95	Large	12	000-51138-66070-8



3M™ Full Facepiece 6000 Series

3M™ Full Facepiece Respirators 6000 Series are low maintenance and allow the use of replaceable cartridges and filters. Use with 3M™ Filters 2000 Series, 3M™ Filter 7093 P100, 3M™ Cartridges 6000 Series, or 3M™ Dual Airline systems against a variety of gases, vapours and particulate hazards according to NIOSH approvals. Full facepieces provide an assigned protection factor of up to 100 in negative pressure mode.



3M™ Full Facepiece 7800S Series, Silicone, Ultimate Reusable

3M™ Full Facepiece Respirators are made of silicone for increased comfort and durability and can accommodate many different cartridges and filters. Use with 3M™ Filters 2000 Series, 3M™ Cartridges 6000 Series, 3M™ Cartridges and Filters 7000 Series, or a variety of powered and supplied air systems against a variety of gases, vapours and particulates according to NIOSH approvals. Full facepieces provide an assigned protection factor of up to 100 in negative pressure mode.



3M™ Particulate Filter with Nuisance Level Organic Vapour Relief 2097, P100

NIOSH approved for environments containing certain oil and non-oil based particles. Use with 3M™ Facepieces 6000 Series or 3M™ Facepieces 7000 Series with bayonet filter holders.



3M™ Respirator Cleaning Wipes

Used to clean 3M™ Elastomeric Half & Full Face Respirators. Individually packed 8" x 10" towelettes are alcohol free and will not damage the facepiece materials.



Catalogue ID	Description	Size	Case Qty.	UPC Number
6700	3M™ Full Facepiece 6000 Series	Small	4	000-51138-54145-8
6800	3M™ Full Facepiece 6000 Series	Medium	4	000-51138-54146-5
6900	3M™ Full Facepiece 6000 Series	Large	4	000-51138-54159-5
7800S-S	3M™ Full Facepiece 7800S Series	Small	1	000-51138-54257-3
7800S-M	3M™ Full Facepiece 7800S Series	Medium	1	000-51138-54258-0
7800S-L	3M™ Full Facepiece 7800S Series	Large	1	000-51138-54259-7
2097	3M™ Particulate Filter with Nuisance Level Organic Vapour Relief 2097, P100	—	100	000-51131-07184-6
504	3M™ Respirator Cleaning Wipes	8" x 10"	500	000-51131-07065-3

Product Index

5-Way Penetrant.....	29
525 Polyurethane Construction Sealant	21
535 Polyurethane Construction Sealant	21
540 Polyurethane Sealant	20
740 Hybrid Sealant	20
1100 Foam Earplugs.....	62
1110 Corded Foam Earplugs	62

A

Abrasives	7 – 17
Adhesives.....	18 – 19
Advanced Particulate Disc Filters	66
All Purpose Sanding Sponges	10
Aluminum Foil Tape 1450.....	36
Aluminum Oxide Drywall Sanding Rolls.....	12
Ameba Positioning Harness	63
AO TUFFMASTER®	59
ARC PLUG Premolded Reusable Earplugs.....	61

B

Barricade Tape 300 and 301 - CAUTION	38
Barricade Tape 356 and 357 - DANGER	38
Barricade Tape 359 - CAUTION KEEP OUT	38
Barricade Tape 360 - CAUTION OPEN TRENCH.....	38
Barricade Tape 361 and 362 - CAUTION DO NOT ENTER.....	38
Battery Operated Applicator 643B.....	23
Bulk Nozzle Shop Rack.....	24
BX™ Safety Eyewear	55

C

Cable Stacker SI-1C.....	39
Cable Tie Assortment Pack 06220	39
Citrus Base Cleaner	28
CLASSIC™ Earplugs	61
Clean-Up.....	26 – 29
Cloth Gaffers Tape 6910.....	35
Construction Sheathing Tape 8088	36
Cylinder Adhesive Applicators & Accessories.....	18

D

Dent Filling Compound	24
Dent Finishing Glaze.....	24

Doodlebug™ Cleaning Pads.....	26
Doodlebug™ Handblock Pad Holder with Pads 6473	27
Doodlebug™ Pad Holder 6472.....	27
Doodleduster™ Cloth	26
Drywall Cloth Backed Abrasives	7
Drywall Foam Backed Cloth Abrasives	7
Drywall Sanding Screens	8
Drywall Sanding Sheets.....	11
Drywall Sanding Sponges	8 – 9
Duct Tape 3900.....	33
Duct Tape 3939.....	33
Duct Tapes	31 – 35
Duct Tape Classification.....	31
DUST GOGGLEGEAR™ for LEXA™ Eyewear	53
Dynamic Mixing Gun - Pneumatic	24
Dynamic Mixing Gun Shop Rack.....	24
Dynamic Mixing Nozzle.....	24
Dynamic Mixing System Introductory Kit	25
Dynamic Mixing Systems	24 – 25
Dynatron® Dynalite.....	25
Dynatron® Xtra Grip™	25

E

E-A-RSOFT™ FX™ Earplugs	61
Easy II Holder.....	26
Easy Trap Duster.....	26
Elevation Premium Harness	63
Electrical Tapes.....	37, 39 – 40
Extra Heavy Duty Duct Tape 6969	33
Eye Protection.....	53 – 58

F

Fall Protection.....	63 – 64
Fall Protection Roofing Kit.....	64
Filling Compounds	25
Fire Barrier 1000 Silicone Sealants - No Sag.....	42
Fire Barrier 1003 Silicone Sealants - Self-leveling	42
FireDam™ 150+ CAULKING	41
FireDam™ Spray 200.....	41
Fire Protection	41 – 42
Flex Pack Heavy Duty Applicator Gun & Nozzles	42
Foam Earplugs 1100.....	62
Foam Earplugs - Corded 1110.....	62
Foam Insulation 78 Spray Adhesive.....	19
FSK Facing Tape 3320	36
Fuel2™ Safety Eyewear.....	56

Full Facepiece Respirator 6000 Series	69
Full Facepiece Respirator 7800S Series	69

G

General Purpose Cut-Off Wheel	13
Green Corps™ Chop Saw Wheels.....	13
Green Corps™ Cut-Off Wheel	14
Green Corps™ Cutting and Grinding Wheel.....	15
Green Corps™ Depressed Center Wheel	14
Green Corps™ Flexible Grinding Wheel.....	15
Green Corps™ Reinforced Cut-Off Wheel.....	15

H

Half Facepiece Respirators	68
Half Facepiece Respirators 7500 Series	68
Hand-Masker™ Film Blades	49
Hand-Masker™ General Purpose Masking Paper	49
Hand-Masker™ M1000 Dispenser	48
Hand-Masker™ M2000 Dispenser	48
Hand-Masker™ M3000 Dispenser	48
Hand-Masker™ Masking Film Plus.....	50
Hand-Masker™ Paper Blades	49
Hand-Masker™ Pre-Assembled Masking Film Tape Kit	48
Hand-Masker™ Pre-Folded Contractors Plastic.....	50
Hand-Masker™ Tack Down Tape Dispenser TDTD.....	48
Harnesses	63
Head & Face Protection	59 – 60
Health Care	43 – 45
Hearing Protection	61 – 62
High Tack 76 Spray Adhesive	19
Hookit™ Disc Hand Pad.....	16
Hookit™ Gold Film 255L Discs	17
Hookit™ Half Round Pad	16
Hookit™ Paper Disc 216U.....	17
Hookit™ Paper Disc 236U.....	17
Hybrid Sealant 740	20

L

Lanyards	64
LEXA™ Eyewear	53

Light Vision2™ Eyewear	56
Linerless Electrical Rubber Splicing Tape 242	37

M

Manual Applicator 310M	22
Manual Applicator 400M	22
Manual Applicator 600M	22
Marson® Platinum Plus Premium Body Filler	25
Masking Systems.....	48 – 51
Masking Tapes	46 – 47
MAXIM™ Eyewear.....	53
Metaliks Sport™ Safety Eyewear	54
Micron Filmback Drywall Die Cut Sheets.....	12

N

Nexcare™ Active™ Flexible Foam Bandages	45
Nexcare™ Advanced Skin Cream	43
Nexcare™ Cold and Hot Therapy Products	43
Nexcare™ Comfort Bandages	45
Nexcare™ Dressings	44
Nexcare™ First Aid Kits	43
Nexcare™ First Aid Tapes	44
Nexcare™ Heavy Duty Bandages	45
Nexcare™ Liquid Bandages	44
Nexcare™ Skin Crack Care	43
Nexcare™ Waterproof Bandages.....	45
Noise Indicator NI-100	2 – 3

O

Orange County Choppers™ Safety Eyewear	57
Outdoor Masking and Stucco Tape 5959	32

P

Paint Buster™ Hand Cleaner.....	28
Particulate Filters	66
Particulate Filter with Nuisance Level Organic Vapour Relief 2097	69
Particulate Respirator 8210 N95.....	67
Particulate Respirator 8247 R95.....	67
Particulate Respirator 8511 N95.....	67
Particulate Respirator 8577 P95.....	67
Particulate Respirator 9210 N95.....	67
Particulate Respirator 9211 N95.....	67
Particulate Respirators	67

Performance Plus Duct Tape 8979.....	32
Performance Plus Duct Tape 8979N (Nuclear)	32
Performance Plus Wire Connectors	40
PISTONZ™ Earplugs.....	62
Platinum® Plus for DMS	25
Pneumatic Applicator 34A	22
Pneumatic Applicator 600A	22
Polyurethane Construction Sealant 525	21
Polyurethane Construction Sealant 535	21
Polyurethane Sealant 540	20
Pre-Folded Contractors Plastic.....	50
Privo™ Safety Eyewear.....	55
PUSH-INST™ Earplugs	61

Q

Quick Drying Contact Cleaner 16-102.....	28
--	----

R

Reload Cable Retractable Lifeline	64
Respirator Assembly, Organic Vapour/P95.....	68
Respirator Cleaning Wipes.....	69
Respirators - Half & Full Face	68 – 69
Respirator Selector.....	65
Reusable Roof Anchor	64

S

Safety	52 – 69
Safelight Suspension Harness.....	63
Sanding Screens.....	8
Sanding Sponges.....	8 – 10
Scotch® Barricade Tapes	38
Scotch® Cotton Cloth Tape 380 Natural ...	35
Scotch® Electrician's Vinyl Duct Tape 2000	39
Scotch® General Purpose Masking Tape 203	46
Scotch® Painter's Masking Tape for Hard-to-Stick Surfaces 2060.....	46
Scotch® Painter's Tape 2080	47
Scotch® Performance Masking Tape 233+	47
Scotch® Pro-Painter's Masking Tape 2055 (Green).....	46
Scotch® Scotch-Blue™ Painter's Tape and Film.....	51
Scotch® Super 33+ Professional Grade Vinyl Electrical Tape	37

Scotch® Tough™ Duct Tape Outdoor Painter's Clean Removal 2530-AF.....	35
Scotch® Transparent Duct Tape 2120-AF	35
Scotch-Blue™ Painter's Tape 2090	47
Scotch-Blue™ Pre-taped Film.....	51
Scotchfil™ Electrical Insulation Putty	39
Scotchlok™ Terminal Kit STK-1	40
Scotch-Weld™ HoldFast 70 Cylinder Spray Adhesive	18
Sealants.....	20 – 23
Silicone Lubricant	29
Specialty Tapes.....	36
Speedglas™ 100 Welding Helmets.....	60
Stain Resistant Additive SRC-220.....	30
Super 77™ Multipurpose Adhesive.....	19
Super-Clear™ Anti-Fog, Anti-Static Lens Cleaning Fluid.....	58
Super-Clear™ Disposable Wall Dispenser	58
Super-Clear™ Lens Cleaning Tissue Refill.....	58
Super-Clear™ Lens Cleaning Towelettes.....	58

T

Temflex™ Vinyl Electrical Tape	37
Terminal Kit STK-1	40
Tie Back Dual-Leg Lanyard.....	64
TOUR-GUARD™ III Eyewear	54
Tri-M-ite™ Drywall Sanding Sheets	11
Tri-M-ite™ Fre-Cut™ Drywall Sanding Sheets	11

U

UltraFit™ Reusable Plugs	62
Utility Duct Tape 2929	34

V

Value Duct Tape 1900	34
Vinyl Duct Tape 3903	34
VIRTUA Sport Eyewear.....	54

W

Wall Preparation Products	11
Web Lanyard	63

X

XLR8™ Hard Hats	59
-----------------------	----

3M Drywall Solutions.



**Construction Markets Division
3M Canada Company**

P.O. Box 5757
London, Ontario N6A 4T1
Canada
1 800-364-3577
www.3m.ca/construction

DensGlass Gold is a trademark of G-P Gypsum Corporation.
Foamular is a trademark of Owens Corning.
Marson and Platinum Plus are trademarks of Alcoa, Inc.
NASCAR™ AND NASCAR™ Performance are Trademarks of the National Association for Stock Car Auto Racing, Inc.
OCC is a registered trademark of Orange County Choppers.
Styrofoam is a trademark of The Dow Chemical Company.

3M, Active, BX, Classic, Cubitron, Doodlebug, Doodleduster, Dynatron XtraGrip, E-A-R, EARform, E-A-Rsoft, FireDam, Fre-Cut, Fuel2, Gogglegear, Green Corps, Hand-Masker, Lexa, Light Vision2, Maxim, Metaliks, Nexcare, Opticlude, Paint buster, Peltor, Pistonz, Privo, Pro-Pad, Push-INS, Scotch, Scotch-Blue, Scotchcode, Scotchfil, Scotchlok, Scotch-Weld, Speedglas, Super-Clear, Temflex, Tour-guard, Tri-M-ite, Tuffmaster, UltraFit and XLR8 are trademarks of 3M. Used under license in Canada.
Please recycle. Printed in Canada. © 2012, 3M. All rights reserved. 1211-03052E