

Built to Perform. Built to Last.

A DIVISION OF GRACO

AIRLESSCO

Professional Airless Spray Equipment



AIRLESSCO

Equipment that *lasts longer* and *costs less to own* is the result of many years of continued innovation.

About Airlessco

Introduced in 1975, Airlessco products have consistently been reliable products for the painting contractor and the equipment rental industry. The Airlessco product goal from day one has been to provide superior service with exceptional value.

The Airlessco product success formula is simple:

- Design equipment that can reliably pump more gallons with less service
- Build pumps with the longest service life
- Have the industry's lowest cost of maintenance

The Airlessco focus has always been on your needs. Painting and rental equipment professionals depend on their Airlessco equipment every day. Airlessco products are continuously improved to make them easier to use, more durable and less costly to maintain.

And of course, there is a complete line of Airlessco parts and accessories. A full service technical department offers the most knowledgeable people in the business to give you the advice and help you need when you need it.

You're likely to find a product that will meet your needs within these pages. Thank you for considering Airlessco.

**BUILT TO PERFORM.
BUILT TO LAST.**



4 REASONS WHY AIRLESSCO SPRAYERS LAST LONGER AND COSTS LESS TO OWN. . .

1

SAFER, MORE DURABLE DC MOTORS

MP, LP and SL Series Sprayers

Our large motors turn slower, so a single gear drives the pump. The motors are also totally enclosed for safety and durability and are so dependable they are covered by a Lifetime Warranty.



2

BIGGER STAINLESS STEEL PISTON LASTS LONGER

MP, LP, SL and GS Series Sprayers

Airlessco Slow Stroker™ piston is made of hardened Stainless steel. Fewer strokes per gallon pumped means longer life for pistons, packings, valves, balls and seats.



3

ADJUSTABLE PACKINGS EXTEND LIFE

MP, LP, SL and GS Series Sprayers

Airlessco's exclusive pump design is the only one that lets you tighten upper and lower packing tension from outside the pump! This extends the life of the packings.



4

A WARRANTY THAT PROTECTS YOU

Read the fine print! Some manufacturers have lengthened the term of their warranty, while reducing what is covered under it. In the fine print you will see that major components including piston rods and packings, parts that may not hold up to contractor use, are not covered under these warranties. Most Airlessco sprayers are covered by a warranty that includes coverage of piston and packings. See warranty statement for more details.

AIRLESSCO SPRAYER SELECTION GUIDE

Choosing the right sprayer for the job is your **most important** decision.

TYPE OF PAINT PROJECT	SERIES
Residential	SP
Residential/Light Commercial	MP/LP
Residential/Medium Commercial	SL
Heavy Commercial	GP
Industrial	HSS

PAINT SPRAYERS

TEXTURE SPRAYER

	ELECTRIC				GAS				TEXTURE SPRAYER
	SP 200 300	MP 400	LP 500 600	SL 1100	GS 800 6250	HSS 9000 11000	TS 1500		
FRAME:									
Stand	•	•	•						
HiBoy		•	•	•	•	•		•	
LoBoy			•	•			•		
MAX TIP SIZE:									
1 Gun	.015 .017	.021	.023 .025	.031	.029 .041	.052 .057		.031	
2 Guns	— —	—	— —	.021	— .029	.038 .041		.021	
HIGH PRESSURE FILTER:			•	•	•	•	•	•	
RECOMMENDED ANNUAL USE: <i>[gallons]</i>	125 300	1,500	2,500 3,200	7,500	10,000 12,000	20,000 30,000		7,500	
MATERIAL APPLICATIONS:									
Lacquer		•	•	•	•	•			
Sealer		•	•	•	•	•			
Varnish	•	•	•	•	•	•			
Water-Based Paints	•	•	•	•	•	•	•	•	
Oil-Based Paints	•	•	•	•	•	•	•	•	
Exterior Stain	•	•	•	•	•	•	•	•	
Multi-Color			•	•	•	•	•	•	
Block Filler				•	•	•	•	•	
Elastomerics				•	•	•	•	•	
Epoxy				•	•	•	•	•	
Dry Fall / Fog				•	•	•	•	•	
Mastic				•	•	•	•	•	
Dry Wall Mud						•	•	•	
MAX WORKING PRESSURE: <i>[psi]</i>	3000 3000	3000	3000 3000	3000	3000 3000	3300 3300		3000	
OUTPUT <i>[gallons per minute]:</i>	.27 .34	.48	.54 .85	.1.10	.88 1.70	2.70 3.30		1.10	
MOTOR / TYPE:	Univ. DC	TEFC	TEFC TEFC	TEFC	Honda* Honda*	Honda* Honda*		DC	
HP:	1/2 3/4	7/8	7/8 1	1-1/4	5.5 5.5	6.5 9.0		1.75	

*All Honda® gasoline engine horsepower ratings are per SAE J1349 specifications.



SP200 SP300

ELECTRIC AIRLESS PAINT SPRAYERS

SP SERIES SPRAYERS

The SP Series is Airlessco's entry-level paint sprayer line. With this line of sprayers you will be able to spray a variety of interior and exterior oil and water based coatings. These are ideal sprayers for the contractor who sprays only now and again, the homeowner who wants to paint their own house, or that one big job. These lightweight piston pumps are of a compact design making them easy to move around the jobsite. You can also add a power roller attachment for more versatility.

SP200

- APPLICATIONS:** Small to medium residential projects
- SPRAY:** Water and Oil-Based Coatings, 100% Acrylics, Stains and Varnishes
- USAGE:** Up to 125 gallons per year
- FEATURES:**
- ▶ Pump directly from 1 or 5 gallon paint container
 - ▶ Durable stand mount is compact, lightweight and easy to transport
 - ▶ Convenient, built-in carrying handle makes moving sprayer and paint easier
 - ▶ Hardened stainless steel piston pump
 - ▶ Pressure control with user-friendly symbols for simple selection of operating modes
 - ▶ PowerPlug cord-end lights up to indicate good power source



SP200 SPRAYER SPECS

Part Number:	24F557 Stand
Max Tip Size:	.015
Max Output:	.27 gpm [1.02 lpm]
Max Working Pressure:	3000 psi [207 bar]
Max Hose Length:	75 ft [23 m]
Unit Weight:	21 lbs [10 kg]
Motor:	1/2 hp Universal
Unit comes complete with 1/4 in x 25 ft [6.4 mm x 7.5 m] Hose, 200 Series Gun and 515 Uni-Tip® Spray Tip	

SP300

- APPLICATIONS:** Small to medium residential projects
- SPRAY:** Water and Oil-Based Coatings, 100% Acrylics, Stains and Varnishes
- USAGE:** Up to 300 gallons per year
- FEATURES:**
- ▶ Pump directly from 1 or 5 gallon paint container
 - ▶ Power-piston pump with easy-access inlet and long life
 - ▶ InstaClean™ pump filter helps remove debris, reducing tip plugs and providing a better finish
 - ▶ Convenient cart to move sprayer and paint together
 - ▶ Pressure control with user-friendly symbols for simple selection of operating modes
 - ▶ PowerPlug cord-end lights up to indicate good power source



SP300 SPRAYER SPECS

Part Number:	24F558 HiBoy
Max Tip Size:	.017
Max Output:	.34 gpm [1.3 lpm]
Max Working Pressure:	3000 psi [207 bar]
Max Hose Length:	150 ft [45 m]
Unit Weight:	32 lbs [15 kg]
Motor:	3/4 hp DC
Unit comes complete with 1/4 in x 50 ft [6.4 mm x 15 m] Hose, 500 Series Gun and 517 Uni-Tip Spray Tip	

MP400

ELECTRIC AIRLESS PAINT SPRAYER

MP400

The Airlessco MP400 is a reliable, durable sprayer that features a compact, sturdy, well-balanced frame that protects the pump and makes it easy to carry. The heart of any airless sprayer is the pump, and the durability of the Airlessco "Slow-Stroker" paint pump, with its oversized hardened stainless steel piston and self-adjusting packings is legendary. Combine that with a dependable, totally enclosed, fan-cooled DC motor, and you have a sprayer that will deliver reliable performance time after time.

The MP400 is backed with a 2-year Advantage Protection warranty and lifetime coverage for the pump body, gearbox and electric motor. The MP400 is a true professional paint sprayers made for every day use and will always be ready to work when you are. You know you can depend on Airlessco sprayers because our sprayers are **Built to Perform. Built to Last.**

MP400

- APPLICATIONS:** Medium to large residential projects
- SPRAY:** Water and Oil-Based Coatings, 100% Acrylics, Multi-Color, Stains, Sealers, Varnishes and Lacquers
- USAGE:** Up to 1,500 gallons per year
- FEATURES:**
- ▶ Industrial quality high torque TEFC DC motor
 - ▶ Stainless steel piston and pump body
 - ▶ Exclusive triple-life **externally** adjustable packings
 - ▶ Reliable pressure control for smooth spraying

MP400 SPRAYER SPECS

Part Numbers:	868050 Stand 868051 HiBoy
Max Tip Size:	.021
Max Output:	.48 gpm [1.8 lpm]
Max Working Pressure:	3000 psi [207 bar]
Max Hose Length:	150 ft [45 m]
Unit Weight:	40 lbs [16 kg] Stand 71 lbs [32 kg] HiBoy
Motor:	7/8 hp TEFC DC
Unit comes complete with 1/4 in x 50 ft [6.4 mm x 15 m] Hose, 500 Series Gun and 517 Uni-Tip Spray Tip	



BUILT TO PERFORM. BUILT TO LAST.

www.Airlessco.com

LP500 LP600

ELECTRIC AIRLESS PAINT SPRAYERS

LP SERIES SPRAYERS

The Airlessco LP Series features the durability of the Airlessco paint pump with a reliable, pulsation-free electronic pressure control system. A compact, sturdy, well-balanced frame protects the pump and makes the LP Series easy to carry, and they're powered by a dependable, totally enclosed, fan cooled, DC motor. The heart of any airless sprayer is the pump, and the durability of Airlessco's "Slow-Stroker" paint pump, with its oversized hardened stainless steel piston and self-adjusting packings is legendary.

LP Series pumps are backed with a 2-year Advantage Protection warranty and lifetime coverage for the pump body, gearbox and electric motor. They're truly professional paint sprayers made for every day use, ready to work when you are. You know you can depend on Airlessco sprayers because our sprayers are **Built to Perform. Built to Last.**

LP500

APPLICATIONS: Medium to large residential projects and light commercial buildings

SPRAY: Water and Oil-Based Coatings, 100% Acrylics, Multi-Color, Stains, Sealers, Varnishes and Lacquers

USAGE: Up to 2,500 gallons per year

- FEATURES:**
- ▶ LCD digital display with electronic sensing pressure control
 - ▶ Industrial quality high torque TEFC DC motor
 - ▶ Stainless steel piston and pump body
 - ▶ Exclusive triple-life **externally** adjustable packings



LP500 SPRAYER SPECS

Part Number:	24F567 Stand 24F569 LoBoy 24F568 HiBoy
Max Tip Size:	.023
Max Output:	.54 gpm [2.0 lpm]
Max Working Pressure:	3000 psi [207 bar]
Max Hose Length:	150 ft [45 m]
Unit Weight:	42 lbs [19 kg] Stand 61 lbs [28 kg] LoBoy 73 lbs [33 kg] HiBoy
Motor:	7/8 hp TEFC DC
Units come complete with 1/4 in x 50 ft [6.4 mm x 15 m] Hose, 500 Series Gun and 517 Uni-Tip Spray Tip	



5

LP600

APPLICATIONS: Medium to large residential projects and small commercial buildings

SPRAY: Water and Oil-Based Coatings, 100% Acrylics, Multi-Color, Stain, Sealer, Varnish and Lacquer

USAGE: Up to 3,200 gallons per year

- FEATURES:**
- ▶ All of the features of the LP500, plus:
 - ▶ Oversized high-pressure filter



LP600 SPRAYER SPECS

Part Number:	24F570 LoBoy 24F571 HiBoy
Max Tip Size:	.025
Max Output:	.85 gpm [3.2 lpm]
Max Working Pressure:	3000 psi [207 bar]
Max Hose Length:	150 ft [45 m]
Unit Weight:	61 lbs [28 kg] LoBoy 73 lbs [33 kg] HiBoy
Motor:	1 hp TEFC DC
Units come complete with 1/4 in x 50 ft [6.4 mm x 15 m] Hose, 500 Series Gun and 517 Uni-Tip Spray Tip	



LP SERIES

SL1100

ELECTRIC AIRLESS PAINT SPRAYER

SL SERIES SPRAYERS

The SL1100 electric sprayer is the choice of the high-volume contractor that wants a machine with the power to support multiple guns or the ability to consistently pump the heaviest coating like epoxies and elastomerics.

The SL Slow Stroker pump offers higher capacity and longer life. Other long life features are the heavy-duty gearbox with hardened steel gears, a no maintenance toothed belt motor drive, and a smooth rolling, triple chrome plated steel tube cart design with pneumatic wheels.

SL1100

- APPLICATIONS:** Large residential projects and commercial and industrial use
- SPRAY:** Water and Oil-Based Coatings, 100% Acrylics, Multi-Color, Block Fillers, Elastomerics, Dryfall, Mastics, Epoxy, Intumescent Coatings, Stains, Sealers, Varnishes and Lacquers
- USAGE:** Up to 7,500 gallons per year
- FEATURES:**
- ▶ LCD digital display with electronic sensing pressure control
 - ▶ Industrial quality, high torque TEFC DC motors
 - ▶ 2-year limited warranty with one time piston and packing allowance
 - ▶ Lifetime coverage on cylinder [body], gearbox and electric motor
 - ▶ Stainless steel piston and pump body
 - ▶ Exclusive triple-life **externally** adjustable packings
 - ▶ Oversized high-pressure filter

SL1100 SPRAYER SPECS

Part Number:	24F572 HiBoy
Max Tip Sizes:	.031 1 gun .021 2 guns
Max Output:	1.1 gpm [4.2 lpm]
Max Working Pressure:	3000 psi [207 bar]
Max Hose Length:	300 ft [91 m]
Unit Weight:	141 lbs [64 kg]
Motor:	1-1/4 hp TEFC DC
Unit comes complete with 1/4 in x 50 ft [6.4 mm x 15 m] Hose, 500 Series Gun and 517 Uni-Tip Spray Tip	



Sturdy ball bearing supported crankshaft.



Toothed belt motor drive needs **no maintenance**.



SL pump handles heavy coatings like elastomerics.



High pressure filter threads on the **inside** - prevents damage.



BUILT TO PERFORM. BUILT TO LAST.

www.Airlessco.com

GS800 GS6250

GAS AIRLESS PAINT SPRAYERS

GS SERIES SPRAYERS

The GS Series paint sprayers give you versatility when power is not available. These gas airless paint sprayers combine the proven durability of the "Slow Stroker" paint pump, with a dependable Honda gas engine. Ideal for new construction or those big jobs where mobility is a necessity. Honda engines are CARB/EPA certified and include oil alert engine protection if the oil level is low. Each sprayer comes with a 2-year Advantage Protection warranty with a one time piston and packing allowance. Lifetime coverage on cylinder (body) and gearbox.

GS800

- APPLICATIONS:** Large residential projects and commercial and industrial use
- SPRAY:** Water and Oil-Based Coatings, 100% Acrylics, Multi-Color, Stains, Sealers, Varnishes and Lacquers
- USAGE:** Up to 10,000 gallons per year
- FEATURES:**
- ▶ Electronic sensing pressure control
 - ▶ Honda GX160 engine with a 2-year warranty and oil alert engine protection
 - ▶ Stainless steel piston and pump body
 - ▶ Exclusive triple-life **externally** adjustable packings
 - ▶ Oversized high-pressure filter



GS800 SPRAYER SPECS

Part Number:	24F574 HiBoy
Max Tip Size:	.029
Max Output:	.88 gpm [3.3 lpm]
Max Working Pressure:	3000 psi [207 bar]
Max Hose Length:	300 ft [91 m]
Unit Weight:	107 lbs [49 kg]
Engine:	Honda GX160 5.5 hp
Unit comes complete with 1/4 in x 50 ft [6.4 mm x 15 m] Hose, 2 ft [.6 m] Whip Hose, 500 Series Gun and 517 Uni-Tip Spray Tip	

GS6250

- APPLICATIONS:** Large residential projects and commercial and industrial use
- SPRAY:** Water and Oil-Based Coatings, 100% Acrylics, Multi-Color, Block Fillers, Elastomerics, Dry Fall, Mastics, Epoxy, Stains, Sealers, Varnishes and Lacquers
- USAGE:** Up to 12,000 gallons per year
- FEATURES:**
- ▶ High torque clutch
 - ▶ Electronic sensing pressure control
 - ▶ Honda GX160 engine with a 2-year warranty and oil alert engine protection
 - ▶ Stainless steel piston and pump body
 - ▶ Exclusive triple-life **externally** adjustable packings
 - ▶ Oversized high-pressure filter



GS6250 SPRAYER SPECS

Part Number:	24F575 HiBoy
Max Tip Sizes:	.041 1 gun .029 2 guns
Max Output:	1.70 gpm [6.4 lpm]
Max Working Pressure:	3000 psi [207 bar]
Max Hose Length:	300 ft [91 m]
Unit Weight:	136 lbs [62 kg]
Engine:	Honda GX160 5.5 hp
Unit comes complete with 3/8 in x 50 ft [9.5 mm x 15 m] Hose, 2 ft [.6 m] Whip Hose, 500 Series Gun and 517 Uni-Tip Spray Tip	

Shown with optional 30 gallon suction set.

HSS9000 HSS11000

GAS HYDRAULIC AIRLESS PAINT SPRAYERS

HSS SERIES SPRAYERS

The Airlessco HSS Series is designed with the features painters have come to expect while raising the bar in hydraulic and paint pump performance. In addition to increased paint pump performance, we substantially enhanced durability. The HSS Series is offered with a variety of available power options that let you take advantage of the greater performance and value potential.

HSS9000 and HSS11000

- APPLICATIONS:** Large residential projects and commercial and industrial use
- SPRAY:** Water and Oil-Based Coatings, 100% Acrylics, Multi-Color, Block Fillers, Elastomers, Dry Fall, Mastics, Epoxy, Intumescent Coatings, Roof Coatings
- USAGE:** Up to 30,000 gallons per year
- FEATURES:**
- Easily pumps heavy bodied coatings
 - Slow stroking design for long life
 - Less frequent maintenance for reduced operating costs and down time
 - Larger inlet seat results in higher flow
 - Long pump is submerged in material – allowing heavy materials to be sprayed
 - Oversized hydraulic pump for long life
 - Large capacity reservoir keeps the system cool
 - Lower operating temps for reduced friction and wear
 - Pump assembly swivels up and locks for easy service access or storage
 - Belt guard pivots open for easy removal of engine

**The New Standard
in Hydraulic Sprayers!**

HSS SERIES SPRAYER SPECS		
	HSS9000	HSS 11000
Part Number:	24F577 HiBoy	24F578 HiBoy
Max Tip Sizes:	.052 1 gun .038 2 guns Up to .027 3 guns	.057 1 gun .041 2 guns Up to .031 3 guns
Max Output:	2.7 gpm [10.2 lpm]	3.3 [12.6 lpm]
Max Working Pressure:	3300 psi [227 bar]	3300 psi [227 bar]
Max Hose Length:	300 ft [91 m]	300 ft [91 m]
Unit Weight:	140 lbs [64 kg] without engine	232 lbs [105 kg] without engine
Engine:	Honda GX200 6.5 hp	Honda GX270 9.0 hp
Both units come complete with 3/8 in x 50 ft [9.5 mm x 15 m] Hose, 3 ft [.9 m] Whip Hose, Mastic Gun and 531 Uni-Tip Spray Tip		



TS1500

TEXTURE SPRAYER



TS SERIES AIRLESS/TEXTURE SPRAYER

The TS1500 airless/texture sprayer is the choice of the high-volume contractor that wants a machine with the ability to pump extremely heavy materials. The TS1500 is the ideal pump to spray a skim coat layer of drywall mud for a Level 5 finish.

The TS1500 is especially designed for heavy coatings, it has an extra long piston with the foot valve located at the bottom of the pump to give you the suction you need for those heavy coatings. Other long life features include the heavy-duty gearbox with hardened steel gears, a no maintenance toothed belt motor drive and a smooth rolling, triple chrome plated steel tube cart design with pneumatic wheels.

LCD digital display offers a precise readout of output pressure from 250 to 3000 PSI with the power being provided by a totally enclosed, fan-cooled industrial quality, TEFC DC motor.

TS1500

APPLICATIONS:

Large residential projects and commercial and industrial use

SPRAY:

Water and Oil-Based Coatings, 100% Acrylics, Block Fillers, Elastomerics, Dry Fall, Mastics, Epoxy, Intumescent Coatings, Waterproofing Coatings and Drywall Mud

USAGE:

Up to 7,500 gallons per year

FEATURES:

- ▶ LCD digital display with electronic sensing pressure control
- ▶ Industrial quality high torque DC motor
- ▶ Stainless steel piston sleeve

TS1500 SPRAYER SPECS

Part Number:	24F573 HiBoy
Max Tip Sizes:	.031 1 gun .021 2 guns
Max Output:	1.10 gpm [4.2 lpm]
Max Working Pressure:	3000 psi [207 bar]
Max Hose Length:	300 ft [91 m]
Unit Weight:	141 lbs [64 kg]
Motor:	1-3/4 hp TEFC DC
Unit comes complete with 3/8 in x 50 ft [9.5 mm x 15 m] Hose, 3 ft [.9 m] Whip Hose, Mastic Gun and 531 Uni-Tip Spray Tips	

TEXTURE APPLICATION GUIDE

Orange Peel, Fine Splatter




Splatter



Knockdown



Smooth, Level 5 and Skim Coat



COMMONLY USED MATERIALS

- ▶ All-Purpose Joint Compounds
- ▶ Lightweight Joint Compounds
- ▶ Wall and Ceiling Spray Textures

- ▶ All-Purpose Joint Compounds
- ▶ Lightweight Joint Compounds
- ▶ Wall and Ceiling Spray Textures

- ▶ All-Purpose Joint Compounds
- ▶ Lightweight Joint Compounds
- ▶ Wall and Ceiling Spray Textures

- ▶ All-Purpose Joint Compounds
- ▶ Lightweight Joint Compounds
- ▶ Wall and Ceiling Spray Textures
- ▶ Skim Coat Materials
- ▶ Wall Surfacing Materials

SPRAYER RECOMMENDATIONS

TS1500*
HSS9000*
HSS11000*


TS1500*
HSS9000*
HSS11000*

TS1500*
HSS9000*
HSS11000*

TS1500*
HSS9000*
HSS11000*

*User supplied air compressor and Air Atomizer Kit [Part # 120117] required for this application.

AIRLESSCO WARRANTIES



1 YEAR STANDARD WARRANTY

For 1 year from purchase date, we will replace any defective items to the original purchaser/ user of an Airlessco airless sprayer.

2 YEAR ADVANTAGE PROTECTION WARRANTY

For 2 years from purchase date, we will replace any defective items to the original purchaser/ user of an Airlessco airless sprayer. Packings and rods are limited to 1-time replacement. Resold or rental equipment excluded. Lifetime coverage on cylinder, gearbox and electric motors.

SERIES	WARRANTY COVERAGE
--------	-------------------

SP SP200, SP300	1 Year Standard *
MP MP400	2 Year Advantage *
LP LP500, LP600	2 Year Advantage *
SL SL1100	2 Year Advantage *
GS GS800, GS6250	2 Year Advantage *
HSS HSS9000, HSS11000	1 Year Standard *
TS TS1500	1 Year Standard *

*See operation manual for complete warranty information.



ASM Airless Accessories

AIRLESS SPRAY EQUIPMENT ACCESSORIES

Uni-Tip Universal Reversible Spray Tips 69-XXX

- ▶ High quality carbide tip provides a superior spray pattern and a longer useable fan pattern life
- ▶ The color-coded handle makes it easy to identify the tip size on the job
- ▶ Each tip individually tested for consistent fan and orifice size
- ▶ One-piece Uni-Tip seal means fewer parts on hand
- ▶ Uni-Tip seal is compatible with the full range of paints and solvents
- ▶ Pinned Handle resists twisting and breakage
- ▶ Nib on handle for easy seal replacement



Fine-Finish Uni-Tips 69-FFXXX

- ▶ All the features of the Uni-Tip plus, double orifice gives finer atomization of fine-finish materials resulting in a high-quality finish
- ▶ Up to 85% transfer efficiency

Uni-Tip Hand-Tight Base/Guard [Tip not included] 248200

- ▶ "G" thread is 7/8 in [22 mm]
- ▶ Aluminum doesn't rust
- ▶ Virtually eliminates paint buildup and dripping
- ▶ Easy no-tools assembly
- ▶ Quickly change from horizontal to vertical spray pattern



Uni-Tip Seal 248228 [5-pack]

- ▶ Easily installs without tools



Standard Uni-Tips 69-XXX

Fan Width Inches	Gray .009	Red .011	Orange .013	Yellow .015	Blue .017	Green .019	Purple .021	Brown .023	Black .025	Black .027	Black .029	Black .031	Black .035	Black .045	Black .061
2 in			113	115											
4 in	209	211	213	215	217	219	221								
6 in	309	311	313	315	317	319	321			327					
8 in	409	411	413	415	417	419	421	423	425	427	429	431	435		
10 in	509	511	513	515	517	519	521	523	525	527		531	535		
12 in	609		613	615	617	619	621	623	625			631	635	645	661
16 in													835		

Fine Finish Uni-Tips 69-FFXXX

Fan Width Inches	Red .011	Orange .013	Yellow .015	Blue .017	Green .019
4 in	211	213	215		
6 in	311	313	315		
8 in	411	413	415		
10 in		513		517	
12 in					619

500 SERIES AIRLESS SPRAY GUNS

The 500 Series is designed for durability, spraying performance and a long life.

- ▶ Lightweight with easy trigger pull
 - ▶ Includes 517 Uni-Tip and guard
 - ▶ Heavy-duty swivel allows easy gun movement
 - ▶ Split handle for easy filter removal
 - ▶ Available "G" thread only
 - ▶ Maximum working pressure 3600 psi [24.8 MPa, 248 bar]
- | | |
|--------|---------------------------|
| 289316 | 2-Finger Gun with Uni-Tip |
| 288681 | 4-Finger Gun with Uni-Tip |
| 288817 | Repair Kit |



200 SERIES AIRLESS SPRAY GUN

- ▶ Easy-access in-handle paint filter reduces tip clogging and improves finish
 - ▶ Comfortable 4-Finger Trigger
 - ▶ Ideal for small projects
 - ▶ Includes 515 Uni-Tip and Guard
 - ▶ Maximum working pressure 3600 psi [24.8 MPa, 248 bar]
- | | |
|-------|---------------------------|
| 251-U | 4-Finger Gun with Uni-Tip |
|-------|---------------------------|



MASTIC TEXTURE GUN 24F690

- ▶ All purpose high pressure texture gun with 531 Uni-Tip



AIRLESS HOSE

- ▶ 3300 psi [22.7 MPa, 227 bar] rating
 - ▶ Swivel couplers and spring guards on both ends
 - ▶ Can be coupled with other airless hose
 - ▶ Female fitting ends
- | | |
|---------|---------------------------------|
| HSE1450 | 1/4 in x 50 ft [6.4 mm x 15 m] |
| HSE3850 | 3/8 in x 50 ft [9.5 mm x 15 m] |
| 245449 | 1/4 in x 25 ft [6.4 mm x 7.5 m] |



WHIP HOSE

- ▶ Whip hoses add flexibility and reduce operator fatigue
- | | |
|---------|--------------------------------------|
| HSE3163 | 3 ft x 3/16 in [0.9 m x 4.8 mm; MXF] |
| 255439 | 3 ft x 1/4 in [0.9 m x 6.4 mm; MXF] |
| HSE3165 | 5 ft x 3/16 in [1.5 m x 4.8 mm; MXF] |



GUN HOSE KITS

- ▶ 500 Series Gun with Uni-Tip, Hand-Tight Base and 1/4 in x 50 ft [6.4 mm x 15 m] Airless Hose
 - ▶ Available "G" thread only
- | | |
|--------|--------------|
| 256244 | 4-Finger Gun |
| 256245 | 2-Finger Gun |



GUN & HOSE CONNECTORS

- | | |
|--------|--|
| 4410 | 3/8 in [npt] x 3/8 in [npt] MBE |
| 4413 | 1/4 in [npt] x 1/4 in [npt] Hex Nipple MBE |
| 4414 | 1/4 in [npt] x 3/8 in [npt] MBE |
| 162485 | 3/8 in [npt] x 3/8 in [npsm] MBE |
| 239663 | 1/4 in [npt; M] x 1/4 in [npsm; F] Swivel |



SPRAYER SPECIFICATIONS



Model	SP200	SP300	MP400	LP500	LP600	SL1100
Part Number	24F557	24F558	868050 Stand 868051 HiBoy (not shown)	24F567 Stand 24F569 LoBoy (not shown) 24F568 HiBoy (not shown)	24F570 LoBoy (not shown) 24F571 HiBoy	24F572 HiBoy
Max Tip	.015	.017	.021	.023	.025	.031
Max psi/bar	3000/207	3000/207	3000/207	3000/207	3000/207	3000/207
Max gpm/lpm	.27/1.02	.34/1.3	.48/1.8	.54/2.0	.85/3.2	1.10/4.2
Weight lbs/kg	21/10	36/15	40 Stand, 71 HiBoy	42 Stand, 61 LoBoy, 73 HiBoy	61 LoBoy, 73 HiBoy	141
Max Hose Length ft/m	75/23	150/46	150/45	150/45	150/45	300/90
Motor	1/2 hp Universal	3/4 hp DC	7/8 hp TEFC DC	7/8 hp TEFC DC	1 hp TEFC DC	1-1/4 hp TEFC DC
Warranty	1 Year Standard	1 Year Standard	2 Year Advantage Protection	2 Year Advantage Protection	2 Year Advantage Protection	2 Year Advantage Protection





Model	GS800	GS6250	HSS9000	HSS11000
Part Number	24F574 HiBoy	24F575 HiBoy	24F577	24F578
Max Tip	.029	.041	.052	.057
Max psi/bar	3000/207	3000/207	3300/227	3300/227
Max gpm/lpm	.88/3.3	1.70/6.4	2.70/10.2	3.30/12.6
Weight lbs/kg	113	136	140	232
Max Hose Length ft/m	300/90	300/90	300/90	300/90
Engine	Honda GX160 (5.5 hp)	Honda GX160 (5.5 hp)	Honda GX200 (6.5 hp)	Honda GX270 (9.0 hp)
Warranty	2 Year Advantage Protection	2 Year Advantage Protection	1 Year Standard	1 Year Standard

Model	TS1500
Part Number	24F573 HiBoy
Max Tip	.031
Max psi/bar	3000/207
Max gpm/lpm	1.10/4.2
Weight lbs/kg	141/64
Max Hose Length ft/m	300/90
Motor	1.75 hp TEFC
Warranty	1 Year Standard



A DIVISION OF GRACO®



Professional Airless Spray Equipment

AIRLESSCO CUSTOMER SERVICE

20500 David Koch Avenue
Rogers, Minnesota 55374
Phone: 800-223-8213 / Fax: 800-228-5104

AUTHORIZED AIRLESSCO SERVICE AGENCIES

Call 800-223-8213 or see our web site for the nearest authorized Airlessco Service Center.

WARRANTY

Airlessco warrants its products to be free of defects in material and workmanship. See operation manual for complete warranty information.

www.Airlessco.com

Visit us on the web for promotions, product updates, manuals, dealers, service center and general information.

