



Red Devil

CHEMICALS





The following is a list of registered trademarks and/or trade names of Red Devil, Inc.:

CAULK DEVIL®, CELULON® Adhesive Sealant, CLASSIC™ Wood Scraper, CREATE-A-COLOR® caulk, CREATE-A-COLOR® caulk mixers, DIY® Brand, DRAGONSKIN® Steel Sander, ERGO EZ GRIP™, EZ Scraper®, EZ SQUEEZE® Squeeze Tubes, EZ CAULK® Tub & Tile, Expanding Foam, FOAM & FILL™ HOUSE & HOME RESTORE® Squeeze Tubes, JOB HANDLERS®, KING KAULK® Hybrid Polymer, LIFETIME® Brand Adhesive Sealant, LIGHTEN UP™ Lightweight Spackling, MASTERCUTTER® Tile Tools, ONETIME® LITE Patch & Repair, ONETIME® Spackling, PAINT IT FAST® Caulk, PATCH-A-WALL®, PAINT MASTER® Caulks & Sealants, QUICKpaint® Caulk, RD-PRO® Red Devil®, Caulks & Sealants, SANDFAST® Peel, Stick & Sand®, SAV-A-BRUSH® Brush Restorer, SILICONE SUPREME™ Sealant, SLAMSCRAPER® Impact Tool, SPEED DEMON® Caulk, SPEED DEMON® Paint Mixer, Drywall Tape, THE BOSS™ Scraper, TSP-90® Cleaner, TUF-JOB™ Scraper, TUF-KUT™ Scissors, WINDO-ZIPPER® Window Opener, ZIP-A-WAY™ Removable Caulk

CUSTOMER SERVICE

Please call our Customer Service Department for order placement, deliveries, billing inquiries and authorization to return materials.

Toll Free: 1.800.4A.DEVIL

(1.800.423.3845)

Phone: 918.825.5744

Fax: 918.825.5761

E-mail: customerservice@reddevil.com

CORRESPONDENCE

Mail correspondence and confirming purchase orders to:

Red Devil, Inc.

Attn: Customer Service

4175 Webb Street

Pryor, OK 74361

CORPORATE OFFICE

1437 S. Boulder Ave.

Suite 750

Tulsa, OK 74119

Fax: 918.585.8111

www.reddevil.com

MINIMUM QUANTITIES

All items will be shipped in full shelf-pack quantities only. Orders received for quantities other than the standard pack multiples will be increased to the next higher standard pack.

SUPPLEMENTAL PRICE LISTS

For a copy of a current price list and conditions of sale, please contact your sales representative or the Customer Service Department.

MSDS REQUESTS

To obtain an MSDS for any Red Devil product, please visit our web site at www.reddevil.com or call the Customer Service Department.

Caulks & Sealants - Industrial/Contractor 2-7

King Kaulk® • RD Pro® • Create-A-Color®

Caulks & Sealants - Multi-Purpose 8-9

LIFETIME® • 100% Silicone • Window & Door

Caulks & Sealants - Specialty 10-14

QuickPaint® • Painter's Caulk • Speed Demon®
Kitchen & Bath EZ Caulk® • Caulk Strips • Polyurethane
Foam & Fill • Zip-A-Way® • Butyl Rubber
Glazing Compound • Masonry & Concrete

Tile Products 15

Tile Grout • Tile Adhesive

Patch & Repair Products 16-17

Onetime® • Lighten Up™ • Vinyl Spackling • Paint Texturizer

Cleaning & Maintenance Products 18

Sav-A-Brush® • TSP 90® • Tack Cloth • Wallpaper Seam Repair

KING KAULK®

SAVES MONEY

KING KAULK® Hybrid Polymer is an amazing new product you're sure to go ape over! It's so powerful that one tube replaces all your caulks, sealants & adhesives making it the one step solution for almost every repair project.

- The Ultimate in Sealant/Adhesive Performance
- All the Benefits of Silicone and Polyurethane – None of the Negatives
- Safe for the Environment – Low Odor/Low VOC
- Forms a Flexible, Watertight Seal – Won't Shrink or Crack
- Outstanding Initial Tack
- Excellent Paintability
- Easy to Tool and Finish
- UV and Weather-Resistant

KING KAULK® CRUSHES THE COMPETITION!

	KING KAULK®	SILICONE SEALANT	POLYURETHANE SEALANT	CONSTRUCTION ADHESIVE
Interior	✓	✓	✗	✓
Exterior	✓	✓	✓	✓
High Initial Tack	✓	✗	✗	✓
Permanently Flexible	✓	✓	✓	✗
No Bracing	✓	✗	✗	✓
Paintable	✓	✗	✓	✗
Solvent-Free	✓	✓	✗	✗
Superior UV Resistance	✓	✓	✗	✗
Applies to Wet Surfaces	✓	✗	✗	✓
Mildew Resistant	✓	✓	✓	✗
Abrasion Resistant	✓	✗	✓	✗
Lifetime Durability	✓	✗	✗	✗



0956 - 9.8 Fl. Oz. (290 mL)

One Tube of KING KAULK® Replaces:

- Silicone Sealant
- Kitchen & Bath Sealant
- Construction Adhesive
- Panel Adhesive

The ONLY Caulk You'll Ever Need... GUARANTEED!

CAULKS:

Tubs, Showers, Sinks,
Fixtures, Countertops,
Tile, Trim, Crown Molding,
Floor Seams, Pipes

SEALS:

Air Conditioners, Doors,
Windows, Gutters,
Joints, Ductwork

BONDS:

Wood, Concrete, Brick, Steel, Brass,
Aluminum, Copper, Glass, Tile,
Fiberglass, Mirrors, Polystyrene, PVC
and other Plastics, Foamboard



Caulks & Sealants - King Kaulk®

RD PRO®



100% SILICONE SEALANT INDUSTRIAL GRADE RTV

High performance sealing and glazing compound that is ideal for use in most OEM and maintenance applications. Forms a strong, durable and weather-resistant seal and provides excellent adhesion to most non-porous surfaces. 50 year warranty. Solvent clean-up. NSF listed.



0816/01 - 10.1 Fl. Oz. (300 mL) - White

0816/21 - 10.1 Fl. Oz. (300 mL) - Almond

0816/41 - 10.1 Fl. Oz. (300 mL) - Bronze

0816/51 - 10.1 Fl. Oz. (300 mL) - Gray

0816/61 - 10.1 Fl. Oz. (300 mL) - Black

0826/01 - 10.1 Fl. Oz. (300 mL) - Clear

Meets or exceeds the requirements of TT-S-00230C, RR-S-001543A, C.G.S.B. 19C9-9, Din 18540 Part 2, Mil. Spec 46106A, CEBTP 432.65 140-2, ASTM C920. USDA authorized for use in federally inspected meat and poultry plants.

ELASTOMERIC SEALANT CONSTRUCTION GRADE

Superior elastomeric sealant provides excellent adhesion to most interior and exterior surfaces. Mildew-resistant, weather-resistant and remains flexible. 35 year warranty. Solvent clean-up.

0873 - 10.1 Fl. Oz. (300 mL) - Clear

Meets or exceeds the requirements of ASTM C834-00.

CELULON ADHESIVE SEALANT SPEC 230 FORMULA

A water-soluble adhesive that exhibits strength, durability and adhesive characteristics superior to silicone in most adhesion tests with the added benefits of paintability, ease of application and low odor. 50 year warranty. Water clean-up.

0926/01 - 10.1 Fl. Oz. (300 mL) - White

0927/01 - 10.1 Fl. Oz. (300 mL) - Clear

Meets or exceeds the requirements of Federal Specifications TT-S-00230C, ASTM C920, and ASTM C834-00.

BUTYL RUBBER SEALANT ARCHITECTURAL GRADE

A high-performance, rubber-like sealant that is ideal for tough outdoor jobs and below-grade applications. Use indoors or out, wherever a durable, flexible and watertight seal is required. Butyl rubber sealant adheres to most building surfaces and remains rubbery and flexible. paintable. 10 year warranty.

0697/01 - 10.1 Fl. Oz. (300 mL) - White

0697/B1 - 10.1 Fl. Oz. (300 mL) - Bronze

0697/G1 - 10.1 Fl. Oz. (300 mL) - Gray

Meets or exceeds the requirements of Federal Specifications TT-S-001657, TT-C-00598C, TT-C-1796A.



**100% SILICONE SEALANT
HEAT RESISTANT RTV**

Formulated with iron oxide to resist extreme heat exposure. Withstands temperatures up to 600 °F and can be used on industrial ovens, heating elements, boilers, and more. 50 year warranty. Solvent clean-up.

0809/01 - 10.1 Fl. Oz. (300 mL) - Red

0829/01 - 2.8 Fl. Oz. (183 mL) - Red

Meets or exceeds the requirements of TT-S-00230C, RR-S-001543A, C.G.S.B. 19C9-9, Din 18540 Part 2, Mil. Spec 46106A, CEBTP 432.65 140-2, ASTM C920. USDA authorized for use in federally inspected meat and poultry plants.

**SILICONIZED ACRYLIC CAULK
CONSTRUCTION GRADE - 35 YEAR**

Superior sealant fortified with silicone for increased flexibility and extended life. It provides excellent adhesion to most interior and exterior surfaces. Mildew-resistant, low odor and V.O.C. content. 35 year warranty. Water clean-up.

0846/01 - 10.1 Fl. Oz. (300 mL) - White

0846/21 - 10.1 Fl. Oz. (300 mL) - Almond

0846/41 - 10.1 Fl. Oz. (300 mL) - Brown

0846/51 - 10.1 Fl. Oz. (300 mL) - Gray

0846/61 - 10.1 Fl. Oz. (300 mL) - Black

0876/01 - 10.1 Fl. Oz. (300 mL) - Clear

Meets or exceeds the requirements of ASTM C834-00.

**SILICONIZED ACRYLIC CAULK
NEW CONSTRUCTION GRADE - 40 YEAR**

Durable, multi-purpose caulk for the professional contractor. Provides excellent adhesion, remains flexible and forms a weather-proof seal. Specially formulated to resist paint film cracking, it is vacuumized for smooth and easy application without "afterflow", spurts or pops. Cured bead is mildew resistant. 40 year warranty. Water clean-up.

0906/01 - 10.1 Fl. Oz. (300 mL) - White

Meets or exceeds the requirements of ASTM C834-00



Caulks & Sealants - Industrial/Contractor

Sealants and Adhesives

EXTREME TEMPERATURE HVAC/R SILICONE SEALANT

Made especially for HVAC/R applications, this premium sealant provides a long-lasting, weather-resistant seal and offers excellent adhesion, flexibility and durability. Use on air conditioners, ducts, furnaces, water heaters, refrigerators, vents and more. Adheres well to metal and most other building materials and remains flexible from - 60°F to 500°F.

0896 - 10.1 Fl. Oz. (300 mL) - White

0897 - 10.1 Fl. Oz. (300 mL) - Clear

0896/50 - 10.1 Fl. Oz. (300 mL) - Aluminum

Meets or exceeds Federal Specifications
TT-S-00230C, Class A, TT-S-001543A Class A, ASTM C920.



FIRESTOP LC150RD SEALANT

A latex-based, high-solids firestop compound that effectively seals penetration openings against the spread of fire, smoke, toxic gases and water when applied properly. Endothermic fillers absorb heat and release water and the high solids formula means no shrinkage. Withstands temperatures up to 2000°F and is up to 4 hour fire rated. Sandable and paintable. Water clean-up.

LC150RD - 10.5 Fl. Oz. (311 mL) - Red

Meets Fed. Specs. ASTM E-814 (UL 1479) and ASTM E-84 (UL 723) and many UL classifications.



MULTI-PURPOSE CONSTRUCTION ADHESIVE

Designed for use on most common building materials, including polystyrene and urethane foam, wood, paneling, drywall, tub surrounds, concrete, ceramic tile and metal. It is ideal for installing foam insulation and panels to drywall, furring, concrete and other materials. It provides a fast, strong bond and works well in cold temperatures. Solvent clean-up.

0675 - 4 Fl. Oz. (118 mL)

0676 - 10.5 Fl. Oz. (311 mL)

0677 - 29 Fl. Oz. (858 mL)

Meets or exceeds the performance requirements of ASTM C-557.



SMOKEBLOCK™ SEALANT

A non-combustible sealer that is used to fill the annular space around penetrants and along seams to openings throughout the entire building. When installed properly, it will provide fireblocking as well as smoke and draft stopping in wood frame walls and floors.

SB100RD - 10.5 Fl. Oz. (311 mL) - Red

Meets Fed. Spec. ASTM E136



SOLVENT-FREE CONSTRUCTION ADHESIVE

Professional strength, VOC-compliant contains no ozone-depleting chemicals. It is ideal for stone, marble, hardboard, gypsum wallboard, slate, ceramic tile, polyurethane and polystyrene foams. Water clean-up.

0776 - 10.5 Fl. Oz. (311 mL)

Meets or exceeds the performance requirements of ASTM C-557 and AFG-01.



Create-A-Color®

The Create-A-Color® Caulk Coloring System is a simple and easy way to create custom-colored caulk in minutes. This unique system allows on-the-job coloring of a single tube of caulk using ordinary latex paint. Watch the color change right before your eyes – the results are amazing!

A must-have system for painters, decorators, contractors, till installers, masons, plumbers, wallpaper hangers, and even homeowners, this innovative system allows you to match your caulk with fixtures, countertops, tile, walls, wallpaper and more.

FEATURES:


- Tints a single tube of Create-A-Color® Caulk in minutes with ordinary latex paint
- Portable, quick and convenient
- Saves time and money
- Easy to clean and re-use

Patent # 7070318

CAULK MIXERS

This unique product tints a single tube of Create-A-Color® Caulk with ordinary latex paint. Portable and convenient, it is simple to use and cleans easily with soap and water. Includes syringe for extracting paint and easy-to-follow instruction guide.

4071 - PRO Caulk Mixer* Die-cast Aluminum



4070 - Standard Caulk Mixer* Sturdy Plastic



Paint must be purchased separately.



CREATE-A-COLOR® CAULK

Specially formulated to be tinted using a Red Devil Create-a-Color™ Caulk Mixer, this superior quality sealant offers excellent adhesion to most surfaces. It provides a long-lasting, mildew-resistant seal that cures to an ultra-smooth, satin finish. Interior/exterior. Odorless. Water clean-up.

0409 - 9.4 Fl. Oz. (278 mL)

SYRINGES

25 replacement syringes for Create-A-Color™ Caulk System.

4072 - Pack of 25



*The Create-A-Color™ Caulk Mixer is designed for use exclusively with Create-A-Color™ Caulk from Red Devil, Inc.

Multi-Purpose Products

100% SILICONE SEALANT ARCHITECTURAL GRADE

Long-lasting formula gives tight, weather-resistant seals to glass, metal, and ceramic surfaces. Will not crack, shrink, or peel. Can be applied at temperatures below freezing. 50 year limited warranty. Interior/exterior use. Solvent clean-up.

- 0816** - 10.1 Fl. Oz. (300 mL) - White
- 0826** - 10.1 Fl. Oz. (300 mL) - Clear
- 0816/40** - 10.1 Fl. Oz. (300 mL) - Bronze
- 0816/50** - 10.1 Fl. Oz. (300 mL) - Gray
- 0816/60** - 10.1 Fl. Oz. (300 mL) - Black
- 0810** - 2.8 Fl. Oz. (83 mL) - White
- 0820** - 2.8 Fl. Oz. (83 mL) - Clear

Meets or exceeds performance requirements of Fed. Spec. TT-S-00230C, TT-S-001543A, ASTM C920-98. Appropriate for use in federally inspected meat and poultry plants.

SPEED DEMON® II 100% SILICONE SEALANT

General purpose formula provides excellent adhesion and durable, weather-resistant seals. Resists cracking, shrinking or peeling. 40 year limited warranty. Interior/exterior use. Solvent clean-up.

- 0706** - 10.1 Fl. Oz. (300 mL) - White
- 0806** - 10.1 Fl. Oz. (300 mL) - Clear




WINDOW & DOOR SILICONIZED ACRYLIC CAULK

Advanced siliconized acrylic formula helps increase energy efficiency by reducing drafts and cold spots. It also provides a barrier to the entry of dirt, insects and adheres to most surfaces. Interior/exterior use. 35 year limited warranty. Water clean-up.

- 0846** - 10.1 Fl. Oz. (300 mL) - White
- 0846/20** - 10.1 Fl. Oz. (300 mL) - Almond
- 0846/30** - 10.1 Fl. Oz. (300 mL) - Cedar
- 0846/40** - 10.1 Fl. Oz. (300 mL) - Dark Brown
- 0846/50** - 10.1 Fl. Oz. (300 mL) - Gray

Meets or exceeds ASTM C-834-95 requirements (except Clear).



EZ SQUEEZE® WINDOW & DOOR CAULK

Formulated to provide an extra-tight seal around windows, doors and other areas of your home, this multi-purpose sealant can be used indoors or outdoors and helps increase energy efficiency by reducing drafts and cold spots. The patented EZ SQUEEZE® Device allows you to wind up the tube as you work, ensuring a steady supply of product that comes out smoothly and easily down to the last drop. Mildew-resistant, paintable, water clean-up.



- 0848** - 5 Fl. Oz. (150 mL) - White



LIFETIME® SILICONIZED ACRYLIC ADHESIVE SEALANT

The first caulk guaranteed to last as long as you own your home just got better! Lifetime® Siliconized Acrylic Adhesive Sealant now includes Home Shield™ Antimicrobial Protection to ensure against the worst types of mold and mildew. This high performance, multi-purpose sealant helps increase your home's energy efficiency while decreasing your heating and cooling costs. It provides the maximum level of adhesion to a variety of substrates, offers excellent paintability and cleans up easily with water.



- 0856** - 10.1 Fl. Oz. - White
- 0856/20** - 10.1 Fl. Oz. - Almond
- 0856/30** - 10.1 Fl. Oz. - Cedar
- 0856/40** - 10.1 Fl. Oz. - Dk. Brown
- 0856/50** - 10.1 Fl. Oz. - Gray
- 0856/60** - 10.1 Fl. Oz. - Black
- 0866** - 10.1 Fl. Oz. - Ultra Clear
- 0855** - 5.5 Fl. Oz. - White
- 0865** - 5.5 Fl. Oz. - Ultra Clear



Meets requirements of Fed. Spec. TT-S-0230C, (except Clear). Also meets ASTM C-920-98 and ASTM C-834-95.

Caulks & Sealants - Multi-Purpose

Specialty Products

The Red Devil® line contains many specialty caulks to choose from -- each designed for a particular task: Kitchen & Bath caulks that contain a material to fight mildew growth, roof sealant to stop minor roof leaks, concrete sealant to fill cracks in driveways and sidewalks, fireplace caulk designed to hold up under high heat, and many more.

Caulks & Sealants - Specialty Products

QUICKPAINT® CAULK

A styrenated, siliconized, acrylic caulk specially formulated for the paint contractor that's paintable in just 30 minutes! Higher solids reduce shrinkage. Adheres to most surfaces. 40 year limited warranty. Interior/ exterior use. Water clean-up.

0946 - 10.1 Fl. Oz. (300 mL) - White

Exceeds the requirements of ASTM C834-95.



PAINTER'S CAULK

An acrylic latex caulk designed for easy paintability. It provides tight, waterproof seals and can be used on most common construction surfaces. Takes all types of paint when dry. 25 year warranty. Interior/exterior use. Water clean-up.

0746 - 10.1 Fl. Oz. (300 mL) - White

Exceeds the requirements of ASTM C834-95.



SPEED DEMON® ACRYLIC CAULK

General purpose, economical caulk for use on masonry, painted and unpainted wood, and most siding. Interior/exterior use. Water clean-up.

0736 - 10.1 Fl. Oz. (300 mL) - White





KITCHEN & BATH LOW ODOR SILICONE SEALANT

An advanced, low-odor formula that provides long-lasting flexibility and excellent adhesion to ensure a protective barrier against moisture and mildew. It provides a watertight seal around kitchen and bath fixtures and cures to an ultra smooth, satin finish. Interior use. 50 year limited warranty. Solvent clean-up.

- 0836** - 10.1 Fl. Oz. (300 mL) - White
- 0836/20** - 10.1 Fl. Oz. (300 mL) - Almond
- 0887** - 10.1 Fl. Oz. (300 mL) - Clear
- 0883** - 2.8 Fl. Oz. (83 mL) - White
- 0883/20** - 2.8 Fl. Oz. (83 mL) - Almond
- 0885** - 2.8 Fl. Oz. (83 mL) - Clear



Meets or exceeds performance requirements of Fed. Spec. TT-S-00230C, TT-S-001543A, ASTM C920-98 and FDA Reg. No. 21 CFR 177, 2600 when fully cured. UL Recognized.

KITCHEN & BATH SILICONIZED ACRYLIC CAULK

Odorless, mildew-resistant formula fortified with silicone to provide a long-lasting, water-tight seal around tubs, showers, sinks and fixtures. Interior use. Water clean-up.

- 0400** - 2.5 Fl. Oz. (75 mL) - Clear
- 0405** - 5.5 Fl. Oz. (160 mL) - White
- 0405/20** - 5.5 Fl. Oz. (160 mL) - Almond
- 0445** - 5.5 Fl. Oz. (160 mL) - Clear
- 0406** - 10.1 Fl. Oz. (300 mL) - White
- 0406/20** - 10.1 Fl. Oz. (300 mL) - Almond
- 0408** - 10.1 Fl. Oz. (300 mL) - Clear



Meets or exceeds ASTM C-834-95 requirements.

EZ CAULK® PROFESSIONAL TUB & TILE SEALANT

Made especially for use around plumbing fixtures and kitchen and bath areas where a water-resistant, mildew-proof seal is required. It dries quickly and cures to an ultra smooth, shiny finish. It cleans up easily with soap and water and is guaranteed not to mildew or crack when used as directed. The patented EZ SQUEEZE® Device allows you to wind up the tube as you work, ensuring a steady supply of product that comes out smoothly and easily down to the last drop.

- 0808** - 5 Fl. Oz. (150 mL) - White



EZ SQUEEZE® KITCHEN & BATH CAULK

Made especially for kitchen and bath areas where a water-resistant, mildew-proof seal is required, this siliconized acrylic sealant provides a tight seal around sinks, showers, bathtubs and countertops and cures to an ultra smooth, satin finish. Mildew-proof, odorless, dries quickly and cleans up with water. The patented EZ SQUEEZE® Device allows you to wind up the tube as you work, ensuring a steady supply of product that comes out smoothly and easily down to the last drop.

- 0838** - 5 Fl. Oz. (150 mL) - White



CAULK STRIPS

Self-adhesive decorative trim is pre-shaped for fast, easy installation. It provides a long-lasting seal and gives a finished professional look to kitchen and bath areas. Best of all, the mildew-resistant caulk strip installs in minutes – simply peel and press in place. No tools or messy clean-up!

Tub & Wall Caulk Strip

For use between bathtub and wall.

- 0150** - 7/8" x 11' - White
- 0151** - 1 5/8" x 11' - White



Tub & Floor Caulk Strip

For use between bathtub and floor.

- 0170** - 1 1/2" x 5' - White



Wall & Counter Caulk Strip

For use between walls and countertop.

- 0155** - 1" x 12' - White



Fixture Caulk Strip

For use around toilets, sinks and showers.

- 0152** - 1/2" x 6' - White



Specialty Products

Caulks & Sealants - Specialty Products

POLYURETHANE WINDOW & DOOR

A premium grade, high performance sealant, designed specifically for installing or repairing door and window frames and sealing all types of siding. It provides superior adhesion to most building materials and is excellent for sealing out the elements and increasing energy efficiency. Paintable and non-staining. 50 year limited warranty. Interior/exterior use. Solvent clean-up.

0970 - 10.1 Fl. Oz. (300 mL) - White

Meets requirements of Fed. Spec. TT-S-00230C and ASTM C920.



POLYURETHANE MASONRY & CONCRETE

A premium grade, high performance sealant, designed to meet the flexibility requirements of dynamically moving joints. Specially textured to simulate concrete, it provides excellent weatherability, adhesion and fast cure time with high bonding strength. Paintable and non-staining. 50 year limited warranty. Interior/ exterior use. Solvent clean-up.

0972 - 10.1 Fl. Oz. (300 mL) - Limestone

Meets requirements of Fed. Spec. TT-S-00230C and ASTM C920.



POLYURETHANE BLACKTOP & ROOF

A premium grade, high-performance sealant that provides a long-lasting seal with excellent adhesion. Because of its strong resistance to deterioration, it has an extended life expectancy and helps prevent ice and water damage caused by severe weather. 50 year limited warranty. Exterior use. Solvent clean-up.

0971 - 10.1 Fl. Oz. (300 mL) - Black

Meets requirements of Fed. Spec. TT-S-00230C and ASTM C920.




TRIPLE EXPANDING FOAM

Foam & Fill™ Triple Expanding Polyurethane Sealant is quick and easy to use. It expands to fill holes, cracks, gaps and voids around windows, doors, pipes, outlets, vents and foundations – indoors or outdoors. This insulating foam forms an airtight, waterproof bond and seals out drafts, moisture and pests. Cured foam can be sanded, painted or stained.

0909 - 12 Oz. (340 g)

0912 - 20 Oz. (568 g)



MINIMAL EXPANDING FOAM

Foam & Fill™ Minimal Expanding foam seals, bonds, and insulates, filling large and small holes in ceilings, floorboards, concrete or cinder block walls, and around ducts, cables, plumbing areas, and central heating pipes. Use indoors or outdoors.

0913 - 12 Oz. (340 g)

0920 - 20 Oz. (568 g)



CLEAR CAULK HIGH PERFORMANCE ADHESIVE

A high-performance adhesive sealant that applies and dries ultra clear and offers excellent adhesion to most surfaces. Can be applied in below freezing temperatures and above or below grade. Won't yellow, stain, crack or separate once cured. Remains flexible. Paintable. 50 year limited warranty. Interior/exterior use. Solvent clean-up.

0870 - 10.1 Fl. Oz. (300 mL) - Clear

0871 - 5.5 Fl. Oz. (160 mL) - Clear



ZIP-A-WAY® REMOVABLE SEALANT

Specially formulated weatherstripping caulk forms a tight, temporary seal that can easily be peeled away when no longer needed. It is easy to apply and provides a watertight and weatherproof seal that prevents drafts and moisture. Will not mar or destroy most painted surfaces. Interior/exterior.

0606 - 10.1 Fl. Oz. (300 mL) - Clear



BUTYL RUBBER SEALANT


A durable sealant for use on metal windows and doors, downspouts, chimney flashings, shingles, skylights, siding, below-grade applications, and marine usage above the water line. Interior/exterior use. Solvent clean-up.

0698 - 10.1 Fl. Oz. (300 mL) - White

0698/AG - 10.1 Fl. Oz. (300 mL) - Alum. Gray

0698/BR - 10.1 Fl. Oz. (300 mL) - Bronze

Meets Fed. Specs. TT-S-1001657, Type 1;
TT-C-598C, Type 1.



GLAZING PRODUCTS

Whether you prefer the classic Window Glazing putty or the water-based formula, RED DEVIL® has everything needed for replacing panes of glass.

GLAZING COMPOUND

Siliconized acrylic formula creates a durable, watertight seal for the installation of glass into sash. Cartridge with easy applicator tip provides excellent results. Water-based.

0666 - 10.1 Fl. Oz. (300 mL) - White



PRE-MIXED GLAZING COMPOUND

Contractor specified formula for installing glass in wood or metal sashes. Forms airtight and watertight seal. Takes any paint. Oil-based.

0661 - 1 Gallon (3.8 liter)

0662 - 1/2 Pint (.24 liter)

0664 - 1 Quart (.96 liter)

0668 - 1 Pint (.48 liter)



GLAZING TOOLS

See pages 11 in the Tools section.



Specialty Products

MASONRY & CONCRETE REPAIR

Ideal for patching cracks in steps and sidewalks or repairing mortar between bricks, stone, and cinder block. Textured finish blends with mortar and provides excellent outdoor durability. Exterior use. Water clean-up.

0646 - 10.1 Fl. Oz. (300 mL) - Gray

BLACKTOP & ROOF REPAIR

Asphalt sealant that provides a durable, flexible and weather-resistant seal for cracks and joints in asphalt driveways. Also ideal for waterproofing, repairing and sealing roofs, shingles and flashings around chimneys and skylights. Can be used on wet or dry surfaces. Exterior use. Solvent clean-up.

0636 - 10.1 Fl. Oz. (300 mL) - Black

GUTTER & FOUNDATION SEALANT

Butyl rubber sealant ideal for outdoor jobs requiring a durable, watertight seal. Use around concrete foundations and expansion joints, around gutters and in below-grade areas such as basements. Adheres to most construction surfaces and remains flexible. Exterior use. Solvent clean-up.

0697 - 10.1 Fl. Oz. (300 mL) - White

0697/AG - 10.1 Fl. Oz. (300 mL) - Gray

Meets or exceeds the following specifications: Fed. Spec. TT-S-1001657, Type I; Fed. Spec. TT-C-1796A, Type I; TT-C-598C, Type I.

FIREPLACE & STOVE REPAIR

Super-tough, silicate cement sets rock-hard when fired. The black, textured paste adheres well to fire brick, cinder block, metal and mortar. It cures with a warm fire and provides a durable, long-lasting seal that withstands temperatures up to 1000° F. Non-flammable. Interior use. Water clean-up.

0466 - 10.1 Fl. Oz. (300 mL) - Black



Tile Products

PRE-MIXED TILE GROUT, PASTE

Water-resistant compound grouts all ceramic and mosaic tile. Formulated with premium acrylic latex for fast, easy-to-use application.

- 0420** - 2.25 Fl. Oz. (.66 cc)
- 0428** - 1 Pint (.48 liter)
- 0422** - 1/2 Pint (.24 liter)
- 0424** - 1 Quart (.96 liter)
- 0425** - 5.5 Fl. Oz. (160 mL)



EZ SQUEEZE® TILE GROUT

Water-resistant compound for repairing loose, cracked or damaged grout in ceramic and mosaic tile. The patented EZ SQUEEZE® Device allows you to wind up the tube as you work, ensuring a steady supply of product that comes out smoothly and easily down to the last drop.

- 0438** - 5 FL. Oz. (150 mL)



TILE PASTE® ADHESIVE

Perfect for installing and repairing mosaic, plastic and ceramic tile, and linoleum. Water clean-up.

- 0497** - 5.5 Fl. Oz. (160 mL)



EZ SQUEEZE® TILE ADHESIVE

A premium sealant for installing or replacing loose tile or linoleum. It provides a permanent bond between tile and surface and cleans easily with water. The patented EZ SQUEEZE® Device allows you to wind up the tube as you work, ensuring a steady supply of product that comes out smoothly and easily down to the last drop.

- 0498** - 5 Fl. Oz. (150 mL)



Patch and Repair Products

A quality line of patch and repair products for hundreds of interior and exterior repair jobs. Fill cracks in drywall or plaster, repair nail hole or texturize paint to hide minor flaws.

ONETIME® LIGHTWEIGHT SPACKLING

Pre-mixed formula for fast, professional repairs in just one application. Use to fill cracks, nail holes, and other holes in plaster, wallboard, wood and stucco. Won't shrink, crack or sag. No sanding required. Interior exterior. Water clean-up.

- 0541** - 1 Gallon (3.79 liter)
- 0542** - 1/2 Pint (.24 liter)
- 0544** - 1 Quart (.96 liter)
- 0548** - 1 Pint (.48 liter)
- 0545** - 6.0 Fl. Oz. (178 mL)

ONETIME® LIGHTEN UP™ LIGHTWEIGHT SPACKLING

This lightweight, color-change formula goes on pink, but dries white when it's time to paint. Pre-mixed formula for fast, professional repairs in just one application. Use to fill cracks, nail holes, and other holes in plaster, wallboard, wood and stucco. Won't shrink, crack or flake. No sanding required. Interior/exterior. Water clean-up.

- 0572** - 1/2 Pint (.24 liter)
- 0574** - 1 Quart (.96 liter)



Patch & Repair Products



PAINT TEXTURIZER AGGREGATE

Mixes with any paint to produce a textured or sand finish. Paint and texture in one easy application. Will not affect paint color.

0240 - 5 Oz. (141.7g)



PRE-MIXED JOINT COMPOUND

Ready-to-use formula for finishing and repairing drywall panel joints. Formulated to work with joint tape and ideal for metal corner beads, nail heads, and repairs to drywall. Sands easily. Water clean up

0744 - 1 Quart (.95 liter)



VINYL SPACKLING COMPOUND

Patches holes and nail holes quickly and easily. Specially formulated for easy application, paintability, and sanding. Use indoors or out on plaster, wallboard, wood and stucco.

0531 - 1 Gallon (3.79 liter)

0532 - 1/2 Pint (.24 liter)

0534 - 1 Quart (.95 liter)

0538 - 1 Pint (.48 liter)

0615 - 5.5 Fl. Oz. (160 mL)



**PATCH-A-WALL®
SPACKLING PASTE**

Patches holes quickly and easily. Specially formulated for easy application, paintability, and sanding. Use on plaster, wallboard, wood and stucco. The patented EZ SQUEEZE® Device allows you to wind up the tube as you work, ensuring a steady supply of product that comes out smoothly and easily – every time – down to the last drop.

0658 - 5 Fl. Oz. (150 mL)



Cleaning and Maintenance

Cleaning & Maintenance

SAV-A-BRUSH® BRUSH RESTORER, POWDER

Paint brush restorer gives new life to old brushes, cleaning paint-hardened brushes right down to the heel.

0109 - 9 Oz. (255 g)

0103 - 3 Oz. (85 g)



TACK CLOTH

Specially treated cotton fiber cloth is perfect for eliminating dust, lint, and sanded particles on all surfaces. Prepares surface for painting.

0570 - 18" x 36"



TSP-90® HEAVY DUTY CLEANER

A tri-sodium phosphate substitute that neutralizes and floats away grease, grime, dirt, oil and smoke film. Contains no phosphorous, soap, lye, or abrasives. Packaged in a re-sealable bag.

0261 - 1 Lb. (.45 kg)

0265 - 4 Lb. (1.81 kg)

Note: Gloves recommended. Do not use on glass.



EZ SQUEEZE® WALLPAPER SEAM REPAIR

The easiest solution for repairing torn or peeling wallpaper, this premium adhesive provides a strong final bond between surface and wallpaper and prevents peeling in high-humidity areas such as kitchens and baths. Excellent adhesion, odorless, easy water clean-up. The patented EZ SQUEEZE® Device allows you to wind up the tube as you work, ensuring a steady supply of product that comes out smoothly and easily – every time – down to the last drop.

0878 - 5 Fl. Oz. (150 mL) - Clear



Alphabetical Index - Chemicals

PRODUCT	PAGE #
100% Silicone Sealant, RD PRO®	4
Blacktop & Roof Repair	14
Butyl Rubber, RD PRO®	4
Butyl Rubber Sealant	13
Caulk Strips	11
Celulon Adhesive, RD PRO®	4
Clear High Performance Caulk	13
Create-A-Color® Caulk	7
Create-A-Color® Pro Mixer	7
Create-A-Color® Standard Mixer	7
Create-A-Color® Syringes	7
Elastomeric Sealant, RD PRO®	4
EZ Caulk® Tub & Tile Sealant	11
EZ SQUEEZE® Tile Adhesive	15
EZ SQUEEZE® Tile Grout	15
Fireplace & Stove Repair	14
Firestop LC150RD Sealant	6
Foam & Fill™ Expanding Foam	12
Glazing Compounds	13
Gutter & Foundation Sealant	14
Heat Resistant Silicone, RD PRO®	4
HVAC/R Silicone Sealant	6
Joint Compound	17
King Kaulk®	2-3
Kitchen & Bath Acrylic Caulk	11
Kitchen & Bath Caulk, EZ SQUEEZE®	11
Kitchen & Bath Silicone Sealant	11
LIFETIME® Adhesive Sealant	9
LIGHTEN UP™ Color Change Spackling	16
Masonry & Concrete Repair	14
Multi-purpose Construction Adhesive	6
ONETIME® Lightweight Spackling	16
Paint Texturizer Aggregate	17
Painter's Caulk	10
PATCH-A-WALL® Spackling	17
Polyurethane Blacktop & Roof	12
Polyurethane Masonry & Concrete	12
Polyurethane Window & Door	12
Pre-Mixed Tile Grout Paste	16
QuickPaint® Caulk	10
RD PRO® Butyl Rubber	4
RD PRO® Celulon Adhesive	4
RD PRO® Elastomeric Sealant	4
RD PRO® Heat Resistant Silicone	4
RD PRO® Siliconized Acrylic Construction Grade	5
RD PRO® 100% Silicone Sealant	4
SAV-A-BRUSH® Brush Restorer	18

PRODUCT	PAGE #
Siliconized Acrylic Construction Grade, RD PRO®	5
Silicone Sealant Architectural Grade	8
SMOKEBLOCK™ Sealant	6
Solvent-Free Construction Adhesive	6
Spackling	16-17
SPEED DEMON® Acrylic Caulk	10
SPEED DEMON® II Silicone Sealant	8
Tack Cloth	18
Tile Adhesive, EZ SQUEEZE®	15
Tile Grout, EZ SQUEEZE®	15
TILE PASTE® Adhesive	15
TSP-90® Heavy Duty Cleaner	18
Tub & Tile Sealant, EZ Caulk®	11
Vinyl Spackling Compound	17
Wallpaper Seam Repair, EZ SQUEEZE®	18
Window & Door Caulk	9
Window & Door Caulk, EZ SQUEEZE®	9
ZIP-A-WAY® Removable Sealant	13

Product Number Index - Chemicals

ITEM #	TOOL DESCRIPTION	PAGE #
0103	SAV-A-BRUSH®, 3 Oz.	18
0109	SAV-A-BRUSH®, 9 Oz.	18
0150	Caulk Strip-Tub & Wall	11
0151	Caulk Strip-Tub & Floor	11
0152	Caulk Strip-Fixture	11
0155	Caulk Strip-Wall & Counter	11
0170	Caulk Strip-Tub & Wall	11
0240	Paint Texturizer	17
0261	TSP-90® Cleaner, 1 Lb.	18
0265	TSP-90® Cleaner, 4 Lb.	18
0400	Kitchen & Bath Caulk, White 2.25 Fl. Oz.	11
0405	Kitchen & Bath Caulk, White 5.5 Fl. Oz.	11
040520	Kitchen & Bath Caulk, Almond 5.5 Fl. Oz.	11
0406	Kitchen & Bath Caulk, White 10.1 Fl. Oz.	11
0406/20	Kitchen & Bath Caulk, Almond 10.1 Fl. Oz.	11
0408	Kitchen & Bath Caulk, Clear 10.1 Fl. Oz.	11
0409	CREATE-A-COLOR™ Caulk	7
0420	Pre-Mixed Tile Grout, 2.25 Oz.	15
0422	Pre-Mixed Tile Grout, .5 Pt.	15
0424	Pre-Mixed Tile Grout, 1 Qt.	15
0425	Pre-Mixed Tile Grout, 5.5 Fl. Oz.	15
0428	Pre-Mixed Tile Grout, 1 Pt.	15
0438	EZ SQUEEZE® Tile Grout-5.0 Fl. Oz.	15
0445	Kitchen & Bath Caulk, Clear, 5.5 Fl. Oz.	11
0466	Fireplace & Stove Repair	14
0497	Tile Paste Adhesive	15

Product Number Index - Chemicals

ITEM #	TOOL DESCRIPTION	PAGE #	ITEM #	TOOL DESCRIPTION	PAGE #
0498	EZ SQUEEZE® Tile Adhesive-5.0 Fl. Oz.	15	0820	100% Silicone Sealant, Clear, 2.8 Fl. Oz.	8
0531	Spackling Compound, 1 Gallon	17	0826	100% Silicone Sealant, Clear, 10.1 Fl. Oz.	8
0532	Spackling Compound, .5 Pt.	17	08260I	RD PRO® 100% RTV Silicone, Clear, 10.1 Fl. Oz.	4
0534	Spackling Compound, 1 Qt.	17	08290I	RD PRO® Heat Resist. Silic, Red, 2.8 Fl. Oz.	5
0538	Spackling Compound, 1 Pt.	17	0836	Kitchen & Bath 100% Silicone, White, 10.1 Fl. Oz.	11
0541	ONETIME® Spackling, 1 Gallon	16	0836/20	Kitchen & Bath 100% Silicone, Almond, 10.1 Fl. Oz.	11
0542	ONETIME® Spackling, .5 Pt.	16	0838	EZ SQUEEZE® Kitchen & Bath Caulk, 5.0 Fl. Oz.	11
0544	ONETIME® Spackling, 1 Qt.	16	0846	Window & Door, White, 10.1 Fl. Oz.	9
0545	ONETIME® Spackling, 6 Fl. Oz.	16	08460I	RD PRO® Construction Grade, White, 10.1 Fl. Oz.	5
0548	ONETIME® Spackling 1 Pt.	16	084620	Window & Door, Almond, 10.1 Fl. Oz.	9
0570	Tack Cloth	18	08462I	RD PRO® Construction Grade, Almond, 10.1 Fl. Oz.	5
0572	ONETIME® Lighten-Up Spackling, .5 Pt	16	084630	Window & Door, Cedar, 10.1 Fl. Oz.	9
0574	ONETIME® Lighten-Up Spackling, 1 Qt.	16	084640	Window & Door, Dk Brown, 10.1 F. Oz.	9
0606	ZIP-A-WAY®	13	08464I	RD PRO® Construction Grade, Bronze, 10.1 F. Oz.	5
0615	Vinyl Spackling Compound	17	084650	Window & Door, Gray, 10.1 Fl. Oz.	9
0636	Blacktop & Roof Repair	14	08465I	RD PRO® Construction Grade, Gray, 10.1 Fl. Oz.	5
0646	Concrete & Mortar Repair	14	084660	Window & Door, Black, 10.1 Fl. Oz.	9
0658	EZ SQUEEZE® Patch-A-Wall®	17	08466I	RD PRO® Construction Grade, Black, 10.1 Fl. Oz.	5
0661	Glazing Compound, 1 GALLON	13	0848	EZ SQUEEZE® Window & Door Caulk, 5.0 Fl. Oz.	9
0662	Glazing Compound, .5 Pt.	13	0855	LIFETIME® Adhesive Sealant, White, 5.5 Fl. Oz.	9
0664	Glazing Compound, 1 Qt.	13	0856	LIFETIME® Adhesive Sealant, White, 10.1 Fl. Oz.	9
0666	Glazing Compound, 10.1 FL. Oz.	13	085620	LIFETIME® Adhesive Sealant, Almond, 10.1 Fl. Oz.	9
0668	Glazing Compound, 1 Pt.	13	085630	LIFETIME® Adhesive Sealant, Cedar, 10.1 Fl. Oz.	9
0675	Multipurpose Adhesive, 4 Oz.	6	085640	LIFETIME® Adhesive Sealant, Dk Brown, 10.1 Fl. Oz.	9
0676	Multipurpose Adhesive, 10.5 Oz.	6	085650	LIFETIME® Adhesive Sealant, Gray, 10.1 Fl. Oz.	9
0677	Multipurpose Adhesive, 29 Oz.	6	085660	LIFETIME® Adhesive Sealant, Black, 10.1 Fl. Oz.	9
0776	Solvent Free Multi-Purpose Adhesive	6	0865	LIFETIME® Adhesive Sealant, Clear, 5.5 Fl. Oz.	9
0896	HVAC/R Silicone, White, 10.1 Fl. Oz.	6	0866	LIFETIME® Adhesive Sealant, Clear, 10.1 Fl. Oz.	9
0897	HVAC/R Silicone, Clear, 10.1 Fl. Oz.	6	0870	Clear Caulk, 10.1 Fl. Oz.	13
0896/50	HVAC/R Silicone, Alu, 10.1 Fl. Oz.	6	0871	Clear Caulk, 5.5 Fl. Oz.	13
0697	Gutter & Foundation, White, 10.1 Fl. Oz.	14	0873	Elastomeric Multi Purpose, Clear, 10.1 Fl. Oz.	4
0697AG	Gutter & Foundation, Alum. Gray, 10.1 Fl. Oz.	14	0876	Window & Door, Clear, 10.1 Fl. Oz.	9
06970I	RD PRO® Butyl Rubber, White, 10.1 Fl. Oz.	4	08760I	RD PRO® Construction Grade, Clear, 10.1 Fl. Oz.	5
0697BI	RD PRO® Butyl Rubber, Bronze, 10.1 Fl. Oz.	4	0878	EZ SQUEEZE® Wallpaper Seam Repair, 5.0 Fl. Oz.	18
0697GI	RD PRO® Butyl Rubber, Gray, 10.1 Fl. Oz.	4	0883	Kitchen & Bath 100% Silicone, White, 2.8 Fl. Oz.	11
0698	Butyl Rubber Sealant, White, 10.1 Fl. Oz.	13	0883/20	Kitchen & Bath 100% Silicone, Almond, 2.8 Fl. Oz.	11
0698AG	Butyl Rubber Sealant, Alum. Gray, 10.1 Fl. Oz.	13	0885	Kitchen & Bath 100% Silicone, Clear, 2.8 Fl. Oz.	11
0698BR	Butyl Rubber Sealant, Bronze, 10.1 Fl. Oz.	13	0887	Kitchen & Bath 100% Silicone, Clear, 10.1 Fl. Oz.	11
0706	SPEED DEMON® II Silicone, White, 10.1 Fl. Oz.	8	0906/0I	RD PRO® Construction Grade, White, 10.1 Fl. Oz.	5
0736	SPEED DEMON®, White, 10.1 Fl. Oz.	10	0909	Triple Expanding Foam, 12 Oz.	12
0744	Joint Compound, 1 Qt.	17	0912	Triple Expanding Foam, 24 Oz.	12
0746	Painters Caulk	10	0913	Minimal Expanding Foam, 12 Oz.	12
0806	SPEED DEMON® II Silicone, Clear, 10.1 Fl. Oz.	8	0920	Minimal Expanding Foam, 20 Oz.	12
0808	EZ CAULK® Pro Tub & Tile, 5.0 FL. Oz.	11	09260I	RD PRO® SPEC 230 Celulon, White, 10.1 Fl. Oz.	4
08090I	RD PRO® Heat Resist. Silic, Red, 10.1 Fl. Oz.	5	09270I	RD PRO® SPEC 230 Celulon, Clear, 10.1 Fl. Oz.	4
0810	100% Silicone Sealant, White, 2.8 Fl. Oz.	8	0946	QUICK PAINT®	10
0816	100% Silicone Sealant, White, 10.1 Fl. Oz.	8	956	KING KAULK®	2
0816/40	100% Silicone Sealant, Bronze, 10.1 Fl. Oz.	8	0970	Polyurethane Window & Door	12
0816/50	100% Silicone Sealant, Gray, 10.1 Fl. Oz.	8	0971	Polyurethane Blacktop & Roof	12
0816/60	100% Silicone Sealant, Black, 10.1 Fl. Oz.	8	0972	Polyurethane Masonry & Concrete	12
08160I	RD PRO® 100% RTV Silicone, White, 10.1 Fl. Oz.	4	LC150RD	Firestop Latex Sealant	6
08162I	RD PRO® 100% RTV Silicone, Almond, 10.1 Fl. Oz.	4	SB100RD	Firestop Smokeblock	6
08164I	RD PRO® 100% RTV Silicone, Bronze, 10.1 Fl. Oz.	4	4070	Create-A-Color® Standard Caulk Mixer	7
08165I	RD PRO® 100% RTV Silicone, Gray, 10.1 Fl. Oz.	4	4071	Create-A-Color® Pro Caulk Mixer	7
08166I	RD PRO® 100% RTV Silicone, Black, 10.1 Fl. Oz.	4	4072	Bag of Syringes, 25 pack	7