#### SAFETY DATA SHEET

### 830-7216 CAL-TINT® PHTHALO BLUE Specification: 000000139792

Revision Date: 07-19-2022

Version Number: 03



# 1. Identification

Product identifier	830-7216 CAL-TINT® PHTHALO BLUE
Other means of identification	
SAP Specification	00000139792
Recommended use	Aqueous colorant
<b>Recommended restrictions</b>	None known.
Manufacturer/Importer/Supplier/	Distributor information
Company	Chromaflo Technologies Corporation
	2600 Michigan Avenue
	Ashtabula,OH, USA 44005-0816
Canadian facility	Chromaflo Technologies Canada
	235 Orenda Road
	Brampton, Ontario, Canada L6T-1E6
US telephone	440-997-5137
Canadian telephone	905-451-3810
NA: EMERGENCY # (3E)	866-519-4752
GLOBAL: EMERG. # (3E)	(+1) 760-476-3962
3E CONTRACT #	12154
<b>3E ACCESS CODE</b>	334294
CANADA: CANUTEC	613-996-6666
EMERGENCY NUMBER	
Product Regulatory	ehs_americas@chromaflo.com
Services	

# 2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Warning
Hazard statement	May cause respiratory irritation.
Precautionary statement	
Prevention	Avoid breathing mist/vapors. Use only outdoors or in a well-ventilated area. Observe good industrial hygiene practices.
Response	If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. Wash hands after handling. Take off contaminated clothing and wash it before reuse.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store away from incompatible materials.

Disposal	Dispose of waste and residues in accordance with local authority requirements. Dispose of contents/container in accordance with local/regional/national/international regulations.	
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	If product is in liquid or paste form, hazards related to dust are not considered significant. But product may contain substances that could be potential hazards if caused to become airborne due to abrasive processes.	
2. Composition/information on ingradianta		

## 3. Composition/information on ingredients

### Mixtures

Chemical name	Common name and synonyms	CAS number	%
ethanediol; ethylene glycol		107-21-1	15 - 40
Talc, Magnesium silicate hydrate		14807-96-6	15 - 40
Diethylene glycol		111-46-6	5 - 10
29H,31H-phthalocyaninato(2-)-N29, N30,N31,N32 copper		147-14-8	3 - 7
Polyoxyethylene nonylphenol branched ether phosphate sodium salt		68954-84-7	0.5 - 1.5
Nonylphenoxypoly(ethyleneoxy)eth anol, branched		68412-54-4	0.1 - 1
Silica, crystalline (quartz)		14808-60-7	0.1 - 1
Other components below reportable I	evels		15 - 40

# 4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	May cause respiratory irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Alcohol resistant foam. Powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the bazards of other involved materials

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.General fire hazardsNo unusual fire or explosion hazards noted.

### 6. Accidental release measures

Personal precautions,	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear
protective equipment and	appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapors.
emergency procedures	Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.	
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
-	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.	
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.	
7. Handling and storage		
Precautions for safe handling	Avoid breathing mist/vapors. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.	
Conditions for safe storage, including any incompatibilities	Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).	

### 8. Exposure controls/personal protection

#### **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Silica, crystalline (quartz) (CAS 14808-60-7)	PEL	0.05 mg/m3	Respirable dust.
US. OSHA Table Z-3 (29 CFR 1910	.1000)		
Components	Туре	Value	Form
Silica, crystalline (quartz) (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
Talc, Magnesium silicate hydrate (CAS 14807-96-6)	TWA	0.1 mg/m3	Respirable.
		20 mppcf	
		2.4 mppcf	Respirable.
US. ACGIH Threshold Limit Values	3		
Components	Туре	Value	Form
29H,31H-phthalocyaninato( 2-)-N29,N30,N31,N32 copper (CAS 147-14-8)	TWA	1 mg/m3	Dust and mist.
		0.2 mg/m3	Fume.
ethanediol; ethylene glycol (CAS 107-21-1)	STEL	10 mg/m3	Aerosol, inhalable.
		50 ppm	Vapor fraction
	TWA	25 ppm	Vapor fraction
Silica, crystalline (quartz) (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Talc, Magnesium silicate hydrate (CAS 14807-96-6)	TWA	2 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide to Chem	nical Hazards		
Components	Туре	Value	Form
29H,31H-phthalocyaninato( 2-)-N29,N30,N31,N32 copper (CAS 147-14-8)	TWA	1 mg/m3	Dust and mist.
		0.1 mg/m3	Fume.
Silica, crystalline (quartz) (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.
Talc, Magnesium silicate hydrate (CAS 14807-96-6)	TWA	2 mg/m3	Respirable.

US. Workplace Environme Components	ntal Exposure Level (WEEL) Guides Type	Value		
Diethylene glycol (CAS 111-46-6)	TWA	10 mg/m3		
Biological limit values	No biological exposure limits noted f	or the ingredient(s).		
Appropriate engineering controls	applicable, use process enclosures, maintain airborne levels below recor	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
Individual protection measures	s, such as personal protective equipn	nent		
Eye/face protection	Chemical respirator with organic vap	Chemical respirator with organic vapor cartridge and full facepiece.		
Skin protection				
Hand protection	Wear appropriate chemical resistant	gloves.		
Other	Wear suitable protective clothing.			
Respiratory protection	Use a NIOSH/MSHA approved respi exceeding the exposure limits.	rator if there is a risk of exposure to vapor/mist at levels		
Thermal hazards	Wear appropriate thermal protective	clothing, when necessary.		
General hygiene considerations	, ,,	ene measures, such as washing after handling the material moking. Routinely wash work clothing and protective		

# 9. Physical and chemical properties

-	
Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Blue
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	> 212 °F (> 100 °C)
Flash point	287.99 °F (142.21 °C) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	1.4
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

# 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

# 11. Toxicological information

### Information on likely routes of exposure

Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	May cause respiratory irritation.

#### Information on toxicological effects

#### Acute toxicity

Product	Species	Test Results
830-7216 CAL-TINT® PHTHALO	BLUE	
Acute		
Dermal		
LD50	Rabbit	35060 mg/kg
Inhalation		
LC50	Rat	610000 mg/l, 4 Hours
Oral		
LD50	Rat	26 g/kg
Components	Species	Test Results
29H,31H-phthalocyaninato(2-)-N2	29,N30,N31,N32 copper (CAS 147-14-8)	
<u>Acute</u>		
Oral		
LD50	Rat	> 6400 mg/kg
Diethylene glycol (CAS 111-46-6)		
Acute		
Dermal		
LD50	Rabbit	11890 mg/kg
ethanediol; ethylene glycol (CAS	107-21-1)	
Acute		
Dermal		
LD50	Rabbit	9530 mg/kg
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritati	on.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.	
Respiratory or skin sensitizatio	n	
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitiza	tion.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	

Carcinogenicity	Risk of cance	er cannot be exc	luded with prolonged expos	ure.	
IARC Monographs. Overall	Evaluation of 0	Carcinogenicity	,		
Silica, crystalline (quartz Talc, Magnesium silicate			1 Carcinogenic to human 2B Possibly carcinogenic 3 Not classifiable as to ca	to humans.	
OSHA Specifically Regulate		-			
Silica, crystalline (quartz US. National Toxicology Pr	ogram (NTP) R	eport on Carcir	-		
Silica, crystalline (quartz		-	Known To Be Human Ca	-	
Reproductive toxicity Specific target organ toxicity -	-	espiratory irritation	to cause reproductive or dev on.	velopmental effects.	
single exposure	·				
Specific target organ toxicity - repeated exposure	Not classified	l.			
Aspiration hazard	Not an aspira	tion hazard.			
Chronic effects	Prolonged inl	nalation may be	harmful. Prolonged exposu	re may cause chronic effects.	
12. Ecological information	n				
Ecotoxicity				us. However, this does not exclude the I or damaging effect on the environment	
Product		Species		Test Results	
830-7216 CAL-TINT® PHTH	ALO BLUE				
Aquatic					
Crustacea	EC50	Daphnia		37485.5977 mg/l, 48 hours	
Fish	LC50	Fish		18810.9238 mg/l, 96 hours	
Components		Species		Test Results	
Diethylene glycol (CAS 111-4	46-6)				
Aquatic					
<i>Acute</i> Fish	LC50	Western mos	quitofish (Gambusia affinis)	> 32000 mg/l, 96 hours	
ethanediol; ethylene glycol (C	CAS 107-21-1)				
Aquatic					
Acute					
Fish	LC50	Fathead minn	ow (Pimephales promelas)	8050 mg/l, 96 hours	
Persistence and degradability	No data is av	ailable on the de	egradability of any ingredier	nts in the mixture.	
Bioaccumulative potential					
Partition coefficient n-octa 29H,31H-phthalocyaninato(2			6.6		
Diethylene glycol	) 1120,1100,1101	,102 00000	-1.47		
ethanediol; ethylene glycol			-1.36		
Mobility in soil	No data available.				
Other adverse effects				etion, photochemical ozone creation are expected from this component.	
13. Disposal consideratio	ons				
Disposal instructions				ensed waste disposal site. Dispose of onal/international regulations.	
Local disposal regulations	Dispose in ac	cordance with a	Il applicable regulations.		
Hazardous waste code		The waste code should be assigned in discussion between the user, the producer and the waste disposal company.			
Waste from residues / unused products	product resid	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).			
Contaminated packaging				low label warnings even after container i ed waste handling site for recycling or	S
Material name: 830-7216 CAL-TINT	B PHTHALO BLU	Ξ		SDS	

# 14. Transport information

#### DOT

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

# 15. Regulatory information

15. Regulatory information	on			
US federal regulations	This product is a "Haza and the Canadian Haza		efined by the US Hazard Commun lation.	ication Standard
<b>Toxic Substances Control</b>	Act (TSCA)			
TSCA Section 12(b) E	xport Notification (40 CFF	R 707, Subpt. D)		
Not regulated. TSCA Chemical Actio	n Plans, Chemicals of Co	ncern		
	(ethyleneoxy)ethanol, brand		(NP) and Nonylphenol Ethoxylates	s (NPEs) Action
<b>CERCLA Hazardous Subs</b>	tance List (40 CFR 302.4)			
(CAS 147-14-8)	nato(2-)-N29,N30,N31,N32			
ethanediol; ethylene gly SARA 304 Emergency rele		Listed.		
Not regulated.				
OSHA Specifically Regula		-		
Silica, crystalline (quart	z) (CAS 14808-60-7)	Cancer lung effects immune syste kidney effects		
Superfund Amendments and F	Reauthorization Act of 198	B6 (SARA)		
SARA 302 Extremely haza		<b>x y</b>		
Not listed.				
SARA 311/312 Hazardous chemical	Yes			
Classified hazard categories	Specific target organ to	xicity (single or repeat	ted exposure)	
SARA 313 (TRI reporting)				
Chemical name		CAS number	% by wt.	
Ethylene glycol Poly(oxy-1,2-ethanediy .alpha(nonylphenyl)c	l), omegahydroxy-, branched	107-21-1 68412-54-4	15 - 40 0.1 - 1	
Other federal regulations				
Clean Air Act (CAA) Section	on 112 Hazardous Air Pol	lutants (HAPs) List		
ethanediol; ethylene gly Clean Air Act (CAA) Section		ase Prevention (40 C	FR 68.130)	
Not regulated.				
Safe Drinking Water Act (SDWA)	Contains component(s)	regulated under the S	Safe Drinking Water Act.	
US state regulations				
US. California. Candidate (a))	Chemicals List. Safer Cor	nsumer Products Reg	gulations (Cal. Code Regs, tit. 22	2, 69502.3, subd.
ethanediol; ethylene gly	/col (CAS 107-21-1)			
Nonylphenoxypoly(ethy	leneoxy)ethanol, branched	(CAS 68412-54-4)		
Silica, crystalline (quart		•		
	te hydrate (CAS 14807-96-6	6)		
Material name: 830-7216 CAL-TINT	R PHTHALO BLUE			SDS U

#### **California Proposition 65**

# California Proposition 65 - CRT: Listed date/Carcinogenic substance

Silica, crystalline (quartz) (CAS 14808-60-7)Listed: October 1, 1988Talc, Magnesium silicate hydrate (CAS 14807-96-6)Listed: April 1, 1990

California Proposition 65 - CRT: Listed date/Developmental toxin

ethanediol; ethylene glycol (CAS 107-21-1) Listed: June 19, 2015

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

Issue date Revision date Version #	05-28-2017 07-19-2022 03
List of abbreviations	AICIS: Australian Inventory of Industrial Chemicals.
Disclaimer	The information contained herein is based on data believed to be reliable and the manufacturer disclaims any liability incurred from the use or reliance upon the same. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This safety information is not a license to use this material as claimed by any patents of third parties. The user alone must finally determine whether a contemplated use of this material will infringe any such patents, and for obtaining any required licenses.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.