830-1047 CAL-TINT® VENETIAN RED

Specification: 000000139783 Revision Date: 07-18-2022



1/8

Version Number: 03

# 1. Identification

**Product identifier** 830-1047 CAL-TINT® VENETIAN RED

Other means of identification

**SAP Specification** 000000139783 Recommended use Aqueous colorant **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Chromaflo Technologies Corporation Company

2600 Michigan Avenue

Ashtabula, OH, USA 44005-0816

Canadian facility Chromaflo Technologies Canada

235 Orenda Road

Brampton, Ontario, Canada L6T-1E6

**US** telephone 440-997-5137 Canadian telephone 905-451-3810

NA: EMERGENCY # (3E) 866-519-4752 GLOBAL: EMERG. # (3E) (+1) 760-476-3962

**3E CONTRACT #** 12154 334294 **3E ACCESS CODE** 

613-996-6666 **CANADA: CANUTEC** 

**EMERGENCY NUMBER** 

**Product Regulatory** 

**Services** 

ehs americas@chromaflo.com

# 2. Hazard(s) identification

Physical hazards Not classified. Not classified. **Health hazards** Not classified. **OSHA** defined hazards

Label elements

Hazard symbol None. None. Signal word

**Hazard statement** The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Wash hands after handling. Take off contaminated clothing and wash it before reuse. Response

Store away from incompatible materials. Storage

Dispose of waste and residues in accordance with local authority requirements. **Disposal** 

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information If product is in liquid or paste form, hazards related to dust are not considered significant. But

product may contain substances that could be potential hazards if caused to become airborne

due to abrasive processes.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Iron (III) Oxide		1309-37-1	40 - 70
ethanediol; ethylene glycol		107-21-1	10 - 30
Diethylene glycol		111-46-6	3 - 7
Nonylphenoxypoly(ethyleneoxy)eth anol, branched		68412-54-4	3 - 7
Talc, Magnesium silicate hydrate		14807-96-6	0.5 - 1.5
Polyoxyethylene nonylphenyl ether phosphate		68412-53-3	0.1 - 1
Other components below reportable I	evels		10 - 30

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Rinse mouth. Get medical attention if symptoms occur. Ingestion Direct contact with eyes may cause temporary irritation. Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from

the chemical

Special protective equipment

and precautions for firefighters

During fire, gases hazardous to health may be formed.

Alcohol resistant foam. Powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Specific methods

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

Precautions for safe handling Avoid prolonged exposure. Observe good industrial hygiene practices. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

## Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value	Form
Iron (III) Oxide (CAS 1309-37-1)	PEL	10 mg/m3	Fume.
US. OSHA Table Z-3 (29 CF	R 1910.1000)		
Components	Туре	Value	Form
Iron (III) Oxide (CAS 1309-37-1)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
Talc, Magnesium silicate hydrate (CAS 14807-96-6)	TWA	0.1 mg/m3	Respirable.
		20 mppcf	
		2.4 mppcf	Respirable.
US. ACGIH Threshold Limit	Values		
Components	Туре	Value	Form
ethanediol; ethylene glycol (CAS 107-21-1)	STEL	10 mg/m3	Aerosol, inhalable.
		50 ppm	Vapor fraction
	TWA	25 ppm	Vapor fraction
Iron (III) Oxide (CAS 1309-37-1)	TWA	5 mg/m3	Respirable fraction.
Talc, Magnesium silicate hydrate (CAS 14807-96-6)	TWA	2 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide t	o Chemical Hazards		
Components	Туре	Value	Form
Iron (III) Oxide (CAS 1309-37-1)	TWA	5 mg/m3	Dust and fume.
Talc, Magnesium silicate hydrate (CAS 14807-96-6)	TWA	2 mg/m3	Respirable.
US. Workplace Environmer	ntal Exposure Level (WEEL) Guides		
Components	Туре	Value	
Diethylene glycol (CAS 111-46-6)	TWA	10 mg/m3	
ogical limit values	No biological exposure limits noted for the in-	gredient(s).	
ropriate engineering rols	Good general ventilation should be used. Ve applicable, use process enclosures, local extending maintain airborne levels below recommended.	haust ventilation, or oth	er engineering controls to

## Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

**Respiratory protection** Use a NIOSH/MSHA approved respirator if there is a risk of exposure to vapor/mist at levels

exceeding the exposure limits.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** 

Liquid. Physical state **Form** Liquid. Color Red

Not available. Odor **Odor threshold** Not available. Not available. Hq Melting point/freezing point Not available.

Initial boiling point and boiling

> 212 °F (> 100 °C)

range

238.68 °F (114.82 °C) estimated Flash point

**Evaporation rate** Not available. Not applicable. Flammability (solid, gas) Upper/lower flammability or explosive limits Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%)

Vapor pressure Not available. Not available. Vapor density

2 Relative density

Solubility(ies)

Solubility (water) Not available. Partition coefficient Not available.

(n-octanol/water)

**Auto-ignition temperature** Not available. Not available. **Decomposition temperature Viscosity** Not available.

Other information

Not explosive. **Explosive properties** Not oxidizing. Oxidizing properties

### 10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

**Chemical stability** Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Contact with incompatible materials. Conditions to avoid

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

# 11. Toxicological information

## Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

No adverse effects due to skin contact are expected. Skin contact Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Material name: 830-1047 CAL-TINT® VENETIAN RED

SDS US 000000139783 Version #: 03 Revision date: 07-18-2022 Issue date: 05-28-2017

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

**Acute toxicity** 

**Product** Species **Test Results** 

830-1047 CAL-TINT® VENETIAN RED

Acute **Dermal** 

LD50 Rabbit 47920 mg/kg

Oral

LD50 Rat 36 g/kg

Components **Species Test Results** 

Diethylene glycol (CAS 111-46-6)

**Acute Dermal** 

LD50 Rabbit 11890 mg/kg

ethanediol; ethylene glycol (CAS 107-21-1)

**Acute Dermal** 

LD50 Rabbit 9530 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Risk of cancer cannot be excluded with prolonged exposure.

IARC Monographs. Overall Evaluation of Carcinogenicity

Iron (III) Oxide (CAS 1309-37-1) 3 Not classifiable as to carcinogenicity to humans.

Talc, Magnesium silicate hydrate (CAS 14807-96-6) 2B Possibly carcinogenic to humans.

3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity** 

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**Product Species Test Results** 

830-1047 CAL-TINT® VENETIAN RED

**Aquatic** 

Fish LC50 Fish 87797.3672 mg/l, 96 hours

Material name: 830-1047 CAL-TINT® VENETIAN RED

SDS US

Components **Species Test Results** 

Diethylene glycol (CAS 111-46-6)

**Aquatic** Acute

LC50 Fish Western mosquitofish (Gambusia affinis) > 32000 mg/l, 96 hours

ethanediol; ethylene glycol (CAS 107-21-1)

**Aquatic** Acute

Fish LC50 Fathead minnow (Pimephales promelas) 8050 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

**Bioaccumulative potential** 

Partition coefficient n-octanol / water (log Kow)

-1.47 Diethylene glycol ethanediol; ethylene glycol -1.36

No data available. Mobility in soil

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and Not established.

the IBC Code

15. Regulatory information

**US** federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard and the Canadian Hazardous Products Regulation.

**Toxic Substances Control Act (TSCA)** 

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

TSCA Chemical Action Plans, Chemicals of Concern

Nonylphenoxypoly(ethyleneoxy)ethanol, branched

(CAS 68412-54-4)

Plan

Polyoxyethylene nonylphenyl ether phosphate

(CAS 68412-53-3)

Nonylphenol (NP) and Nonylphenol Ethoxylates (NPEs) Action

Nonylphenol (NP) and Nonylphenol Ethoxylates (NPEs) Action

Plan

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

ethanediol; ethylene glycol (CAS 107-21-1)

SARA 304 Emergency release notification

Not regulated.

Material name: 830-1047 CAL-TINT® VENETIAN RED

Listed.

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

#### SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Ethylene glycol	107-21-1	10 - 30	
Nonylphenol Ethoxylates	68412-53-3	0.1 - 1	
Poly(oxy-1,2-ethanediyl), .alpha(nonylphenyl)omegahydroxy-, branched	68412-54-4	3 - 7	

#### Other federal regulations

# Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

ethanediol; ethylene glycol (CAS 107-21-1)

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Contains component(s) regulated under the Safe Drinking Water Act.

(SDWA)

#### **US** state regulations

# US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

ethanediol; ethylene glycol (CAS 107-21-1)

Nonylphenoxypoly(ethyleneoxy)ethanol, branched (CAS 68412-54-4)

Polyoxyethylene nonylphenyl ether phosphate (CAS 68412-53-3)

Talc, Magnesium silicate hydrate (CAS 14807-96-6)

#### **California Proposition 65**

#### California Proposition 65 - CRT: Listed date/Carcinogenic substance

Silica, crystalline (quartz) (CAS 14808-60-7) Listed: October 1, 1988 Talc, Magnesium silicate hydrate (CAS 14807-96-6) Listed: April 1, 1990

## California Proposition 65 - CRT: Listed date/Developmental toxin

ethanediol; ethylene glycol (CAS 107-21-1) Listed: June 19, 2015

## International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

# 16. Other information, including date of preparation or last revision

 Issue date
 05-28-2017

 Revision date
 07-18-2022

000000139783 Version #: 03 Revision date: 07-18-2022 Issue date: 05-28-2017

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Version # 03

List of abbreviations

AICIS: Australian Inventory of Industrial Chemicals.

**Disclaimer** 

The information contained herein is based on data believed to be reliable and the manufacturer disclaims any liability incurred from the use or reliance upon the same. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This safety information is not a license to use this material as claimed by any patents of third parties. The user alone must finally determine whether a contemplated use of this material will infringe any such patents, and for obtaining any required licenses.

**Revision information** 

This document has undergone significant changes and should be reviewed in its entirety.

Material name: 830-1047 CAL-TINT® VENETIAN RED

000000139783 Version #: 03 Revision date: 07-18-2022 Issue date: 05-28-2017