#### **SECTION 1: IDENTIFICATION**

1.1 PRODUCT IDENTIFIER

Product Name: GACODECK FILL CAULK

Product Code: DC10-T

1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE

**Product Use:** Architectural Coating and Waterproofing

Use this product in accordance with all local, regional, national and international regulations.

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Name/Address: Gaco Western LLC

1245 Chapman Dr.

Waukesha, WI, 53186-5942

**USA** 

**Telephone Number:** 800-331-0196 / **International**: 001-800-331-0196

Email:sds@gaco.comWebsite:www.gaco.com

1.4 EMERGENCY TELEPHONE NUMBER

For Chemical Emergency
Spill, Leak, Fire, Exposure, or Incident

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1-703-527-3887 (collect calls accepted)

# **SECTION 2: HAZARD(S) IDENTIFICATION**

# 2.1 CLASSIFICATION OF THE CHEMICAL

Hazard class:

HAZARD CLASSIFICATION	CATEGORY
Not Classified	
This mixture does not meet the criteria for classification to OSHA Hazard Communication Standard 2012 1900.1200 (HCS 2012).	

2.2 LABEL ELEMENTS

Hazard pictogram: None

Signal word: None

**Hazard statement:** This mixture does not meet the criteria for classification to OSHA Hazard

Communication Standard 2012 1900.1200 (HCS 2012).

**Prevention:** Observe good industrial hygiene practices.

**Response:** Wash hands thoroughly after handling.

Storage: Store in a well-ventilated place. Keep container tightly closed.

**Disposal:** Dispose of contents and container in accordance with all local, regional,

national and international regulations.

#### 2.3 ADDITIONAL INFORMATION

**Main symptoms:** Direct contact with eyes may cause temporary irritation.

Hazards not otherwise specified: None Known

0% of the mixture consists of ingredient(s) of unknown acute toxicity

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

## **3.1 MIXTURES**

Comments: This mixture does not meet the criteria for classification according to

OSHA Hazard Communication Standard 2012 (HCS 2012) 1900.1200.

Material	CAS No.	Weight %*
Silica, vitreous (dust)	60676-86-0	30-60%
Limestone	1317-65-3	7-13%
Disodium oxide	1313-59-3	7-13%
Calcium oxide	1305-78-8	1-5%

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

## **SECTION 4: FIRST-AID MEASURES**

#### **4.1 DESCRIPTION OF THE FIRST AID MEASURES**

**General information:** Ensure that medical personnel are aware of the materials(s) involved, and

take precautions to protect themselves.

**Inhalation:** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact:** Wash skin with plenty of soap and water. Get medical attention is irritation

develops and persists.

**Eye contact:** Rinse eyes with water. Get medical attention if irritation develops and

persists.

**Ingestion:** Rinse mouth. Get medical attention if symptoms occur.

#### 4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Direct contact with eyes or skin may cause temporary irritation.

# 4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENTS NEEDED

**Note to physicians:** Treat symptomatically.

**Specific treatments:** In case of accident or if you feel unwell, seek medical advice (show the label

or SDS where possible).

# **SECTION 5: FIRE-FIGHTING MEASURES**

# **5.1 EXTINGUISHING MEDIA**

**General hazards:** No unusual fire or explosion hazard.

**Suitable extinguishing media:** Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2) **Unsuitable extinguishing media:** Do not use water jet as an extinguisher as this will spread the fire.

## 5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

**Specific hazards:** During fire, gases hazardous to health may be formed.



# SAFETY DATA SHEET

**Products of combustion:** May include, and are not limited to: oxides of carbon.

5.3 Special protective equipment and precautions for fire-fighters (PPE)

Special protective equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

Special fire-fighting procedures: Keep upwind of fire. Move containers from fire area if you can do it

without risk.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

For personal protection, see Section 8 of this SDS.

# 6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING - UP

Methods for containment: Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then

place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

**Methods for cleaning-up:** Stop the flow of material, if this is without risk. Dike far ahead of spill for later

disposal. Following product recovery, flush area with water. For waste

disposal, see Section 13 of the SDS.

Large spills: Stop the flow of material, if this is without risk. Dike the spilled material,

where this is possible. Absorb in vermiculite, dry sand or earth and place into

containers. Following product recovery, flush area with water.

Small spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly

to remove residual contamination.

Never return spills to original containers for re-use.

**Environmental precautions:** Avoid discharge into drains, water courses or onto the ground.

## **SECTION 7: HANDLING AND STORAGE**

# 7.1 PRECAUTIONS FOR SAFE HANDLING

**Precautions for Safe handling:** Observe good industrial hygiene practices.

**General hygiene advice:** Ensure that medical personnel are aware of the materials(s) involved, and

take precautions to protect themselves.

# 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Safe storage:Store away from incompatible materials.Specific use:Architectural Coating and Waterproofing

**Technical measures:** No specific recommendations.

**Incompatible materials:** None known, avoid strong oxidizing agents.

**Safe packaging material:** No specific recommendations.

**Precautions:** Use personal protective recommended in Section 8 of the SDS.

**Safe handling advice:** Observe good industrial hygiene practices. **Suitable storage conditions:** Store away from incompatible materials.

**Handling-technical measures:** No specific recommendations. **Local and general ventilation:** Provide adequate ventilation.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**



# SAFETY DATA SHEET

### 8.1 CONTROL PARAMETERS

**Control parameters:** Follow standard monitoring procedures.

### **Exposure limits:**

## Silica, vitreous (dust)

OSHA: PEL/TLV 10 mg/m3 (respirable)

ACGIH: TWA/TLV 10 mg/m3 NIOSH: REL-TWA mg/m3: 0.05

#### Limestone

NIOSH REL: TWA 10 mg/m3 (total) TWA 5 mg/m3 (resp) OSHA PEL: TWA 15 mg/m3 (total) TWA 5 mg/m3 (resp)

ACGIH TLV: 2 mg/m3 (resp)

#### Disodium oxide

OSHA PEL/TLV: 10 mg/m3 (respirable)

ACGIH TWA/TLV: 10 mg/m3

#### Calcium oxide

OSHA: PEL/TLV 5 mg/m3 (respirable)

NIOSH: TWA/TLV 2 mg/m3

IDLH mg/m3: 25

## **8.2 EXPOSURE CONTROLS**

# Engineering measures to reduce exposure:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable

level.

## **8.3 INDIVIDUAL PROTECTIVE MEASURES**

**General:** Use personal protective equipment as required.

**Eye protection:** If contact is likely, safety glasses with side shields are recommended. **Hand protection:** For prolonged or repeated skin contact, use suitable protective gloves. **Respiratory protection:** In case of insufficient ventilation, wear suitable respiratory equipment.

**Skin and body protection:** Wear suitable protective clothing.

**Hygiene measures:** Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing and protective equipment to remove contaminants.

**Thermal hazards:** Wear appropriate thermal protective clothing, when necessary.

Environmental exposure controls: Environmental manager must be informed of all major releases.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Gray paste



Color: Gray
Form: Paste
Odor: Mild latex
Odor Threshold: Not available
Physical State: Liquid
pH (at 20°C): 7.5-9
Melting Point/Freezing Point: Not available

**Melting Point/Freezing Point:** Not available **Initial Boiling Point and Boiling Range:** Not available Flash Point: >200°F/>93.3°C **Evaporation Rate:** Not available Flammability (solid, gaseous): Not Flammable Lower Flammability/Explosive Limit: Not available **Upper Flammability/Explosive Limit:** Not available Vapor Pressure (mm Hg @38°C): Not available Vapor Density: Not available

Density (lb/gal): 7.13
Relative Density/Specific Gravity: 0.86

**Solubility in water/miscibility:** High solubility in water

Partition coefficient: n-octanol/water: Not available **Auto-ignition Temperature:** Not available **Decomposition Temperature:** Not available Viscosity (at 20°C) g/L: Not available **Oxidizing Properties:** Not available **Explosive Properties:** Not available VOC: 15 g/L (0.13 lb/gal) **Solvent content - Organic:** Not available

Solvent content - Water: Not available

Solvent content - Solids: 74%

Other information: Not available

**Incompatibilities:** None known, avoid strong oxidizing agents.

# **SECTION 10: STABILITY AND REACTIVITY**

**10.1 REACTIVITY** The product is stable and non-reactive under normal conditions of use,

storage and transport.

10.2 CHEMICAL STABILITY

**Chemical stability:** Material is stable under normal conditions.

Materials to avoid: The product is stable and non-reactive under normal conditions of use,

storage and transport.

**10.3 POSSIBILITY OF HAZARDOUS REACTIONS** 

**Hazardous reactions:** No dangerous reaction known under conditions of normal use.

**10.4 CONDITIONS TO AVOID** Contact with incompatible materials.

**10.5 INCOMPATIBLE MATERIALS** None known, avoid strong oxidizing agents.

**10.6 HAZARDOUS DECOMPOSITION PRODUCTS** 

Hazardous decomposition products: No hazardous decomposition products are known.

**Hazardous polymerization:** Does not occur.

Other information: Not available.

#### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

Expected to be a low hazard for usual industrial or commercial handling by Acute toxicity:

trained personnel.

Likely routes of exposure: Skin contact. Eye contact. Inhalation.

> Eye: Direct contact with eyes may cause temporary irritation.

Skin: No adverse effects due to skin contact are expected. Prolonged skin

contact may cause dryness, redness, or cracking.

Ingestion: Not an expected route of exposure. Expected to be a low ingestion

hazard.

Inhalation: Not an expected route of exposure. No adverse effects due to

inhalation are expected.

LD50/LC50 values relevant to this classification:

Calcium oxide

Oral rat LD50 >2,000 mg/kg bw Derm rabbit LD50 >2,500 mg/kg bw

## Calculated overall chemical acute toxicity values for this formulation:

Calculat	ted overall Chemical Acute Toxici	ty Values
LC50 (inhalation)	LD50 (oral)	LD50 (dermal)
>5 mg/kg (dust and mist)	>2000 mg/kg	>2000 mg/kg

#### 11.2 DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT- AND LONG-TERM EXPOSURE

Skin corrosion/irritation: Based on available data, this product is not expected to cause skin corrosion

or irritation. Prolonged skin contact may cause dryness, redness, or cracking.

Serious eye damage/irritation: Based on available data, this product is not expected to cause serious eye

damage or irritation. Direct contact with eyes may cause temporary

irritation.

Respiratory sensitization: Based on available data, this product is not expected to cause respiratory

sensitization.

Skin sensitization: Based on available data, this product is not expected to cause skin

sensitization.

Symptoms and target organs: Direct contact with eyes may cause temporary irritation.

**Chronic health effects:** No chronic health effects known.

Carcinogenicity: This product is not classified as a carcinogen. Due to the form of the product,

exposure to the potentially carcinogenic components is not expected.

Material	OSHA(O)	ACGIH(G)	NTP(N)	IARC(I)
Silica, vitreous (dust)	Ca	Not listed	Not listed	3

SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

OSHA (O) = Occupational Safety and Health Administration

Ca/Yes = Expected to be carcinogenic not listed = Not expected to be carcinogenic

A4 =Not classifiable as a human carcinogen

A5 =Not suspected as a human carcinogen

not listed = Not expected to be carcinogenic

A1 = Confirmed human carcinogen

A2 =Suspected human carcinogen A3 = Animal carcinogen

NTP (N) = National Toxicology Program

K = Known to be a carcinogen
R = Reasonably anticipated to be a carcinogen

not listed = Not expected to be carcinogenic

IARC (I) =International Agency for Research on Cancer

1 = Carcinogenic to humans

ACGIH (G) = American Conference of Governmental Industrial Hygienists

2A =Probably carcinogenic to humans 2B =Possibly carcinogenic to humans

3 =Not classifiable as to its carcinogenicity to humans 4 = Probably not carcinogenic to humans not listed = Not expected to be carcinogenic

Mutagenicity: No data available to indicate product or any components present at greater

than 0.1% are mutagenic or genotoxic.

**Reproductive Toxicity:** This product is not expected to cause reproductive or developmental effects.



# SAFETY DATA SHEET

**Specific Target Organ Toxicity (STOT):** 

**Single Exposure:** Not classified as an STOT - Single Exposure. **Repeated Exposure:** Not classified as an STOT - Repeated Exposure.

**Aspiration Toxicity:** Based on available data, this product is not expected to cause aspiration

toxicity.

Other Information: Not available.

# **SECTION 12: ECOLOGICAL INFORMATION**

12.1 ECOTOXICITY

**Ecotoxicity:** The product is not classified as environmentally hazardous. However, this

does not exclude the possibility that large or frequent spills can have a

harmful or damaging effect on the environment.

**Acute aquatic toxicity:** The product is not classified as acutely environmentally hazardous. However,

this does not exclude the possibility that large or frequent spills can have a

harmful or damaging effect on the environment.

**Chronic toxicity:** The product is not classified as having a chronic environmental hazard.

However, this does not exclude the possibility that large or frequent spills can

have a harmful or damaging effect on the environment.

**Environmental effects:** The product is not classified as environmentally hazardous. However, this

does not exclude the possibility that large or frequent spills can have a

harmful or damaging effect on the environment.

12.2 PERSISTENCE AND DEGRADABILITY

Persistence/biodegradability: The product contains substances which are not expected to be readily

biodegradable.

12.3 BIOACCUMULATIVE POTENTIAL

**Bioaccumulation:** No data available.

12.4 MOBILITY

Mobility:No data available.Mobility in soil:No data available.Mobility in non-soil:No data available.

12.5 OTHER ADVERSE EFFECTS

Ozone layer: No data available.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1 WASTE TREATMENT METHODS

**Disposal method:** This material must be disposed of in accordance with all local, state,

provincial, and federal regulations.

Contaminated packaging: Since emptied containers may retain product residue, follow label warnings

even after container is emptied. Dispose of contents and container in accordance with all local, regional, national and international regulations.

**EU codes:** The Waste code should be assigned in discussion between the user, the

producer and the waste disposal company.

**Residual waste:** Dispose of in accordance with local regulations. Empty containers or liners

may retain some product residues. This material and its container must be

disposed of in a safe manner (see: Disposal instructions).

**Disposal instructions:** Collect and reclaim or dispose in sealed containers at licensed waste disposal

site. Dispose of contents and container in accordance with all local, regional,

national and international regulations.

Waste codes: The Waste code should be assigned in discussion between the user, the

producer and the waste disposal company.

Other disposal recommendations: None

## **SECTION 14: TRANSPORT INFORMATION**

#### **DOT Non-Bulk**

Not classified as Dangerous Goods for Transport

#### **DOT Bulk**

Not classified as Dangerous Goods for Transport

## **IMDG**

Not classified as Dangerous Goods for Transport

#### ICAO/IATA

Not classified as Dangerous Goods for Transport

**Reportable quantity:** Package sizes shipped in quantities less than the product reportable quantity are not subject to the RQ (reportable quantity) transportation requirements.

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material

#### **SECTION 15: REGULATORY INFORMATION**

## 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/ LEGISLATIONS SPECIFIC FOR THE CHEMICAL

## **US Federal Regulations:**

# U.S. OSHA (Occupational Safety and Health Administration) Specifically Regulated Substances (29 CFR 1910.1001-1050)

The following components of this product are found at concentrations greater than or equal to 0.1% and are listed as U.S. OSHA Specifically Regulated Substances.

Material	CAS No.	Amount
Silica, vitreous	60676-86-0	35%

#### **SARA/CERCLA** reporting requirements:

No components of this product are found at concentrations greater than or equal to 0.1% and are subject to the SARA/CERCLA reporting requirements.

## **State Right-to-Know Regulations**

The following components of this product are found at concentrations greater than or equal to 0.1%, subject to state Right-to-Know reporting requirements; or are found at any concentration and are listed under California Proposition 65.

				New Jersey Community			
			Minnesota	Environme	New Jersey		Rhode
	California	Massachus	Employee	ntal Hazard	Right-to-	Pennsylvan	Island
	Proposition	etts Right-	Right-to-	Right-to-	Know	ia Right-to-	Right-to-
Material	65	to-Know	Know	Know	Substance	Know	Know
Silica, vitreous	Not listed	Listed	Listed	Not listed	Listed	Not listed	Not listed



Limestone	Not listed	Listed	Listed	Not listed	Listed	Listed	Not listed
Calcium oxide	Not listed	Listed	Listed	Not listed	Listed	Listed	Not listed

## **Global Inventories:**

Notification	status:
US - TSCA	All substances are listed
Canada -DSL	All substances are listed
Canada - NDSL	No substances are listed
EU - EINECS	All substances are listed
EU - ELINCS	No substances are listed
EU - NLP	No substances are listed
Australia – AICS	All substances are listed
China - EICSC	All substances are listed
Japan - ENCS	All substances are listed
Korea - KECI	All substances are listed
Taiwan - NECI	All substances are listed
New Zealand - NZloC	All substances are listed
Philippine - PICCS	All substances are listed

## **EU - REACH Status:**

A registration number is not available for substances in this mixture as the substances are exempted from registration, the annual tonnage does not require a registration or the registration is envisioned for a later registration deadline.

# CANADA – WHMIS (Workplace Hazardous Materials Information System) Classification:

Not a controlled product under Canada WHMIS (Workplace Hazardous Materials Information System) classification scheme.

# **MEXICO:**

**Hazard Classification:** 1-1-0

**Carcinogen Status:** No data available.

#### **SECTION 16: OTHER INFORMATION**

# **HMIS (Hazardous Materials Identification System) rating:**

Health:	1
Flammability:	1
Physical:	0

## NFPA 704 (National Fire Protection Association) rating:

Health	1
Fire	1
Reactivity	0

#### Legend:

DOT	US Department of Transportation
IATA	International Air Transport Association
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods

ACGIH American Conference of Governmental Industrial Hygienists

NTP National Toxicology Program

IARC International Agency for Research on Cancer



# SAFETY DATA SHEET

PPE Personal Protective Equipment

RCRA Resource Conservation and Recovery Act

CAA Clean Air Act

SARA Superfund Amendments and Reauthorization Act
EPCRA Emergency Planning and Community Right-to-Know Act
WHMIS Workplace Hazardous Materials Information System

EU European Union

REACH Regulation on Registration, Evaluation, Authorisation and Restriction of Chemicals

CERCLA Comprehensive Environmental Response, Compensation and Liability Act

TSCA US Toxic Substances Control Act (TSCA)
DSL Canada Domestic Substance List (DSL)
NDSL Canada Non-Domestic Substance List (NDSL)

EINECS European Inventory of Existing Commercial Chemical Substances (EINECS)

ELINCS European List of Notified Chemical Substances (ELINCS)

NLP European list of No-longer Polymers (NLP)
AICS Australian Inventory of Chemical Substances (AICS)

EICSC China Existing Chemical Inventory - IECSC

ENCS Japanese Existing and New Chemical Substances Inventory(ENCS)

KECI Korea Existing Chemicals Inventory(KECI)

NECI Taiwan National Existing Chemical Inventory (NECI)
NZIOC New Zealand Inventory of Chemicals (NZIOC)

PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)

HMIS Hazardous Materials Identification System
NFPA National Fire Protection Association (NFPA)

**Date of preparation:** January 19, 2016

Version: 1.0

**Revision Date:** January 19, 2016

**Disclaimer:** We believe the statements, technical information and

recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own

particular use.

Prepared by: Gaco Western LLC

**End of Safety Data Sheet** 

Trade Name: DC10-T – GACODECK FILL CAULK

January 19, 2016