MATERIAL SAFETY DATA SHEET



Issue Date 13-Mar-2012 Revision Date: 11-Jun-2013 Version 1

1. IDENTIFICATION

Product Name PC Plumbing

MSDS # 130606-53-CA

Recommended Use Adhesives

Supplier Address

Protective Coatings Co. 221 S Third St. Allentown, PA 18102 USA

Company Phone Number 610-432-3543 / 800-220-2103

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. Hazards Identification

EMERGENCY OVERVIEW

Causes serious eye irritation
Causes skin irritation
May cause an allergic skin reaction

Appearance Gray stick Physical State Solid. Odor Mercaptan

Potential Health Effects

Acute toxicity

Eyes Causes serious eye irritation
Skin Causes skin irritation

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation

hazard

Ingestion May cause discomfort if swallowed

Chronic effects No known effect based on information supplied

Symptoms Causes eye irritation. Direct contact may cause temporary redness and discomfort. Causes

skin irritation.

Aggravated Medical Conditions None known

Environmental Hazard See Section 12: ECOLOGICAL INFORMATION

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	weight-%
Bisphenol A - Epichlorohydrin polymer	25068-38-6	10-30
2,4,6-Tri(dimethylaminomethyl)phenol	90-72-2	1-5
Crystalline silica	14808-60-7	0.1-1.0

Product contains a proprietary mixture of ingredients.

4. FIRST-AID MEASURES

General Advice Provide this SDS to medical personnel for treatment.

Eye ContactRinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician

Skin Contact Wash with soap and water Remove and wash contaminated clothing before reuse Get

medical attention if irritation occurs

Inhalation Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician / poison

center if individual's condition declines or if symptoms persist

Ingestion Clean mouth with water and drink afterwards plenty of water Do not induce vomiting Never

give anything by mouth to an unconscious person Seek medical advice

Notes to Physician Skin and eye conditions may be aggravated by long term exposure

5. FIRE-FIGHTING MEASURES

Flammable properties Not flammable

Flash Point Not available

Suitable Extinguishing Media Dry chemical, CO2 or water spray

Hazardous Combustion Products Carbon monoxide, Carbon dioxide (CO2), Aldehydes, Acids, Oxides of sulfur and nitrogen

may be formed

Explosion data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge None None

Specific hazards arising from the

chemical

Product is not flammable

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear Wear positive pressure self-contained breathing apparatus (SCBA) Do not release runoff from fire control methods to sewers or

waterways NFPA Class IIIB

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Wear protective gloves/protective clothing and eye/face protection Avoid breathing vapors,

mist or gas Remove any contaminated clothing and wash thoroughly before reuse

Environmental Precautions See Section 12 for additional Ecological Information

Methods for Containment Prevent further leakage or spillage if safe to do so

Methods for Cleaning Up Dispose of contents/container to an approved waste disposal plant

7. HANDLING AND STORAGE

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice Wear appropriate

personal protective equipment Avoid breathing dust/fume/gas/mist/vapors/spray Do not eat, drink or smoke when using this product Wash face, hands, and any exposed skin thoroughly after handling Contaminated work clothing should not be allowed out of the

workplace

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place Store contents under

<90F (32C) NFPA Class IIIB storage

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines The following information is given as general guidance

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Crystalline silica	TWA: 0.025 mg/m³ respirable	(vacated) TWA: 0.1 mg/m ³	IDLH: 50 mg/m3 respirable dust
14808-60-7	fraction	respirable dust	TWA: 0.05 mg/m ³ respirable
		: (30)/(%SiO2 + 2) mg/m ³ TWA	dust
		total dust	
		: (250)/(%SiO2 + 5) mppcf TWA	
		respirable fraction	
		: (10)/(%SiO2 + 2) mg/m ³ TWA	
		respirable fraction	

Engineering Controls Provide general or local exhaust ventilation if product is sanded or ground

Personal protective equipment (PPE)

Skin and Body Protection Chemical resistant protective gloves Wear suitable protective clothing

Eye/Face Protection Chemical safety goggles/faceshield

Respiratory Protection Ensure adequate ventilation, especially in confined areas If engineering controls do not

keep airborne concentrations below acceptable levels, wear a NIOSH-approved respirator

Odor

Mercaptan

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice Do not eat, drink or

smoke when using this product Wash contaminated clothing before reuse

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Solid Appearance Gray stick

Color Gray Odor Threshold Not determined

Property Values Remarks • Method

pH >8

Melting Point/Freezing Point
Boiling Point/Boiling Range
Flash Point
Evaporation Rate
Flammability (solid, gas)
Upper Flammability Limits
Not determined
Not determined
Not determined
Not determined
Not determined

Lower Flammability Limit
Vapor Pressure
Vapor Density
Not determined
Not determined
Not determined
Not determined

Relative Density (Specific Gravity) 1.92 @ 4°C (39.2°F) (1=Water)

Insoluble in water **Water Solubility** Solubility in other solvents Not determined **Partition Coefficient** Not determined **Autoignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

VOC Content (%) <1%

10. STABILITY AND REACTIVITY

Stability Stable under recommended storage conditions

Incompatible Materials None known based on information supplied

Conditions to Avoid Keep out of reach of children

Hazardous Decomposition Products None known based on information supplied

Possibility of Hazardous Reactions None under normal processing

Hazardous Polymerization Hazardous polymerization does not occur

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation

hazard

Eye Contact Causes serious eye irritation

Skin Contact Causes skin irritation

Ingestion May cause discomfort if swallowed

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Bisphenol A - Epichlorohydrin polymer	= 11400 mg/kg (Rat)	20000 mg/kg (rabbit)	
2,4,6-Tri(dimethylaminomethyl)phen ol	= 1000 mg/kg (Rat)	= 1280 mg/kg (Rat)	
Crystalline silica	= 500 mg/kg (Rat)		

Chronic toxicity

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested. Crystalline Silica is considered to be a human carcinogen when in respirable form (dust / powder)

Chemical Name	ACGIH	IARC	NTP	OSHA
Crystalline silica	A2	Group 1	Known	X

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Sensitization May cause an allergic skin reaction.

Target organ effects None known

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations

Contaminated Packaging Dispose of in accordance with federal, state and local regulations

14. TRANSPORT INFORMATION

DOT Not regulated

<u>IATA</u> Not regulated

<u>IMDG</u> Not regulated

TDG Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Bisphenol A - Epichlorohydrin polymer	Present	Х				Present	Х	Present	Х	Х
2,4,6-Tri(dimethylaminometh yl)phenol	Present	Х		Present		Present	Х	Present	Х	Х
Crystalline silica	Present	Х		Present		Present	Х	Present	Χ	Х

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Davis 5 / 7

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances IECSC

- China Inventory of Existing Chemical Substances KECL -

Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Crystalline silica	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania
Crystalline silica	X	X	X

International Regulations

Chemical Name	Carcinogenicity	Exposure Limits
Crystalline silica		Mexico: TWA 0.1 mg/m ³

CANADA

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR WHMIS Hazard Class

Class D. Div. 2



16. OTHER INFORMATION

NFPA **Health Hazards** 1 Flammability 1 Stability 0 Special Hazards -**HMIS Health Hazards** 1 Flammability 1 Physical Hazards 0 Personal Protection B-

Safety Glasses, Gloves

Issue Date 13-Mar-2012 **Revision Date:** 11-Jun-2013 New format **Revision Note Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet